



‘येथे बहुतांचे हित ।’

**Marathwada Mitra Mandal's
POLYTECHNIC**

Sr.No. 4/17, Thergaon, Pune - 411033. www.mmpolytechnic.edu.in

**ACCREDITED BY NBA (NATIONAL BOARD OF ACCREDITATION)
APPROVED BY AICTE, RECOGNIZED BY GOVT. OF MAHARASHTRA,
DTE, AFFILIATED TO MSBTE**

TECHNICAL MAGAZINE 2023-24



DEPARTMENT OF COMPUTER ENGINEERING

INDEX

Sr.No.	Description
1.	Learniverse
2.	Alcohol And Smoke Sensing Machine Using Engine Locking System
3.	Online feedback system
4.	Food spoilage detection system Using Arduino
5.	Plant Watering System
6.	Locker System Using Mobile Fingerprint
7.	Bluetooth controlled Smart Dustbin Using Arduino
8.	Mobile Bluetooth controlled wheelchair
9.	Online Assist Portal
10.	Automatic Grass cutter Robot
11.	Home Automation System
12.	Smart Medical Box
13.	Sun Tracking Solar Panel
14.	PMPML Online Ticket Application
15.	Smart Blind Stick With GPS And GSM Module Using Arduino Nano
16.	Surveillance Car Using ESP32 Camera
17.	AI Based Smart Robot (Chatbot) using python
18.	Colour Sorting Machine Using Aurdino
19.	Virtualize Tools And Software
20.	AI Krishna
21.	Campus Madad: A Student Grievance Redressal Portal
22.	Voice Control Armed Robot Assistant Using Arduino Uno
23.	Smartpass – A Step Towards SmartCity
24.	IoT-Based Smart Trolley and Bill Generator



LEARNIVERSE – USING AUGMENTED REALITY AND VIRTUAL REALITY FOR EDUCATION

Jagdish Sonigra , Geeta Joshi

Student , Principal

Diploma in Computer Enigneering

Marathwada Mitra Mandal's Polytechnic-0989, pune

Abstract- This study unveils cutting-edge developments in augmented reality (AR) tech for educational use, highlighting new strategies in image recognition and LOD optimization. It delves into AR's potential to transform conventional teaching methods, proposing an affordable VR hardware solution for broader access to immersive learning. By merging advanced tech with budget-friendly hardware, the research seeks to foster inclusive and captivating educational journeys for students.

Keywords- Augmented Reality , Virtual Reality , Education , Image Recognition , LOD;

I. Introduction

Augmented Reality (AR) in education is reshaping conventional learning. By overlaying digital content onto the physical world, AR immerses students in dynamic simulations and tailored learning experiences. This paper delves into AR's transformative potential, proposing advanced image recognition and dynamic LOD optimization for educational contexts. It explores AR's capacity to

democratize immersive learning and revolutionize teaching methods.

Moreover, the paper covers the democratizing potential of AR, aiming to make immersive learning accessible to all students. By leveraging cutting-edge technologies and cost-effective hardware solutions, this research seeks to address prevailing educational challenges. AR not only fosters collaboration and exploration but also empowers students from diverse backgrounds to thrive in an increasingly digital landscape.

Ultimately, through the integration of AR and VR technology, educators unlock a realm of innovative teaching approaches. AR and VR enables personalized learning experiences, fostering engagement and deepening understanding. It empowers students and Teachers to navigate and excel in an evolving digital world, ensuring inclusive and captivating educational journeys for all.

II. AR and VR in Education:

Augmented reality (AR) and virtual reality (VR) technologies offer educators powerful tools to enrich teaching and learning experiences in educational settings. By overlaying digital content onto the physical world and creating fully immersive virtual environments, AR and VR engage students in novel and interactive ways. In this section, we delve into the various benefits and potential applications of AR and VR in education.

Enhanced Engagement: Both AR and VR captivate students' attention by providing interactive and dynamic learning experiences. Whether exploring virtual environments or interacting with digital content overlaid onto the physical world, AR and VR stimulate curiosity and encourage active participation in the learning process.

Improved Comprehension: Visualizing abstract concepts in three-dimensional space enhances students' understanding and retention of complex topics. AR and VR applications enable educators to present information in a visual and interactive manner, catering to various learning styles and making learning more accessible and engaging.

Personalized Learning: AR and VR technologies can adapt content delivery based on individual student preferences, learning styles, and progress. By providing personalized learning experiences, these technologies cater to diverse student needs, allowing them to learn at their own pace and level of understanding.

Potential Applications of AR and VR in Education:

1. Virtual Field Trips: AR and VR technology enable students to explore virtual environments and historical landmarks from the classroom. Virtual field

trips enhance experiential learning, broaden students' cultural and geographical perspectives, and overcome logistical constraints associated with traditional field trips.

2. Interactive Simulations: AR and VR simulations empower students to conduct virtual experiments, explore scientific phenomena, and manipulate 3D models in real-time. These interactive simulations facilitate inquiry-based learning, encouraging hands-on exploration of STEM concepts in a safe and controlled environment.

3. Gamified Learning Experiences: AR and VR-based educational games offer engaging and immersive learning experiences that motivate students to achieve learning objectives. Incorporating gamification elements such as rewards, challenges, and competition enhances student motivation and participation in educational activities.

III. Learniverse: Revolutionizing Education

Learniverse, conceived by Jagdish Sonigra, stands at the forefront of educational innovation, leveraging augmented reality (AR) and virtual reality (VR) to redefine learning experiences. This groundbreaking initiative offers a personalized and immersive educational environment, seamlessly integrating cutting-edge AR and VR technologies. Below, we explore its key features, functionalities, and transformative impact on education.

Key Features of Learniverse:

1. Personalized Learning: Learniverse employs adaptive learning algorithms to tailor educational experiences to individual student preferences, learning styles, and progress. Through data analysis,

Learniverse customizes content delivery, enhancing engagement and comprehension.

2. Interactive AR and VR: Learniverse utilizes AR and VR technologies to create dynamic and interactive learning experiences. Students engage with educational content hands-on, visualizing abstract concepts and enhancing understanding.

3. Seamless Platform Accessibility: Learniverse ensures accessibility across various devices and platforms, including smartphones, tablets, PCs, and VR headsets. This cross-platform compatibility promotes flexible and convenient learning experiences.

Impact of Learniverse on Education:


1. Enhanced Engagement and Comprehension:

Learniverse's immersive AR and VR experiences captivate students, leading to improved engagement and comprehension. Active participation fosters deeper subject understanding and improved academic outcomes.

2. Empowerment of Educators: Learniverse empowers educators to cultivate dynamic learning environments tailored to diverse student needs.

3. Promotion of Lifelong Learning: Learniverse fosters a culture of lifelong learning by inspiring curiosity, exploration, and discovery. Through gamified experiences and interactive simulations, students are motivated to pursue learning beyond traditional classrooms.

IV. Implementation and Algorithms:



System Diagram of Learniverse (Fig 1)

The Learniverse application's functionality is explained through a comprehensive System diagram (Fig. 1). The initial phase involves the initialization and loading of essential components upon launching the Learniverse application. Subsequently, the device's camera is utilized to scan physical cards within the user's environment. Following the scanning process, the application cross-references the scanned image against the image target database of Learniverse to identify the specific target. Upon successful identification, the corresponding 3D models or digital content associated with the scanned target are retrieved and displayed to the user. Finally, the application presents the result, showcasing the interactive and immersive learning experiences facilitated by Learniverse.

1. Advanced Image Recognition Algorithm: In educational AR applications, accurate recognition and interpretation of real-world objects and surfaces are imperative. The advanced image recognition algorithm developed by Jagdish Dhansukh Sonigra for Learniverse enhances the application's capability in this regard. This algorithm, drawing upon machine learning and computer vision techniques, effectively

extracts distinctive features from input images and classifies them into predefined categories. Its adaptability to diverse educational settings and target objects, alongside continuous improvement through real-time feedback mechanisms, ensures robust recognition accuracy.

2. Dynamic Level of Detail (LOD) Algorithm:

Maintaining a balance between visual quality and performance is crucial in AR applications. The dynamic LOD algorithm developed by Jagdish Dhansukh Sonigra for Learniverse addresses this challenge adeptly. By selectively adjusting the level of detail of 3D models based on factors such as distance from the viewer and available processing power, this algorithm ensures optimal visual appeal and performance. Components including distance-based LOD adjustment, screen resolution optimization, and real-time performance monitoring contribute to a seamless and immersive AR experience, enhancing the overall quality of educational content.

These algorithms, properly integrated into Learniverse, significantly augment its capabilities in providing immersive and interactive learning experiences. Empowering educators and students alike, Learniverse redefines traditional teaching methodologies and fosters a culture of lifelong learning in educational settings.

VI. Results:

The implementation of Learniverse in educational settings has yielded significant outcomes, transforming the learning experiences of students and educators alike. This section presents the results of using Learniverse and highlights the impact of its key components, including interactive AR and VR

content delivery, along with optimization for low-specification devices developed by Jagdish Sonigra.

Enhanced Student Engagement and comprehension:

Learniverse's interactive AR and VR content delivery has led to increased student engagement and comprehension. By offering immersive and tangible experiences, students can visualize abstract concepts in a more accessible manner, resulting in deeper understanding and retention of subject matter.

Improved Learning Outcomes: Data analysis from Learniverse usage indicates improved learning outcomes among students. Learners utilizing Learniverse have demonstrated higher levels of mastery and proficiency in academic subjects compared to traditional learning methods. Furthermore, optimization for low-specification devices ensures that students with limited resources can still access high-quality educational content seamlessly.

Empowerment of Educators: Learniverse has empowered educators to personalize instruction and provide targeted support to students. With the streamlined delivery of supplementary content through AR and VR technology, educators can enrich classroom instruction and provide students with interactive learning experiences. Additionally, the optimization for low-specification devices allows educators to cater to a broader range of students, regardless of their device capabilities.

Long-Term Impact: Beyond immediate learning outcomes, Learniverse has the potential to foster a culture of lifelong learning among students. By promoting curiosity, exploration, and discovery through immersive AR and VR experiences, Learniverse instills a passion for learning that extends beyond the classroom and into students' lives.

Optimization and Low Specification

Requirements: Learniverse's optimization for low-specification devices, developed by Jagdish Sonigra, ensures that students with limited resources can still access high-quality educational content seamlessly. This optimization enables smooth performance and efficient utilization of resources, enhancing accessibility and usability across diverse educational settings.

Overall, the results demonstrate the effectiveness of Learniverse in enhancing student learning outcomes, engagement levels, and overall educational experiences. The integration of interactive AR and VR content delivery, along with optimization for low-specification devices, has revolutionized the learning process, empowering students to reach their full potential.



Fig. 2 3D Models in AR

VII. Conclusion:

Learniverse emerges as a trailblazer in educational innovation, presenting a transformative paradigm for teaching and learning by seamlessly integrating virtual reality (VR) and augmented reality (AR). Throughout this research, we have delved into the fundamental components and operational mechanisms of Learniverse, illustrating its capacity to revolutionize education and shape the future of learning.

By harnessing the immersive power of VR and AR, Learniverse empowers educators to forge dynamic and interactive learning environments tailored to the diverse needs and preferences of students. Through adaptive learning algorithms and interactive AR content delivery, Learniverse enhances student engagement, comprehension, and learning outcomes, heralding a more personalized and immersive educational experience.

The impact of Learniverse transcends immediate learning outcomes, fostering a culture of lifelong learning among students. By nurturing curiosity, exploration, and discovery, Learniverse ignites a passion for learning that extends beyond traditional classroom boundaries, empowering students to pursue knowledge and skills beyond formal education.

Looking towards the future, Learniverse harbors immense potential for further developments and enhancements. From integration with emerging technologies to expansion into new subject areas, Learniverse continues to evolve and innovate, charting the course for the future of education in an ever-evolving landscape.

In conclusion, Learniverse signifies a paradigm shift in education, offering a glimpse into a future where virtual and augmented realities seamlessly intertwine with pedagogy to craft personalized, immersive, and engaging learning experiences for students. As we embrace the transformative potential of Learniverse, we embark on a journey towards a more dynamic, inclusive, and impactful educational ecosystem.

VIII. References

- [1] Minh Nguyen, Wai Yeap, and Steefan Hooper, “Design of a new Trading Card for Table-top Augmented Reality Game Environment”, International Conference on Image and Vision Computing New Zealand (IVCNZ), 22 Nov 2016
- [2] Margaret Rouse, “Augmented Reality (AR)”, 2019
- [3] Fuguo Peng, and jing Zhai, “A Mobile Augmented Reality System for Hall Based on Vuforia” 2nd International Conference on image, vision and Computing, 2017
- [4] janvi jha “Artificial intelligence and Applications”, 2023
- [5] Sung Lae Kim, Hae Jung Suk, Jeong Hwa Kang, Jun Mo Jung, Teemu H. Laine, and Joonas Westlin “Using Unity 3D to Facilitate Mobile Augmented Reality Game Development”, IEEE World Forum on Internet of Things



ALCOHOL AND SMOKE SENSING MACHINE USING ENGINE

LOCKING SYSTEM

**Sankpal Pranav Vikas^{*1}, Thigale Atharv Sachin^{*2}, Rakhunde Pratik Pravin^{*3},
Rashmi Badwe^{*4}**

^{*1,2,3,4}Department Of Computer Department, Marathwada Mitra Mandal's, Polytechnic,
Thergoan, Pune, India.

DOI : <https://www.doi.org/10.56726/IRJMETS52627>

ABSTRACT

The system utilizes sensor technologies to detect the presence of alcohol vapors and smoke within the vicinity of the vehicle cabin. An array of sensors, including alcohol sensors and smoke detectors, are strategically placed to ensure comprehensive coverage. Upon detection of alcohol vapors or smoke, the system initiates a series of actions to prevent the vehicle from being operated by an impaired driver.

Keywords: Security, Safety, NodeMCU, Alcohol, Smoke.

I. INTRODUCTION

Users from potential harm. Alcohol and smoke sensing technology have individually proven their efficacy in enhancing road safety. However, the amalgamation of these technologies into a single, comprehensive system represents a paradigm shift in preventive measures against impaired driving. approach, addressing multiple risk factors simultaneously. At its core, the system operates by continuously monitoring the driver's breath for alcohol content and the presence of smoke within the vehicle cabin. Upon detecting levels exceeding safe thresholds, the system swiftly initiates the engine locking mechanism, preventing the vehicle from being operated further. This proactive intervention serves as a crucial deterrent, potentially averting accidents before they occur. Moreover, the integration of machine learning algorithms enables the system to adapt and refine its detection capabilities over time, ensuring optimal performance across diverse driving scenarios and environmental conditions. This adaptive intelligence empowers the system to remain ahead of evolving challenges, constantly refining its ability to accurately identify instances of impairment.

II. METHODOLOGY

Reliability and Accuracy: The sensing mechanism must be reliable and provide accurate results to ensure effective enforcement of safety measures. False positives and false negatives should be minimized to maintain trust in the system.

Preventing Drunk or Impaired Driving

The primary aim is to deter individuals from operating vehicles while under the influence of alcohol or drugs. By integrating sensors that detect alcohol levels or smoke in the vehicle, the system can prevent the engine from starting if such substances are detected beyond permissible levels

Enhancing Road Safety

By inhibiting the ability to operate a vehicle while impaired, the project contributes to overall road safety. Impaired driving is a leading cause of accidents, injuries, and fatalities on roads worldwide. Implementing measures to prevent it can significantly reduce these risks.

III. MODELING AND ANALYSIS

Designing a system for alcohol and smoke sensing with an engine locking mechanism involves integrating various components to accurately detect the presence of alcohol and smoke and implementing a mechanism to prevent the vehicle's engine from starting if either is detected. Here's a proposed system along with its features:

1. **Alcohol Sensor:** Utilize a high-quality alcohol sensor capable of accurately detecting alcohol levels in the vicinity of the driver's seat. This sensor should be sensitive enough to detect even trace amounts of alcohol.




Figure 1: Model

IV. RESULTS AND DISCUSSION

The Alcohol and Smoke Sensing Machine with Engine Locking System is a sophisticated device designed to enhance road safety by preventing individuals under the influence of alcohol or smoke from operating a vehicle. The system integrates advanced sensing technology with an engine locking mechanism to ensure that vehicles can only be operated by sober and alert drivers. The Alcohol and Smoke Sensing Machine with Engine Locking System offers a proactive approach to road safety by preventing intoxicated individuals from driving. Through the integration of advanced sensing technology and an engine locking mechanism, the system aims to reduce the incidence of alcohol and smoke-related accidents, ultimately saving lives and promoting responsible driving behavior. Develop prototypes of the sensing modules, engine locking mechanism, and user interfaces. Integrate the components into a cohesive system and conduct thorough testing under various conditions, including different alcohol concentrations and smoke densities. Refine the system based on testing results to ensure accuracy, reliability, and user-friendliness. Conduct real-world trials to evaluate the system's performance in actual driving scenarios.

V. CONCLUSION

In conclusion, the development of an alcohol and smoke sensing machine integrated with an engine locking system represents a significant advancement in ensuring road safety. Through the integration of sophisticated sensor technologies, this system effectively detects the presence of alcohol and smoke within a vehicle's cabin, thereby mitigating the risks associated with impaired driving and passive smoking. By linking this detection mechanism with an engine locking system, the device acts as a proactive deterrent, preventing intoxicated individuals from operating vehicles and reducing the likelihood of accidents caused by impaired driving. Additionally, the inclusion of a smoke sensing feature extends the system's utility beyond alcohol detection, addressing concerns related to secondhand smoke exposure in enclosed spaces. This comprehensive approach to safety underscores the potential of technological innovation to safeguard public health and enhance transportation safety standards. As efforts continue to refine and implement such systems, the collaborative efforts of policymakers, engineers, and stakeholders will be crucial in realizing their widespread adoption and impact on global road safety initiatives.

VI. REFERENCES

- [1] Karthik Kumar Vaigandla, Dr.N.Venu, " Survey on Massive MIMO: Technology, Challenges, Opportunities and Benefits," YMER, VOLUME
- [2] Karthik Kumar Vaigandla and Dr.N.Venu, "A Survey on Future
- [3] Karthik Kumar Vaigandla and Dr.N.Venu, "BER, SNR and PAPR
- [4] Dr.Nookala Venu, Dr.A.ArunKumar and Karthik Kumar Vaigandla. Technology 2022, 8(03), pp. 01-08
- [5] A.V.L.N. Sujith, R. Swathi, R. Venkatasubramanian, Nookala Venu, S. Hemalatha, Tony George, A. Hemlathadhevi, P. Madhu, Alagar Karthick, M. Muhibbullah, Sameh M. Osman, "Integrating Nanomaterial and High-Performance Fuzzy-Based Machine Learning Approach for Green Energy Conversion" Journal of Nanomaterials, ISSN: 1687- 4129, Volume 2022, PP:1-11.
- [6] Nookala Venu, D. Yuvaraj, J. Computing, ISSN:1530- 8669, Volume 2022, PP: 1-9.
- [7] Nookala Venu, R.Swathi, Sanjaya Kumar Sarangi, V. Subashini, D.PP: 1-9.
- [8] Nookala Venu, Karthik Kumar Vaigandla, Dr. A. ArunKumar, "Investigations of Internet of Things (IoT): Technologies, Challenges and Applications in healthcare", International Journal of Research.

TITLE: OBSTACLE AVOIDING ROBOT**Mr. Solanke^{*1}, Parth Pramod Gadsing^{*2}, Pranay Pradeep Pore^{*3}**^{*1}Lecture, Computer Engineering, Marathwada Mitra Mandal's Polytechnic, Maharashtra, India.^{*2,3}Student, Computer Engineering, Marathwada Mitra Mandal's Polytechnic, Maharashtra, India.

ABSTRACT

The design and implementation of an obstacle-avoiding robot present an innovative solution to navigate through dynamic environments autonomously. This paper outlines the development process, including the mechanical, electrical, and software components required for the functionality of the robot. The primary objective of the robot is to detect obstacles in its path and navigate around them effectively, ensuring smooth traversal in varied environments.

The mechanical design involves constructing a robust chassis capable of supporting the necessary components while ensuring maneuverability. Sensors play a crucial role in obstacle detection, and in this project, ultrasonic sensors are utilized for their accuracy and reliability. These sensors provide real-time distance measurements, enabling the robot to detect obstacles and determine optimal paths to avoid collisions. Electrical components include a microcontroller unit (MCU) responsible for processing sensor data and controlling the robot's movements. Additionally, motor drivers are employed to regulate the speed and direction of the motors, facilitating precise navigation.

Power management circuits ensure efficient utilization of energy, enhancing the robot's operational autonomy. Software development encompasses algorithms for sensor data interpretation, obstacle detection, and path planning. Through a combination of sensor fusion techniques and decision-making algorithms, the robot can accurately perceive its surroundings and make informed navigation decisions in real-time. Furthermore, the software architecture allows for flexibility and scalability, enabling future enhancements and functionality expansions.

Experimental results demonstrate the effectiveness of the obstacle-avoiding robot in navigating through complex environments while avoiding collisions with static and dynamic obstacles. The robot's performance is evaluated based on metrics such as obstacle detection accuracy, navigation efficiency, and robustness to environmental changes. Overall, the developed robot represents a significant advancement in autonomous navigation technology, with potential applications in various domains such as industrial automation, surveillance, and exploration.

Keywords: Arduino UNO, Motor Shield L293d, Ultrasonic Sensor HC-SR04, DC Motor, Servo Motor.

I. INTRODUCTION

In the realm of robotics, the development of autonomous systems capable of navigating through complex environments has been a fascinating pursuit. Among these, the obstacle avoiding robot stands out as a remarkable innovation. Designed to mimic the navigational capabilities of living organisms, these robots employ a combination of sensors, intelligent algorithms, and mechanical components to autonomously maneuver through cluttered spaces while evading obstacles in their path.

The concept of obstacle avoidance is fundamental in robotics, particularly in scenarios where precise navigation is required. Whether it's traversing a cluttered warehouse floor, exploring hazardous terrains, or conducting surveillance in confined spaces, obstacle avoiding robots offer a versatile solution to a myriad of real-world challenges.

At the core of their functionality lies the integration of sensors that enable the robot to perceive its surroundings in real-time. These sensors, which may include ultrasonic sensors, infrared sensors, or cameras, provide crucial data about the proximity and location of obstacles. Through sophisticated algorithms, the robot processes this sensory information to make informed decisions about its movement, dynamically adjusting its trajectory to circumvent potential collisions.

The significance of obstacle avoiding robots extends across various domains, ranging from industrial automation to search and rescue operations. In manufacturing facilities, these robots optimize efficiency by autonomously navigating through busy workspaces, minimizing the risk of collisions and enhancing

productivity. Similarly, in exploration missions, such as planetary rovers or unmanned aerial vehicles (UAVs), obstacle avoidance capabilities are essential for safely navigating rugged terrain and overcoming unforeseen obstacles.

II. LITERATURE SURVEY

Obstacle-avoiding robot with IR and PIR motion Sensors has been designed and developed by Aniket D. Adhvaryu et al has proposed that developed robot platform was not designed for specific task but as a general wheeled autonomous platform. It can therefore be used for educational, research or industrial implementation. Students can use it to learn the microcontroller programming using C++, Arduino Uno 1.6.5 compiler, IR and PIR sensors characteristics, motor driving circuit and signal condition circuit design. Research on obstacle avoidance robot at the polytechnic level can help students to develop communication, technical skills and teamwork. The design of such robot is very flexible and various methods can be adapted for another implementation. It shows that PIR sensors are more sensitive compared to IR sensors while detecting human being.

Obstacle Avoidance Robotic Vehicle Using Ultrasonic Sensor, Android and Bluetooth for Obstacle Detection has been designed and developed by Vaghela et.al has mentioned that enormous amount of work has been done on wireless gesture controlling of robots. Various methodologies have been analyzed and reviewed with their merits and demerits under various operational and functional strategies. Thus, it can be concluded that features like user friendly interface, light weight and portability of android OS based smart phone has overtaken the sophistication of technologies like programmable glove, static cameras etc., making them obsolete. Although recent researches in this field have made wireless gesture controlling a ubiquitous phenomenon, it needs to acquire more focus in relevant areas of applications like home appliances, wheelchairs, artificial nurses, table top screens etc. in a collaborative manner.

Obstacle avoidance Robot has been designed and developed by FaizaTabassum, et.al has mentioned that Obstacle Avoidance Car successfully detects and avoids obstacles. Simple algorithms used to steer and reducing the turning radius, successfully navigated the vehicle. In conclusion, the group successfully interfaced every component that was originally planned. Timer interrupts for IR pulse generation. Obstacle detection using IR transceiver. Servo mechanism using PWM. Steering system using Lego and Servo.

Obstacle Avoidance Robot has been designed and developed by Paul Kinsky, Quan Zhou mentioned that robot with a few mechanical components to add two more functions to the main body, namely the laptop holder and the camera holder. AT89S52 development board is designed, developed and tested in a large scale, which was used to control the motors smoothly. the cameras with relatively low cost are fixed and adjusted on the camera holder for good calibration of the computer vision. Users establish the serial communication method between the upper laptop and the lower development board with USB port. The laptop will send out a signal of the motor condition to the development board.

III. METHODOLOGY

The basic block diagram of the Obstacle Avoiding Robot as shown in figure 1.




Fig 1: Block diagram of the Obstacle Avoiding Robot

1. Power Supply:

- The power supply provides electrical energy to all components of the robot.
- It should be stable and capable of providing sufficient power to drive the motors, Arduino Uno, and other electronic components.

2. Arduino Uno Microcontroller with DC Motor Controller Shield:

- The Arduino Uno is a microcontroller board that acts as the central processing unit of the robot.
- It receives input from sensors, processes data, and controls the movement of the robot based on programmed instructions.
- The DC motor controller shield interfaces with the Arduino Uno to provide control signals to the DC motors.

3. Echo Sensor:

- The echo sensor, typically an ultrasonic sensor like the HC-SR04, emits ultrasonic pulses and measures the time taken for the pulses to bounce back after hitting an obstacle.
- Based on the time difference between transmission and reception of the ultrasonic pulses, the sensor calculates the distance to the obstacle.

4. DC Motor:

- DC motors are used to drive the wheels of the robot.
- They are controlled by the Arduino Uno via the motor controller shield to enable forward, backward, and turning movements.

5. Going Back and Turn to Left / Right:

- When an obstacle is detected, the robot needs to reverse its direction to create space for maneuvering.
- This is achieved by sending appropriate signals to the DC motors to reverse their rotation direction, causing the robot to move backward.
- Simultaneously, the robot turns either left or right to navigate around the obstacle. This turning motion is achieved by varying the speed of the motors on each side of the robot.

6. Facing Obstacle:

- The robot should have a mechanism to determine when it is facing an obstacle directly in its path.
- This can be achieved by analyzing the sensor readings to detect when the distance to an obstacle falls below a certain threshold, indicating the presence of an obstacle directly ahead.

7. Stop Signal:

- Upon detecting an obstacle, the robot must halt its forward motion to prevent a collision.
- This is accomplished by sending a stop signal to the motors, causing them to cease rotation.

8. Going Back and Turn to Right / Left:

- After stopping, the robot needs to execute a backward motion followed by a turn to the right or left to avoid the obstacle.
- This involves reversing the motors' rotation direction to move backward and then applying differential speeds to the motors to initiate the turn in the desired direction.

IV. MODELING

Photos of the model we created in this project. As shown in Figures




Fig 2:




Fig 3:

V. RESULTS

The result is obtained for obstacle avoidance robot using Arduino, if the robot moves forward if any obstacle detect it check for other directions and moves where there is no obstacles it moves in forward direction, to sense the obstacle ultrasonic sensor is used. We used servo motor to rotate the ultrasonic sensor Fig. 4. Result of the project This project developed an obstacle avoiding robot to detect and avoid obstacles in its path.

The robot is built on the Arduino platform for data processing and its software counterpart helped to communicate with the robot to send parameters for guiding movement. For obstacle detection, three ultrasonic distance sensors were used that provided a wider field of detection. The robot is fully autonomous and after the initial loading of the code, it requires no user intervention during its operation. When placed in unknown environment with obstacles, it moved while avoiding all obstacles with considerable accuracy.

In order to optimize the movement of the robot, we have many considerations for improvement. However, most of these ideas will cost more money and time as well. In future cameras can be used to detect the obstacle however, it is better to get CCD or industrial use ones to get clear and fast pictures. Even the ones we mentioned in the camera holder part will be better because of the special software.

Table 1: Input Pins For Movement

Movement	Pin10	Pin11	Pin12	Pin13
Forward	1	0	0	1
Backward	0	1	1	0
Left	1	0	1	0
Right	0	1	0	1

VI. CONCLUSION

The development of a new obstacle-avoiding robot system represents a significant opportunity to address existing limitations and meet evolving demands in various industries. Through careful analysis of safety concerns, efficiency issues, adaptability challenges, integration opportunities, and market demands, it becomes evident that there is a clear need for innovation and advancement in this field.

By enhancing safety features, improving efficiency, boosting adaptability to varied environments, integrating emerging technologies, and responding to market demands, the new obstacle-avoiding robot system can offer numerous benefits. These benefits include increased reliability, reduced risk of accidents, improved productivity, enhanced operational capabilities, and competitive differentiation in the market.

Furthermore, the development of a new obstacle-avoiding robot system aligns with broader trends toward automation, robotics, and smart technology adoption across industries. It not only addresses immediate challenges but also lays the foundation for future advancements and opportunities in robotics and autonomous systems.

In summary, investing in the development of a new obstacle-avoiding robot system is not just about overcoming current limitations; it's about unlocking new possibilities, driving innovation, and creating value for businesses, industries, and society as a whole. With the right strategy, vision, and execution, the new system

has the potential to revolutionize the way robots navigate and interact with their environments, paving the way for safer, more efficient, and more intelligent robotics solutions in the future.

VII. REFERENCES

- [1] Jitihsha Agrawal, "Solar Operated low cost Obstacle avoidance Robot", Department of extc, YMCA university of science and technology (state government university) Faridabad, IJSRD, volume 3, issue 7 2015 ISSN 2321-0613.
- [2] Bhagya shree S R , Manoj kollam "Zigbee Wireless Sensor Network For Better Interactive Industrial Automation" , proc.of IEEE ICoAC2011,pp 304-308,2011.
- [3] Aniket D. Adhvaryu et al "Obstacle-avoiding robot with IR and PIR motionSensors" IOP Conference Series: Materials Science and Engineering, vol. A247, pp. 529-551, April 2005.
- [4] Kirti Bhagat, Sayali Deshmukh, Shraddha Dhonde, Sneha Ghag, "Obstacle Avoidance Robot", Bachelor of computer engineering, IJSETR, volume 5, issue 2, February 2016.
- [5] Amir attar, aadilansari, abhishek desai, shahid khan, dip ashtrisonawale "line follower and obstacle avoidance bot using arduino" International Journal of Advanced Computational Engineering and Networking, vol. 2, pp. 740-741, August 1987.



INTERNATIONAL JOURNAL OF MULTIDISCIPLINARY RESEARCH IN SCIENCE, ENGINEERING AND TECHNOLOGY

Volume 7, Issue 4, April 2024



INTERNATIONAL
STANDARD
SERIAL
NUMBER
INDIA

Impact Factor: 7.521



6381 907 438



6381 907 438



ijmrset@gmail.com



www.ijmrset.com



Online Feedback System

Om Patil, Siddheshwar Bhumare, Mrs. Ifrah Sutar. , Mr. Solanke V. S

Marathwada Mitra Mandal's Polytechnic College, Thergaon, Maharashtra, India

HOD of CO, Marathwada Mitra Mandal's Polytechnic College, Thergaon, Maharashtra, India

ABSTRACT: The Online Feedback System is a web-based application designed to streamline the process of collecting and managing feedback from students about their learning experiences and faculty performance. The system allows students to provide feedback on various aspects of their courses and instructors through an intuitive online interface.

KEYWORDS: Feedback System, Online Feedback, Student Feedback, System Design, Web Development, PHP Programming.

I.INTRODUCTION

The Online Feedback System represents a pivotal advancement in educational administration, particularly in the realm of course and instructor evaluations. Traditionally, gathering feedback from students has been a cumbersome and time-consuming process, often involving paper-based forms and manual data entry. However, with the emergence of digital technologies, there has been a paradigm shift towards online feedback systems, which offer numerous advantages in terms of efficiency, accessibility, and data management.

This project aims to address the challenges associated with traditional feedback mechanisms by developing a robust web-based platform that facilitates the seamless collection, processing, and analysis of feedback data. By leveraging the power of the internet and modern database technologies, the system provides an intuitive and user-friendly interface for students, faculty, and administrators to participate in the feedback process.

Key features of the Online Feedback System include secure user authentication, customizable feedback forms, real-time data visualization, and comprehensive reporting functionalities. Students can easily submit feedback on their courses and instructors from any internet-enabled device, while faculty members can access aggregated feedback data to gain insights into their teaching effectiveness and identify areas for improvement. Administrators, on the other hand, have access to powerful tools for managing feedback campaigns, monitoring participation rates, and generating insightful reports to support institutional decision-making.

II. SYSTEM MODEL AND ASSUMPTIONS

User Interaction: Users interact with the system through a web interface, providing feedback on various aspects.

Database Management: The system stores user feedback data securely in a database, ensuring data integrity and confidentiality.

Authentication: Users may need to authenticate themselves before accessing certain features to ensure security and prevent unauthorized access.

Feedback Processing: The system processes feedback data to generate reports and insights for administrators and faculty members.

Integration: The system may integrate with external services or APIs to enhance functionality, such as sending automated notifications or aggregating feedback data from multiple sources.

Scalability: The system is designed to handle a large volume of feedback data efficiently and scale according to the needs of the organization or institution.

Usability: The system's interface is designed to be user-friendly, making it easy for users to provide feedback and for administrators to analyze and interpret the data.

Security: Robust security measures are implemented to protect sensitive user data and prevent unauthorized access or data breaches.

Feedback Analysis: The system may include features for sentiment analysis or text mining to extract valuable insights



from the feedback data.

Reporting: Administrators have access to various reporting tools and dashboards to visualize feedback trends and make data-driven decisions.

III. EFFICIENT COMMUNICATION

Efficient communication within the system is facilitated through various channels and protocols, ensuring seamless interaction between users, administrators, and the system itself. Here are the key aspects of efficient communication in the system:

1. **User Interface:** The system provides a user-friendly interface accessible via web browsers or mobile applications. This interface allows users to submit feedback, view reports, and interact with system features intuitively.
2. **Feedback Submission:** Users can submit feedback through forms or input fields embedded within the interface. The system validates and processes this feedback, storing it securely in the database for further analysis.
3. **Real-time Updates:** Users receive real-time updates and notifications regarding their feedback status or any system-related announcements. These updates help users stay informed and engaged with the feedback process.
4. **Admin Dashboard:** Administrators have access to a centralized dashboard where they can monitor incoming feedback, generate reports, and manage user accounts. The dashboard provides a comprehensive overview of system activity and enables administrators to take prompt action when necessary.
5. **Email Notifications:** The system sends automated email notifications to users and administrators for various events, such as feedback submission confirmation, status updates, or password resets. These notifications ensure timely communication and keep stakeholders informed about important system activities.
6. **API Integration:** The system integrates with external APIs or services to enhance communication capabilities. For example, it may integrate with email service providers for sending notifications or with analytics platforms for data analysis and visualization.
7. **Multimedia Support:** The system supports multimedia content, allowing users to attach files, images, or videos to their feedback submissions. This feature enables richer communication and provides additional context for feedback analysis.
8. **Feedback Analytics:** The system analyzes feedback data to identify trends, patterns, and sentiment analysis. Administrators can leverage these analytics to gain insights into user preferences, address issues proactively, and improve overall system performance.

IV. SECURITY

Security is paramount in the online feedback system to protect sensitive user data, maintain system integrity, and prevent unauthorized access or malicious activities. The following measures are implemented to ensure robust security :

1. **User Authentication:** The system employs strong authentication mechanisms, such as username-password authentication or multi-factor authentication, to verify the identity of users before granting access to their accounts.
2. **Role-Based Access Control (RBAC):** Role-based access control is implemented to manage user permissions and restrict access to sensitive functionalities or data based on user roles. Administrators have elevated privileges to manage system settings and user accounts, while regular users have limited access to their feedback submissions and reports.
3. **Encryption:** Data encryption techniques, such as SSL/TLS encryption, are utilized to secure data transmission over the network and protect against eavesdropping or tampering. Encryption ensures that sensitive information, such as user credentials or feedback content, remains confidential during transit.
4. **Input Validation:** Input validation mechanisms are implemented to sanitize user inputs and prevent common security vulnerabilities, such as SQL injection or cross-site scripting (XSS) attacks. All user inputs are validated and sanitized before processing to mitigate the risk of injection attacks.
5. **Session Management:** The system employs secure session management techniques to manage user sessions securely. Session tokens are generated using cryptographically secure algorithms and stored securely on the server side. Session expiration, idle timeout, and session fixation prevention mechanisms are implemented to enhance session security.
6. **Auditing and Logging:** Comprehensive auditing and logging mechanisms are in place to track user activities, system events, and security-related incidents. Audit logs capture detailed information about user login/logout events, access attempts, and system configuration changes, facilitating security monitoring and forensic analysis.
7. **Data Privacy:** The system adheres to data privacy regulations and best practices to protect user privacy and



confidentiality. Personal data is handled with utmost care, and access to sensitive information is restricted to authorized personnel only. Data anonymization and pseudonymization techniques may be employed to further safeguard user privacy.

8. Regular Security Audits: Periodic security audits and vulnerability assessments are conducted to identify and remediate security vulnerabilities proactively. Penetration testing, code reviews, and security scanning tools are used to assess the system's security posture and address any identified weaknesses.

V. RESULT AND DISCUSSION

System Performance: The performance of the system is evaluated based on various metrics such as response time, throughput, and system uptime. Any bottlenecks or performance issues encountered during testing are discussed, along with potential solutions or optimizations.

Functionality Testing: The functionality of the system is thoroughly tested to ensure that it meets the specified requirements. Test results are analyzed, and any discrepancies or bugs are identified and addressed.

User Feedback: Feedback from users who interacted with the system is collected and analyzed. Common user complaints, suggestions for improvement, and overall satisfaction levels are discussed. This feedback is valuable for identifying areas where the system can be enhanced to better meet user needs.

Comparison with Expectations: The actual performance and functionality of the system are compared with the initial expectations and requirements outlined during the planning phase. Any deviations or discrepancies are discussed, and explanations are provided for the reasons behind them.

Future Enhancements: Based on the analysis of results and user feedback, recommendations for future enhancements or iterations of the system are provided. These may include additional features, performance optimizations, or usability improvements to address identified issues and further enhance the system's capabilities.

Conclusion: A summary of the key findings and conclusions drawn from the result and discussion section is provided. This includes a reflection on the overall success of the system implementation, lessons learned during the process, and the potential impact of the system on its intended users or stakeholders.

VI. RESULT AND DISCUSSION

The implementation of the sun tracking solar panel system using Arduino yielded promising results, demonstrating improved efficiency and performance compared to fixed-position solar installations. The following sections outline the key findings and discussions based on the experimental results and observations:

Energy Yield Comparison:

Experimental data showed a significant increase in energy yield from the sun tracking solar panel system compared to fixed-position installations. By dynamically adjusting the tilt angle of the solar panel to face the sun throughout the day, the tracking system maximized solar energy capture, leading to higher electricity generation.

Effectiveness of Sun Tracking Algorithm:

The sun tracking algorithm implemented on the Arduino microcontroller demonstrated accurate and responsive control of the solar panel position in response to changes in sunlight intensity and direction.

System Robustness and Reliability:

The sun tracking solar panel system exhibited robust performance and reliability, withstanding environmental factors such as wind, temperature fluctuations, and mechanical vibrations.

The optimized energy capture enabled by the sun tracking system contributes to increased energy efficiency and sustainability in solar energy applications.



VII. CONCLUSION

In conclusion, this project represents a significant advancement in the realm of online feedback systems. By developing a comprehensive system that encompasses user interaction, security measures, and efficient communication protocols, we have successfully addressed the need for a robust feedback platform. Through rigorous testing and analysis, we have demonstrated the effectiveness and reliability of the system in meeting its objectives. Despite encountering challenges along the way, such as integration complexities and security vulnerabilities, we have managed to overcome them through strategic planning and collaboration. Looking ahead, the implications of this project are far-reaching, with potential applications across various industries and sectors. Future research and development efforts could focus on further enhancing the system's functionality and scalability to accommodate evolving user needs and technological advancements. Overall, this project lays a solid foundation for future endeavors in the field of online feedback systems and underscores the importance of leveraging technology to facilitate meaningful communication and collaboration.

REFERENCES

- [1] Rosni Abu Kassim, Juliana Johari, Muhammad Izzat Rahim, Norlida Buniyamin on "Lecturers' perspective of student online feedback system: A case study" in 2017 IEEE 9th International Conference on Engineering Education (ICEED), Kanazawa, Japan 2017.
- [2] Bambang Dwi Wijanarko, Dina Fitria Murad, Yaya Heryadi, Lukas, Hapnes Toba, Widodo Budiharto on "Questions Classification in Online Discussion Towards Smart Learning Management System" in 2018 International Conference on Information Management and Technology (ICIMTech) Jakarta, Indonesia 2018.
- [3] Nikhil H.M, Varada Sunitkumar, Shruti Basapur, R. Vinil Shah on "Design and implementation of Student feedback System at Education System" in IJERCSE 2018.
- [4] Rajeev Patel, Omkar Agarwal, Yash Gangani, Ashish Vishwakarma on "Android based Student Feedback System for Improved Teaching" in IJERCSE 2019.
- [5] Mohammad Aman Ullah on "Sentiment Analysis of students feedback: A study towards optimal tools" in IWCI (International Workshop on Computational Intelligence 2016).



INTERNATIONAL
STANDARD
SERIAL
NUMBER
INDIA



INTERNATIONAL JOURNAL OF MULTIDISCIPLINARY RESEARCH IN SCIENCE, ENGINEERING AND TECHNOLOGY

| Mobile No: +91-6381907438 | Whatsapp: +91-6381907438 | ijmrset@gmail.com |

www.ijmrset.com

FOOD SPOILAGE DETECTION SYSTEM USING AURDINO

Aarti P. Deshmukh^{*1}, Sandhya Khatal^{*2}, Dnyaneshwari Kaname^{*3}, Srushti Mane^{*4}

^{*1,2,3,4}HOD Of Computer Department Marathwada Mitra Mandal's Polytechnic, Thergoan,
Pune-411033,India

ABSTRACT

Food safety plays important role in country's economy. Food being the basic need of every person, it involves a major role in country's development. Nowadays people are mainly getting diseased due to their food routine and due to lack of awareness on food quality. Nowadays people are keen about what they are eating and conscious about their health. In the era of modern technology there should be a technological advancement to solve the above problem that is to detect the quality of the food. Food spoilage detection and alerting system be a remedy for the problem. This project is mainly required to detect the food spoilage. It mainly works through sensors like methane, moisture, temperature and humidity. These sensors continuously sense the food materials to detect whether the food material is spoiled or not. The sensors send the data to Arduino which analyzes the data according to the code written in it. After analyzing the data it displays the readings of food material through LCD and alerts the person about the quality of the food material through the Wi-Fi module.

Keywords: Arduino, WI-FI module, Sensors, Buzzer, ESP8266

I. INTRODUCTION

One of the numerous reasons that beget roughly a billion tons of food destruction yearly in the world is due to the poor operation of food storehouse storages. In India, the problem isn't food vacuity but massive food destruction. As per FAO, nearly 40 of food goods are wasted in India due to corruption. These damages be due to a lack of safe and scientific storehouse practices. The cleanliness of food storehouse storages has to be maintained as the food we consume is a major determinant of how we serve in our diurnal lives. It's been surveyed and known that one out of ten people dies because of food poisoning. Thus, it's important to maintain the quality of the food we consume. An answer to this problem can be maintaining ambient conditions in the food storehouse storages to control the corruption rate. Colorful factors beget food decay, like moisture, humidity, pests, hygiene, light intensity and temperature. Hence, food security needs to be treated as an extremely critical issue. Also, systems have been developed to collect environmental data for assessing and conforming the shelf life. But the need in moment's situation is a system that automates controlling of the parameters that affect food corruption & makes it hindrance-free to increase the safety and hygiene of the storehouse installation..


II. METHODOLOGY

A colossal study was led all through Europe to work out important elements in affecting European customer food determination. The journalists showed that the main issue was quality/newness followed by style, solid eating regimen, cash, family tendency and in the long run, habits. Other study counting 171 U.S. also 205 Irish customers reasoned that brand and newness were the first featured credits once inquired not entirely set in stone on the off chance that a supplement is of top quality (George, 1993) among the clients asked, thirty-fifth of the U.S. what's more thirty-eighth of Irish individuals clients featured newness. During 1999, newness was the third generally essential justification behind picking an essential market, basically behind, "great food things" and a "cleanliness furthermore coordinated store" (FMI, 1999) numerous other reviews were led to see the variables affecting food things determination among the populace. IoT is an arising idea for interfacing objects or things with the web utilizing sensors, actuators and other ID and detecting advancements to accomplish brilliant acknowledgments, situating, following, observing and organization. The IoT detecting framework consolidates the elements of canny sensor, remote correspondence and radio recurrence ID (RFID) innovation. In this manner, Internet of things is achievable in laying out a perceivability and recognizability framework in dealing with transitory food.

III. MODELING AND ANALYSIS

To Create a Food Spoiling Sensor System using Arduino, a ESP8266 Sensor, and follow these steps:-

- Choose appropriate sensors for detecting food spoilage indicators such as temperature, humidity, and gas levels (e.g., ammonia, ethylene).
- Consider sensors like DHT11 for temperature and humidity, MQ gas sensors for detecting specific gases, and pH sensors for certain types of food.
- Interface selected sensors with Arduino to collect data. Utilize analog or digital pins depending on the sensor type.
- Implement sampling mechanisms to ensure continuous monitoring of the food environment.
- Utilize Arduino libraries and functions to process raw sensor data.
- Implement algorithms to filter out noise and extract meaningful information from sensor readings.
- Apply calibration techniques to ensure accuracy and reliability of sensor data.
- Define threshold values for each parameter indicating spoilage.
- These thresholds can be determined through empirical studies or based on industry standards and guidelines.
- Compare real-time sensor readings with predefined thresholds.
- If any sensor reading exceeds the threshold, it indicates potential food spoilage.
- Implement decision-making logic to trigger alerts or actions based on the analysis results.



IV. RESULTS AND DISCUSSION

The detectors describe food corruption. They smell bad smells from the food by detecting the emitted feasts. The quantum of emitted gas tells us the condition of food. This system is sensitive to low emissions of feasts like methane and ammonia emitted due to corruption of food products. If the methane gas detector records the volume of the gas item present in the food item further than a set position it gives the affair " Food Spoil " and if doesn't exceed the set position it gives the affair " FoodNot Spoil ". The amount of gases emitted will vary according to the amount of food decay. The discovery of these feasts can be used to control the food decay. The moisture detectors are used to examine the moisture content of food and colorful other detectors that describe temperature, pressure, humidity, etc. can also be used.

V. CONCLUSION

The sensors equipped will sense the food material and send the data to Arduino board connected to display the sensed data through the LCD screen connected to Arduino and also alert the person through led about the quality of food whether it is spoiled or not. If the food is spoiled a red led will glow and if the food is not spoiled a green led will glow. After detecting whether the food material is spoiled or not, it will send an e-mail alert about the condition of food. High amount of food spoilage will alert as "food is spoiled", while low amount will alert as "food is not spoiled". The consumer will let to know about the food quality through the system. It will detect the early gases emitted by the food material like methane, ammonia etc. before the indication of food spoilage. The system guides the user to consume quality food and also helps to maintain good health.

VI. ACKNOWLEDGEMENTS

We thank our project guide who guided us throughout the project with his valuable insights and advice. His encouragement and unwavering support were instrumental in helping us stay focused and motivated. We would like to express our heartfelt gratitude to everyone who has contributed to the successful completion of this project. Creating a food spoilage detection system is challenging, but with the help and support of the following people, we overcame every obstacle and brought our vision to life. We are grateful to everyone who has helped us create this project and hope it will benefit all.

VII. REFERENCES

- [1] O'Farrell, Elfed Lewis, Colin Flanagan, William B. Lyons & N. Jackman, "Design of a System that uses OpticalFibre Sensors & Neural Networks to Control a Large Scale Industrial Oven by Monitoring the Food Quality Online", IEEE, 6 Dec 2005, Vol.5 Issue 6.
- [2] A Review Paper on Electronic Sensor-Based System to identify undesired ingredients presenting Liquid SmitaA. Nagtode¹, Dr. N.K. Choudhari² ¹Assistant Professor, Datta Meghe Institute of Engg. Technology & Research, Wardha ²Principal, Smt,Bhagwati Chaturvedi College of Engineering, Nagpur 2013
- [3] X. Zhao, H. Fan, H. Zhu, and H. Fu, "The Design of the Internet of Things Solution for Food Supply Chain," presented at the 2015 International Conference on Education, Management, Information and Medicine, 2015
- [4] Shreyas S, Shridhar Katgar, Manjunath Ramaji, Yallaling Goudar, Ramya Srikanteswara, "Efficient Food Storage Using Sensors, Android and IoT", International Journal of Advanced Research in Basic Engineering Sciences and Technology (IJARBEST), April 2017, Vol. 3 Issue 23.
- [5] Rohan Wagle, Mayur Shah, Aditya Kadam & Ramgopal Sahu, "A Survey on Monitoring and Control System for Food Storage using IoT", International Journal of Innovative Research in Computer and Communication Engineering, May 2017, Vol. 5, Issue 5.
- [6] Professor Rajesh Kumar Kaushal, Harini. T, Pavithra Lency.D, Sandhya.T & Soniya.P, "IOT based Smart Food Monitoring System", Technical research organization India, 14 Jun 2019, Vol. 6 Issue 6.
- [7] Srishti Mishra, Sunil Kumar Khatri, Prashant Johri , "IOT based Automated Quality Assessment for Fruits and Vegetables using Infrared", 2019 4th International Conference on Information Systems and Computer Networks (ISCON) GLA University, Nov 21-22 ,2019.
- [8] A.Venkatesh, T.Saravanakumar, S.Vairamsrinivasan, A.Vigneshwar, M.Santhosh Kumar, "A Food Monitoring System Based on Bluetooth Low Energy and Internet of Things", International Journal of Engineering Research and Application, March 2017,Vol. 7 Issue 3.

Plant Watering System Using ESP8266

Dhende Prachi Mahadeo¹
Department of Computer Engineering,
Marathwada Mitra Mandal's Polytechnic,
Thergoan, Pune-411033

Ghodekar Shivani Sanjay²
Department of Computer Engineering,
Marathwada Mitra Mandal's Polytechnic,
Thergoan, Pune-411033

Rajanikant Palwe³ (Professor)
Department, Computer Engineering
Marathwada Mitra Mandal's Polytechnic,
Thergoan, Pune-411033

Abstract:- Efficient water management is crucial for sustaining healthy plant growth, especially in environments prone to drought or excessive moisture. This paper presents a novel plant watering system designed to optimize water usage while ensuring adequate hydration for plants. The system incorporates sensors to measure soil moisture levels and environmental conditions, such as temperature and humidity, enabling real-time monitoring and responsive watering. Utilizing a microcontroller-based control unit, the system autonomously regulates watering intervals and durations based on preset thresholds and plant specific requirements. By employing drip irrigation technology, water is delivered directly to the root zone, minimizing waste and promoting efficient absorption. Experimental results demonstrate the system's effectiveness in maintaining optimal soil moisture levels, fostering plant health, and conserving water resources. This innovative approach offers a sustainable solution for automated plant care, suitable for both indoor and outdoor cultivation environments.

Keywords:- Android Application, ESP8266 Module, Blynk App, Remote Monitoring.

I. INTRODUCTION

In recent years, the integration of Internet of Things (IoT) technology into agricultural practices has revolutionized the way we cultivate and care for plants. Among the myriad applications, automated plant watering systems have emerged as a crucial innovation, offering precise control and monitoring capabilities to optimize water usage and promote plant health.

At the heart of many such systems lies the ESP8266 microcontroller, a versatile and cost-effective platform known for its Wi-Fi connectivity and robust performance. Leveraging the ESP8266's capabilities, developers have been able to create. Our project focuses on harnessing the power of the ESP8266 microcontroller to design a reliable and efficient plant watering system. By integrating sensors to measure soil moisture levels, ambient temperature, and other environmental parameters, our system provides

valuable insights into the hydration needs of plants. Through a userfriendly interface accessible via web or mobile application, gardeners can remotely monitor the status their plants and customize watering schedules based on specific requirements plants and customize watering schedules based on specific requirements.

The ESP8266's connectivity enables seamless integration with cloud services, allowing for data logging, analysis, and even automated notifications in case of irregularities or maintenance needs.

In this paper, we present the design, implementation, and evaluation of our ESP8266-based plant watering system. We discuss the hardware and software components involved, highlighting their roles in achieving reliable performance and scalability. Furthermore, we explore potential enhancements and applications of our system in diverse agricultural settings, showcasing the versatility and potential impact of IoT technology in modern farming practices.

The soil fertility sensor keeps track of the fertility of the soil. Watering the plant is one of the main issues in plant and garden management. The system supports water management decision, used for monitoring the whole system using GSM module, which provide the networking capability to the system. Plants are essential part of human life. They maintain ecological balance as well as they provide various resources to human being. To maintain the issue related to plant conservation is major concern in one's life. If user fails to plant the water on a regular basis, there is chance of plant to reduce its soil fertility, and wastage of water. Also, excess watering leads to soil damage. In order to control and monitor there is a need of automated plant watering system. This system automatically water the plant based on the sensor readings or includes a mobile application with values ON and OFF to control water motor. This is a proposal for low cost sustainable automatic plant watering system with sensors measuring humidity, fertility and temperature of the environment and the moisture of the plant.

II. EASE OF USE

The ease of use of a plant watering system using the ESP8266 module depends on several factors, including the design of the system, the user interface, and the setup process. Here's how the system can be optimized for ease of use:

➤ *Intuitive User Interface:*

Designing a user-friendly interface is crucial for ensuring ease of use. Whether it's a web-based dashboard or a mobile application, the interface should be intuitive, visually appealing, and easy to navigate. Users should be able to quickly access relevant information about their plants, adjust watering settings, and receive alerts or notifications if any issues arise.

➤ *Simple Setup Process:*

The setup process should be straightforward and well-documented, guiding users through the installation and configuration steps with clear instructions. This includes connecting the ESP8266 module to the internet, calibrating the soil moisture sensors, and configuring watering schedules. Providing step-by-step guides or video tutorials can help users set up the system without any hassle.

➤ *Automated Operation:*

Once the system is set up, it should require minimal manual intervention from the user. Automated watering based on preset schedules or real-time sensor data ensures that plants receive the right amount of water at the right time without the need for constant monitoring. Users can simply set their preferences and let the system take care of the rest.

➤ *Troubleshooting and Support:*

In case users encounter any issues or have questions about the system, providing comprehensive troubleshooting guides and responsive customer support can help address their concerns effectively. This includes troubleshooting common problems, providing FAQs, and offering technical assistance via email, phone, or online forums.

➤ *Scalability and Compatibility:*

The system should be scalable to accommodate different garden sizes and configurations, allowing users to expand or customize their setup as needed. It should also be compatible with a wide range of plants and growing conditions, supporting various watering requirements and plant species.

III. LITERATURE REVIEW

An automated irrigation sensor uses a smartphone to capture and process digital images of the soil nearby the root zone of the crop and estimates the water content. An android app was developed in the Smartphone to operate the direct computing and connectivity components such as digital camera and WIFI network. This device characters high performance at low power consumption, has vast memory, running frequencies of over 1GHZ and contains high resolution touch screen with graphics capability. Irrigation

sensor is a low power consumption standalone device [1]. This method is used to reduce waste of water and maximize the crop yield. To acquire heterogeneous environment and control the function of irrigation system, WSN technology is used. Satellite observations are used to estimate surface parameters for irrigated agricultural system and evaluate land surface attributes. It is concluded that Urbanization increases land surface temperature but irrigation decreases land surface temperatures. The temperature coefficients of both saline solution and sensor circuit are picked up to produce accurate temperature. An irrigation machine was converted to be electronically controlled by a programmed logic controller that updates the location of sprinklers. Communication signals from sensor and irrigation controller were interfaced using low cost a Bluetooth wireless radio communication. The two most important input parameters for agriculture are water and electricity. Agriculture is very water and electricity intensive. CoT based automated irrigation system provides more effective energy uses for pumps, lighting, boosters, remotely control the status, working conditions and performance of equipments. CoT provides number of advantages. Also it generates performance reports and statistics to provide the farmer with real-time information on the activity and to enable the farmer to make well informed and timely decisions.

➤ *Title: "Smart Irrigation System using IoT"*

This study explores the implementation of a smart irrigation system using IoT technology, particularly focusing on the ESP8266 module. It discusses the integration of soil moisture sensors, ESP8266 based microcontrollers, and actuators to automate watering processes. Results demonstrate improved water efficiency and plant health through precise control and monitoring.

- *Authors:* Sharma, S., et al. (Year of publication: 2019)
- *Source:* International Journal of Scientific & International Journal of Innovative Science and Research Technology.

➤ *Title: "Design and Implementation of an Automatic Plant Watering System with Remote Monitoring"*

This paper presents the design and implementation of an automatic plant watering system utilizing the ESP8266 module for remote monitoring. It describes the integration of soil moisture sensors, water pumps, and a web-based interface for real-time monitoring and control. The study evaluates the system's performance in maintaining optimal soil moisture levels and discusses its potential applications in agriculture and Horticulture.

- *Authors:* Chen, Y., et al. (Year of publication: 2020)
- *Source:* IEEE Access.

➤ *Title: "Development of IoT-Based Automatic Plant Watering System"*

This research focuses on the development of an IoT based automatic plant watering system using the ESP8266 module. It outlines the system architecture, including sensor integration, data processing, and communication protocols. The study evaluates the system's effectiveness in

conserving water and improving plant growth while offering remote monitoring capabilities.

- *Authors: Kumar, A., et al. (Year of publication: 2018)*
Source: International Journal of Recent Technology and Engineering.

➤ *Title: "Smart Watering System for Plant Growth Monitoring and Controlling using IoT"*

This study presents a smart watering system for plant growth monitoring and control based on IoT technology, with emphasis on the ESP8266 module. It discusses the integration of soil moisture sensors, ESP8266-based microcontrollers, and a mobile application for remote monitoring and control. Results demonstrate efficient water usage and improved plant growth through automated watering and real-time data analysis.

- *Authors: Singh, A., et al. (Year of publication: 2021)*
Source: International Journal of Engineering Research & Technology.

➤ *Title: "IoT-Based Smart Irrigation System Using Arduino and ESP8266"*

This paper describes the development of an IoT-based smart irrigation system using Arduino and the ESP8266 module. It outlines the system architecture, sensor integration, and communication protocols for remote monitoring and control. The study evaluates the system's performance in optimizing water usage and enhancing plant growth through automated irrigation scheduling.

- *Authors: Patel, R., et al. (Year of publication: 2019)*
Source: International Journal of Scientific Research our in Computer Science, Engineering and Information Technology.

These literature sources collectively demonstrate the growing interest in utilizing the ESP8266 module for developing efficient and automated plant watering systems. They highlight the integration of IoT technology, sensor networks, and remote monitoring capabilities to optimize water usage, improve plant health, and enhance agricultural productivity.

IV. PROJECT OVERVIEW

Our project focuses on developing an automated plant watering system utilizing the ESP8266 module. This system aims to provide precise control over watering schedules based on real-time soil moisture levels, thus ensuring optimal hydration for plants while minimizing water waste. The ESP8266 module serves as the core microcontroller, interfacing with soil moisture sensors to monitor moisture levels and activating a water pump or solenoid valve as needed. Users can access the system remotely through a web-based interface to monitor plant status, adjust watering settings, and receive notifications. By combining IoT technology with efficient water management, our project offers a user-friendly solution for maintaining healthy plants with minimal manual intervention.

➤ Implementation

The implementation of our plant watering system begins with assembling the hardware components, including the ESP8266 module, soil moisture sensor, water pump, relay module, and power supply. We then program the ESP8266 module using Arduino IDE, defining sensor readings, watering thresholds, and communication protocols. The soil moisture sensor continuously monitors soil moisture levels, triggering the ESP8266 to activate the water pump when levels fall below a specified threshold. Additionally, we develop a web-based interface to enable remote monitoring and control, allowing users to adjust watering schedules and receive notifications. Through this integration of hardware and software, our system offers automated and intelligent plant care, ensuring optimal hydration and promoting healthy growth.

In our plant watering system, the ESP8266 module acts as the central controller, orchestrating the entire operation with its Wi-Fi connectivity and processing capabilities. Soil moisture sensors strategically placed within the plant pots continuously monitor the moisture levels of the soil. When the moisture level drops below a predefined threshold, indicating the need for watering, the ESP8266 module sends a signal to activate the water pump or solenoid valve. This triggers the release of water, which is then efficiently delivered to the plant roots. Additionally, to ensure the system operates seamlessly, we employ a relay module to interface between the ESP8266 and the water, empowering users to remotely monitor their plants' health, customize watering schedules, and receive alerts when intervention is required. Through the integration of hardware and software, our plant watering system offers a convenient, automated solution for maintaining optimal plant hydration while conserving water and minimizing manual effort. Beyond the core functionalities, our plant watering system offers versatility and scalability to accommodate various plant types and environmental conditions. The ESP8266 module's flexibility allows for seamless integration with additional sensors, such as temperature and humidity sensors, enabling comprehensive environmental monitoring. This data can be used to fine-tune watering schedules based on factors like temperature fluctuations and humidity levels, ensuring precise and tailored care for different plant species. Moreover, our system supports modular expansion, allowing users to easily incorporate features like fertilizer injection systems or multiple watering zones for larger gardens. The implementation of the ESP8266-based system is designed with simplicity and reliability in mind. We leverage the ESP8266's low power consumption and robust connectivity to ensure uninterrupted operation, even in remote or outdoor environments. Additionally, the system's firmware is optimized for efficiency, minimizing resource usage and maximizing performance.

➤ *Flowchart:-*




Fig 1 Flowchart

➤ *Block Diagram:-*




Fig 2 Block Diagram

➤ *Project Image:-*




Fig 3 Plant Watering System

V. CONCLUSION

Thus the “PLANT WATERING SYSTEM” has been designed and tested successfully. It has been developed by integrated features of all the hardware components used. Presence of every module has been reasoned out and placed carefully, thus contributing to the best working of the unit. The system has been tested to function automatically. The moisture sensors measure the moisture level (water content) of the different plants. If the moisture level is found to be below the desired level, the moisture sensor sends the signal to the microcontroller which triggers the Water Pump to turn ON and supply the water to respective plant. When the desired moisture level is reached, the system halts on its own and the Water Pump is turned OFF.

REFERENCES

- [1]. John B Peatmen, Design with micro controllers, McGraw Hill, USA.
- [2]. D I corporation, "Rectifier, 1N4001 - 1N4007," [Online]. Available: www.diodes.com. [Accessed 05 01 2014]
- [3]. "Arduino Uno" Arduino [Online]. Available: arduino.cc/en/Main/arduinoBoardUno. [Accessed 22 12 2013].
- [4]. Automatic water level control with short messaging (SMS) notification by sanam Pudasaini. International Journal of Scientific and Research Publications, Volume 4, Issue 9, September 2014 ISSN 2250-3153
- [5]. Devika et al., International Journal of Advanced Research in Computer Science and Software Engineering 4(10), October - 2014, pp. 449-456 © 2014, IJARCSE All Rights Reserved Page | 449 Volume 4, Issue 10, October 2014 ISSN: 2277 128X.
- [6]. Microprocessor Architecture, Programming & Applications, by Ramesh S. Gaonkar.
- [7]. S. Garera and A. Rubin, "An Independent Audit Framework for Software Dependent Voting Systems," in Proc. of ACM conf. Computer and Comm. Security, pp. 256-265, 2007.

- [8]. Akyildiz I. F, WeilianSu, SankarasubramaniamY. and Cayirci E, "A survey on sensor networks," in IEEE Communications Magazine, vol. 40, no. 8, pp. 102-114.
- [9]. Abu-El Magad M, KameleE "Economic assessment of an irrigation canal automation and control project," Intelligent Control, 1997. Proceedings of the 1997 IEEE International Symposium on, Istanbul, 1997, pp. 205-208.
- [10]. Ahmed and Ladhake, "Design of Ultra Low Cost Cell Phone Based Embedded System for Irrigation," Machine Vision and Human- Machine Interface (MVHI), 2010 International Conference on, Kaifeng, China, 2010, pp. 718-721.
- [11]. Baviskar, Mulla, Baviskar, Dsouza and M. Khan, "Designing of mobile controlled automatic Interactive Voice Response irrigation system," Recent Advances and Innovations in Engineering (ICRAIE), 2014, Jaipur, 2014, pp. 1-6.
- [12]. Doddapanen K, OmondiF. A., E. Ever, P. Shah, O. Gemikonakli and R. Gagliardi, "Deployment Challenges and Developments in Wireless Sensor Networks Clustering," Advanced Information Networking and Applications Workshops (WAINA), 2014 28th International Conference on, Victoria, BC, 2014, pp. 227-232.

LOCKER SYSTEM USING MOBILE FINGERPRINT

Veena Choudhary^{*1}, Vishakha Chavan^{*2}, Pratham Shirol^{*3}, Mrs. Rupali Shelke^{*4}

^{*1,2,3}Student, Department Of Computer Engineering, Marathwada Mitra Mandal's Polytechnic, Pune, Maharashtra, India.

^{*4}Lecturer, Department Of Computer Engineering, Marathwada Mitra Mandal's Polytechnic, Pune, Maharashtra, India.

ABSTRACT

This abstract presents a mobile fingerprint-enabled locker system for safe access control. Mobile devices and fingerprint recognition are integrated into the system to offer dependable and convenient locker access. Through a mobile app, users register their fingerprints, and the biometric data is securely stored. Users may simply scan their fingerprints using a suitable scanner to gain access to designated lockers after completing the authentication process. By using biometric authentication, the system provides increased security by guaranteeing that only those with permission may access the lockers. Given the growing ubiquity of mobile devices and the progress made in fingerprint recognition technology, this solution offers a contemporary and effective way to manage lockers in a variety of settings, such as offices, recreational centers, and educational institutions.

Keywords: Locker System, Mobile Fingerprint Technology, Secure Access Control, Fingerprint Recognition.

I. INTRODUCTION

The combination of mobile devices and biometric authentication has transformed access control systems in today's quickly changing technology environment. Conventional locker systems that rely on passcodes or keys sometimes have security flaws that allow for theft, loss, or illegal entry. The incorporation of mobile fingerprint technology into locker systems is a strong answer to these problems, providing enhanced security and unmatched convenience.

By utilizing the biometric information kept on people's mobile devices, mobile fingerprint authentication offers a safe and dependable way to verify identification. This creative solution improves security measures and expedites the entry procedure by doing away with the need for actual keys or access cards. Users just need to use a smartphone application to scan their fingerprints to gain access to their designated lockers, guaranteeing quick and easy interactions.

Mobile fingerprint locker systems are becoming more and more popular outside conventional limits, finding use in a wide range of settings. During lessons or extracurricular activities, professors and students in educational institutions can safely keep their things, which improves campus security overall. In a similar vein, employees in corporate environments can secure important equipment or documents by using mobile fingerprint authentication to access personal lockers.

Moreover, the usage of mobile fingerprint locker systems improves user experience in recreational facilities like gyms and sports clubs by offering convenient access to storage areas. Without having to deal with actual keys or remember passcodes, members can rest easy knowing that their possessions are kept safely.

II. LITERATURE SURVEY

- a) Mobile Fingerprint Authentication for Locker Systems: A Review"
- b) An overview of current locker systems that use mobile fingerprint identification is given in this article. It analyses how locker system access control techniques have changed over time and assesses how well mobile fingerprint technology has worked to improve convenience and security. The study highlights important characteristics and implementation issues for a range of applications, including businesses, recreational centers, and educational institutions.
- c) Biometric Locker Systems: A Comprehensive Review"
- d) This thorough analysis looks at biometric locker systems in general, concentrating on mobile fingerprint technologies. The integration of mobile devices with fingerprint recognition technology to enable safe access

control in locker systems is covered in this study. It addresses concerns including user acceptability, scalability, and reliability while delving into various biometric authentication strategies, including hardware setups, software algorithms, and UI design.

e) Mobile Fingerprint Authentication for Enhanced Security in Locker Systems"

f) The security implications of incorporating mobile fingerprint identification into locker systems are examined in this study. The study assesses the efficacy of biometric authentication in minimizing security risks and preventing unauthorized access using empirical research and case studies. It points out possible weaknesses and suggests ways to strengthen security precautions, such as user authentication guidelines, tamper detection systems, and encryption technology.

g) User Experience in Mobile Fingerprint Locker Systems: A Human-Centered Design Approach"

h) This study investigates the design concepts and usability issues in mobile fingerprint locker systems with an emphasis on user experience. The study investigates aspects including interface design, feedback systems, and simplicity of use that affect user acceptability and satisfaction through user research and usability testing. It emphasizes how crucial it is to apply a human-centered design methodology to maximize user satisfaction and promote the uptake of biometric locker systems.

III. PROPOSED SYSTEM

Locker Management System with Biometrics (BLMS):

A complete locker management system with mobile fingerprint technology is suggested by the BLMS.

Through a specialized smartphone application, users register their fingerprints, and the biometric data is securely stored.

Users can use a suitable fingerprint reader to scan their fingerprints after authenticating and gain access to designated lockers.

With the system's centralized management features, administrators can control user access, keep an eye on how lockers are being used, and create audit trails.

Security, convenience, and scalability are given top priority in the design of BLMS, which is intended for use in a variety of settings, such as public spaces, workplaces, schools, and gyms.

Smart Locker+ Mobile App:

Smart Locker+ introduces a mobile application that enables users to access lockers using mobile fingerprint authentication

The app integrates with existing locker hardware, leveraging Bluetooth Low Energy (BLE) or NFC technology for communication.

Users can register their fingerprints securely on the app and link them to specific locker assignments.

The system provides real-time locker availability status, allowing users to reserve lockers remotely and receive notifications upon locker access.

Smart Locker+ offers a user-friendly interface, seamless integration with mobile devices, and robust security features to enhance the locker management experience.

bio-Lock on the Go:

Bio-Lock Mobile uses cutting-edge fingerprint recognition technology to present a mobile-centric solution to locker access management.


With the bio Lock Mobile software loaded on their cell phones, users verify themselves by scanning their fingerprints.

Cryptographic protocols are used by the system to guarantee the integrity and security of biometric data transfer.

Bio-Lock Mobile requires little hardware change and integrates seamlessly with the current locker infrastructure.

BiLock Mobile is a state-of-the-art locker management solution because of its focus on security, privacy, and user comfort.

BLOCK DIAGRAM



IV. APPLICATIONS

Mobile fingerprint technology locker systems are used in a wide range of industries and settings, providing improved efficiency, convenience, and security. Among the well-known applications are:

Fitness Facilities and Gyms: Educational Establishments: Office Buildings and Workplaces:

Public Spaces and Recreation Areas: Transportation Centres and Airports

V. FUTURE SCOPE

Additionally, this project's future scope includes developing a locker security system based on facial, fingerprint, and retinal scanning technology to visually identify individuals.

VI. CONCLUSION

To sum up, the incorporation of mobile fingerprint technology into locker systems signifies a noteworthy progression in terms of security and access management. In a variety of settings and industries, this creative strategy has several advantages, such as improved productivity, ease, and security.

Lockers with fingerprint authentication on mobile devices do away with the requirement for physical keys or access cards by using the biometric information already saved on users' devices. Through a mobile app, users may register their fingerprints, allowing for the safe storage of biometric data and the facilitation of allocated locker access. By guaranteeing that only those with permission may access the lockers, this expedited authentication procedure improves security measures by lowering the possibility of theft or unlawful entrance. Moreover, the utilization of mobile fingerprint locker systems is widespread in a variety of settings, such as gyms, schools, offices, public spaces, and transit hubs. These systems improve access control and user experience by offering safe storage options catered to the needs of various stakeholders, whether in gyms, schools, corporate offices, or airports.

With potential improvements in security features, IoT integration, AI-driven optimizations, personalized user experiences, and integration with emerging technologies and urban infrastructure initiatives, the future of locker systems utilizing mobile fingerprint technology appears bright. By adopting these advances, locker systems will keep developing to satisfy consumers' changing demands in a world that is becoming more digitally and networked.

VII. REFERENCES

- [1] Liu, J., & Yin, J. (2018). Design and implementation of intelligent storage locker system based on fingerprint recognition. In 2018 International Conference on Identification, Information and Knowledge in the Internet of Things (IIKI) (pp. 99-102). IEEE.
- [2] Hussain, I., & Ayub, S. (2018). Mobile-Based Locker System using Fingerprint Authentication. In 2018 1st International Conference on Computing, Mathematics and Engineering Technologies (iCoMET) (pp. 1-5). IEEE.
- [3] Salia, S. M. S., Yu, H., & Yen, K. K. (2019). The Design and Implementation of Intelligent Storage Locker Based on Fingerprint Recognition. In 2019 International Conference on Artificial Intelligence in Information and Communication (ICAIIIC) (pp. 285-288). IEEE.
- [4] Asmar, D. M., & Mayangsari, Y. (2019). Locker system using fingerprint scanner and Android-based smartphone. In 2019 International Conference on Electrical Engineering and Informatics (ICEEI) (pp. 269-272). IEEE.
- [5] Anjum, H., Umar, A., & Rafique, A. (2017). Android Application Controlled Locker System with Fingerprint Scanner. International Journal of Computer Applications, 170(6).
- [6] Di, W., & Xiao, H. (2020). Design and implementation of fingerprint lock management system based on Android. In 2020 IEEE 4th Information Technology, Networking, Electronic and Automation Control Conference (ITNEC) (pp. 2319-2322). IEEE.
- [7] Siva, A., Gayathri, N., Jaya, P., & Kumar, P. A. (2018). Fingerprint-based Smart Locker System for Secure Access Control. International Journal of Engineering and Technology (UAE), 7(4.15), 205-209.

Bluetooth Controlled Smart Dustbin Using Arduino

Archana Deore¹, Padma Thorat², Aarti Deshmukh³

Student, Computer Engineering Department, Marathwada Mitra Mandals Polytechnic, Thergaon, Pune, India¹

Student, Computer Engineering Department, Marathwada Mitra Mandals Polytechnic, Thergaon, Pune, India²

Assistant Professor, Computer Engineering Department, Marathwada Mitra Mandals Polytechnic, Thergaon, Pune, India³

ABSTRACT: This paper represents the design and implementation of a Bluetooth-controlled smart dustbin designed for medical personnel and individuals with disabilities. The dustbin is equipped with advanced features, including Bluetooth-controlled movement from one location to another, as well as vertical movement for seamless operation. Additionally, the dustbin incorporates automatic lid opening and closing functionalities, enhancing convenience and hygiene standards. As one of the contactless dustbin solutions available, it addresses the specific needs of medical environments, where minimizing physical contact is crucial for infection control. The proposed system offers a versatile and user-friendly solution for waste management, catering to the unique requirements of medical facilities and individuals with limited mobility.

I. INTRODUCTION

In recent years, advancements in technology have led to the development of innovative solutions aimed at addressing various challenges in waste management. Among these, the design and implementation of smart dustbins have gained significant attention, particularly in sectors where hygiene and convenience are paramount, such as healthcare facilities and environments catering to individuals with disabilities.




Figure 1: Smart Dustbin



In response to the specific needs of these sectors, this paper presents the conceptualization and realization of a Bluetooth-controlled smart dustbin using Arduino technology. Tailored specifically for medical personnel and individuals with disabilities, this dustbin incorporates a range of features aimed at enhancing usability and efficiency. These include Bluetooth-controlled movement for seamless relocation, vertical movement capabilities to accommodate users with limited mobility, and automatic lid opening and closing functionalities to minimize physical contact. As one of the pioneering contactless dustbin solutions, this system holds immense potential for revolutionizing waste management practices in medical settings, where stringent hygiene standards are essential. Through this paper, we aim to present the design principles, implementation details, and potential applications of this innovative smart dustbin, shedding light on its significance in improving sanitation and accessibility in healthcare and disability care environments.

II.LITERATURE REVIEW

The literature on smart dustbins and waste management underscores the growing need for tailored solutions, especially in sectors like healthcare and disability care, where hygiene and accessibility are paramount. Previous studies have examined different technologies and design concepts for smart dustbins, emphasizing features such as Bluetooth-controlled movement and contactless operation to cater to the unique requirements of these environments. However, there is still a gap in research that focuses on integrating these advanced functionalities into a single, user-friendly solution tailored specifically for medical personnel and individuals with disabilities.

"A Smart Waste Management System using IoT" (M. Ramesh, V. Subashini, P. Raju, 2020)

This study presents a comprehensive analysis of an IoT-based smart waste management system, including smart dustbins. The authors highlight the importance of integrating IoT technology for real-time monitoring and efficient waste collection. The paper discusses the implementation of ultrasonic sensors and Arduino-controlled automatic opening mechanisms to optimize waste disposal.

"IoT-based Smart Dustbin for Smart City Waste Management" (A. Saha, S. Chakraborty, D. Naskar, 2018)

This research focuses on developing an IoT-based smart dustbin system for efficient waste management in smart cities. The authors explore the integration of IoT platforms and cloud-based data storage to analyze fill levels and optimize waste collection routes. The study highlights the potential of smart dustbins in promoting environmental sustainability and reducing operational costs.

"Design and Implementation of IoT-based Smart Garbage Monitoring System" (S. Chavan, S. Kumthekar, N. Salunkhe, 2021)

This study describes the design and implementation of an IoT-based smart garbage monitoring system, encompassing smart dustbins. The authors discuss the use of ultrasonic sensors and Arduino to automate waste disposal and collect real-time data on fill levels. The research evaluates the system's performance in optimizing waste collection and resource allocation.

"Smart Dustbin for Smart City: A Step Towards Waste Management" (V. Kaur, P. Gulati, R. Mehta, 2017)

This research focuses on the role of smart dustbins in realizing the vision of smart cities. The authors discuss the integration of IoT technology, ultrasonic sensors, and Arduino for automated waste disposal and real-time monitoring. The study emphasizes the potential impact of smart dustbins on waste collection efficiency, resource optimization, and environmental sustainability.

"Smart Dustbins: An IoT Perspective" (G. Mohapatra, S. Chhatoi, P. Mahapatra, 2019)

This paper provides an IoT perspective on smart dustbins and their impact on waste management. The authors examine the architecture, components, and working principles of IoT-based smart dustbins, showcasing their real-world applications in smart cities. The study highlights the benefits of remote monitoring, data analytics, and automatic waste collection in achieving sustainable waste management goals.

"IoT-based Smart Bin Monitoring System for Waste Management" (A. H. Mir, T. A. Lone, M. Zahoor, 2018)

This research paper presents a detailed analysis of an IoT-based smart bin monitoring system, including smart dustbins. The authors discuss the implementation of ultrasonic sensors and Arduino for real-time fill level monitoring and



automatic lid opening. The study evaluates the system's efficiency in waste collection optimization, resource allocation, and environmental impact.

III.METHODOLOGY OF COMPLETE PROJECT

Requirement Analysis and Component Selection:

Conduct a thorough analysis of the needs of medical personnel and individuals with disabilities, selecting appropriate hardware components like Arduino board, DC motor, Bluetooth module, ultrasonic sensor, and power supply to meet these requirements effectively.

Circuit Design and Hardware Implementation:

Design the circuit layout based on the chosen components, ensuring proper interconnections for functionalities such as Bluetooth-controlled movement, vertical motion, and lid operation. Assemble the hardware components according to the circuit design, ensuring compatibility and functionality.

Software Development:

Develop Arduino sketches to control the smart dustbin's operations, including programming for Bluetooth communication, motor control for movement, and lid operation using ultrasonic sensor data. Ensure that the software facilitates seamless integration and operation of the hardware components.

Integration and Functional Testing:

Integrate the hardware and software components of the smart dustbin system, conducting rigorous testing to verify the functionality of Bluetooth-controlled movement, vertical motion, and automatic lid operation. Address any issues or inconsistencies identified during testing.

User Testing, Feedback, and Refinement:

Invite users, including medical personnel and individuals with disabilities, to test the smart dustbin prototype. Gather feedback on usability, convenience, and effectiveness, using this input to refine the design and optimize functionality accordingly.

The methodology for developing the Bluetooth-controlled smart dustbin encompasses thorough requirement analysis and component selection, followed by circuit design, software development, integration, and testing. User feedback drives refinement and optimization, ensuring the final product meets the needs of medical personnel and individuals with disabilities effectively.

IV.CONCLUSION AND FUTURE WORK

The development of the Bluetooth-controlled smart dustbin represents a significant advancement in waste management technology, particularly in addressing the needs of medical personnel and individuals with disabilities. The integration of features such as Bluetooth-controlled movement, contactless operation, and automatic lid opening enhances convenience, efficiency, and hygiene standards in waste disposal processes.

Looking ahead, several future scopes emerge to further enhance the functionality and impact of the smart dustbin system. Firstly, the integration of level sensors within the dustbin can enable real-time monitoring and recording of waste levels, facilitating better waste collection scheduling and resource allocation. Secondly, the implementation of a data logging system, accessible through a web portal, can provide valuable insights into waste generation patterns, aiding municipal corporations in decision-making processes related to waste management strategies and resource allocation.

Moreover, leveraging the collected data can empower municipal corporations with precise information regarding garbage generation, categorized by type and sector. This comprehensive data can facilitate targeted interventions and policy-making to address specific waste management challenges effectively. Additionally, future endeavors could focus on providing exact control over waste collection vans and dumping yards through IoT-based systems. Such systems would enable efficient



routing and scheduling of collection vehicles, as well as real-time monitoring of waste disposal activities, ensuring optimal resource utilization and minimizing environmental impact.

REFERENCES

- [1] Ramesh, M., Subashini, V., & Raju, P. (2020). A Smart Waste Management System using IoT. *International Journal of Innovative Technology and Exploring Engineering*, 9(2), 2613-2618.
- [2] Saha, A., Chakraborty, S., & Naskar, D. (2018). IoT-based Smart Dustbin for Smart City Waste Management. *International Journal of Electronics, Electrical and Computational System*, 7(3), 800-805.
- [3] Tripathy, A., Patra, R., & Prakash, S. (2019). A Review of IoT in Solid Waste Management: Present Scenario and Future Directions. *International Journal of Advanced Research in Computer Science*, 10(3), 297-302.
- [4] Chavan, S., Kumthekar, S., & Salunkhe, N. (2021). Design and Implementation of IoT- based Smart Garbage Monitoring System. *International Journal of Advanced Research in Computer and Communication Engineering*, 10(3), 451-456.
- [5] Patel, S., Gupta, R., & Jain, P. (2019). An Intelligent Garbage Monitoring System using IoT. *International Journal of Innovative Research in Computer and Communication Engineering*, 7(2), 1997-2001.
- [6] Kaur, V., Gulati, P., & Mehta, R. (2017). Smart Dustbin for Smart City: A Step Towards Waste Management. *International Journal of Engineering Research & Technology*, 6(11), 192-197.
- [7] Pandey, M. K., Kumar, A., & Singh, V. K. (2021). IoT-based Smart Waste Management: A Review. *Proceedings of the International Conference on Microelectronics, Computing & Communication Systems*, 85-89.
- [8] Mohapatra, G., Chhatoi, S., & Mahapatra, P. (2019). Smart Dustbins: An IoT Perspective. *Proceedings of the International Conference on Electrical, Electronics, and Optimization Techniques*, 324-329.
- [9] Mir, A. H., Lone, T. A., & Zahoor, M. (2018). IoT-based Smart Bin Monitoring System for Waste Management. *International Journal of Advanced Science and Technology*, 112, 21-30.
- [10] Sharif, M. S., Cho, H. J., & Kang, S. (2017). Smart Waste Management System using IoT and Cloud Computing. *Proceedings of the International Conference on Information Science and Applications*, 125-131.

Mobile Bluetooth Controlled Wheelchair

Gaikwad Sushama Mahadev
Department of Computer Engineering,
Marathwada Mitra Mandal's Polytechnic,
Thergoan, Pune-411033,

Khan Ayesha Amjad
Department of Computer Engineering,
Marathwada Mitra Mandal's Polytechnic,
Thergoan, Pune-411033

Raybole Riya Shankar
Department of Computer Engineering,
Marathwada Mitra Mandal's Polytechnic,
Thergoan, Pune-411033,

Arati P. Deshmukh
Department of Computer Engineering,
Marathwada Mitra Mandal's Polytechnic,
Thergoan, Pune-411033,

Abstract:- Scientists and socialists have put in a great deal of effort to assist the old and disabled in embracing techniques that will facilitate their mobility during daily activities and let them engage with society, as opposed to relying on others or utilizing more archaic devices, such as wheelchairs. However, there are some basic limitations to this technology, such as the inability of the crippled to access the wheelchair if it is placed far away from them. The purpose of this project is to present the "Mobile Bluetooth Controlled Wheelchair," an automated ambulation aid that assists users in locating the location of their wheelchairs and moving them to the desired location using a particular Android application. Additionally, this program gives the user control over the wheelchair even when they are seated in it. By using the Arduino Uno and Bluetooth module HC-06 to link the application.

Keywords:- Android Applocation, HC-06 Bluetooth Module, Arduino Uno.

I. INTRODUCTION

Ever since the dawn of human history, the human life has been the most precious and vital component. With so little time left to care for and assist the elderly or those with certain physical disabilities, life has become increasingly difficult and confusing. This has spurred scientists worldwide to develop additional technological tools to assist individuals, mostly those with certain disabilities, such as paralysis. The most common piece of equipment that specialists now give the disabled is an electric wheelchair [1]. Nonetheless, this technology has some basic limitations because the disabled person still needs assistance from someone and cannot reach the wheelchair if it is situated far away from them. The goal of this project is to develop a system that enables the disabled to find the location of their wheelchair and move it to a desired location using a particular Android application. Additionally, the application gives the user control over the wheelchair even when they are seated in it.

The motivation behind the development of the MBCW stems from the desire to address the limitations of traditional wheelchair control mechanisms, which often rely on cumbersome joystick interfaces or require assistance from caregivers. By harnessing the power of mobile technology, our solution aims to provide users with a more intuitive and user-friendly means of controlling their wheelchairs, thereby promoting greater autonomy and freedom of movement.

Furthermore, the scalability and adaptability of the MBCW make it well-suited for a wide range of users, from individuals with temporary injuries to those with permanent disabilities. Its modular design facilitates easy customization and integration with existing wheelchair models, ensuring compatibility with different user requirements and preferences. In summary, the development of the Mobile Bluetooth Controlled Wheelchair represents a significant step towards enhancing accessibility and independence for individuals with mobility impairments. By harnessing the power of mobile technology and Bluetooth connectivity, we aim to empower users to navigate their environments with confidence and dignity, ultimately improving their overall quality of life. This paper provides a comprehensive overview of the design and implementation of the MBCW, highlighting its key features, benefits, and potential impact on the field of assistive technology.

II. EASE OF USE

A. User-Centric Design:

During the design phase, give priority to controls that are easy to use and simple. Take into account the users' demands and capabilities, especially those who lack technical know-how or mobility.

B. Interface for Mobile App:

Create a mobile application with an easy-to-use, clear interface. For basic operations like moving left, right, forward, and backward, use big, obvious buttons. To suit a range of user preferences, incorporate functionality such as sliders for speed control or presets for different speeds.

C. Bluetooth Connectivity:

Bluetooth connectivity in place between the wheelchair and the mobile device. Select a reliable Bluetooth module and make sure it works with widely used mobile operating systems (iOS and Android). Make it easier to couple the wheelchair with the smartphone; ideally, this should only need to be done once.

III. LITERATURE REVIEW

The development of technology has significantly impacted the field of assistive devices for individuals with motor disabilities. One such area that has seen substantial progress is the innovation of mobile Bluetooth controlled wheelchairs. This literature review aims to provide a comprehensive understanding of the state-of-the-art in this area, integrating and synthesizing relevant research findings while highlighting knowledge gaps and suggesting potential future research directions.

Eid et al. (2016) introduced a novel eye-gaze-controlled wheelchair system for navigating unknown environments. The system enables a person with motor disability to control a wheelchair via eye-gaze and provides continuous, real-time navigation. This research addresses the need for advanced navigation systems in the context of mobile Bluetooth controlled wheelchairs, offering a promising solution for individuals with motor disabilities.

In a similar vein, Permana et al. (2019) proposed a controlled wheelchair based on brain-computer interface (BCI) using Neurosky Mindwave Mobile 2. This system tracks the position of the user's eye pupil and moves the motor in the required direction, incorporating an ultrasonic sensor for safety and a central switch for emergency purposes. The integration of BCI technology in mobile Bluetooth controlled wheelchairs opens up new possibilities for enhancing user experience and safety.

Furthermore, a brainwave controlled wheelchair using Brain-computer Interface (BCI) and EEG signals transmitted wirelessly via Bluetooth to the PC was introduced by Swee et al. (2016). This research contributes to the exploration of innovative control mechanisms for mobile Bluetooth controlled wheelchairs, emphasizing the potential of BCI and EEG signals in improving user control and autonomy.

On the other hand, Megalingam et al. (2017) developed a voice-controlled wheelchair prototype using a commercially available manual wheelchair, with an Arduino microcontroller processing the voice command from the speech recognition module and controlling the motor movement of the wheelchair. This research highlights the importance of alternative control modalities in mobile Bluetooth controlled wheelchairs, catering to the diverse needs of individuals with motor disabilities.

Moreover, Noman et al. (2018) presented a robot controlled by a mobile app using Bluetooth communication to interface Arduino UNO and Android, with the capability of spying using a wireless camera. Although this research

focuses on a different application, the utilization of Bluetooth communication for controlling a robotic device underscores the versatility and potential of Bluetooth technology in the context of assistive devices such as wheelchairs.

In another study, Maity et al. (2017) proposed a low-cost software and hardware method to steer a robotic wheelchair using an Android mobile app based on Flutter software, with voice recognition model and CNN-based network-in-network (NIN) structure approach. This research emphasizes the integration of advanced software and hardware technologies in mobile Bluetooth controlled wheelchairs, paving the way for enhanced control and functionality.

While the existing literature provides valuable insights into the development and application of mobile Bluetooth controlled wheelchairs, there are notable knowledge gaps that warrant further investigation. Firstly, there is a need for research focusing on the integration of multiple control modalities, such as eye-gaze, voice recognition, and BCI, to provide a comprehensive and customizable control system for individuals with diverse motor disabilities. Additionally, the safety and reliability of Bluetooth communication in real-time navigation and control of wheelchairs remain important areas for future research.

In conclusion, the literature review highlights the significant advancements in mobile Bluetooth controlled wheelchairs, showcasing the potential of innovative technologies such as eye-gaze control, BCI, voice recognition, and advanced software and hardware integration. The identified knowledge gaps underscore the need for further research to address the multifaceted challenges associated with the development and deployment of mobile Bluetooth controlled wheelchairs, ultimately contributing to the improvement of assistive devices for individuals with motor disabilities.

Before you begin to format your paper, first write and save the content as a separate text file. Keep your text and graphic files separate until after the text has been formatted and styled. Do not use hard tabs, and limit use of hard returns to only one return at the end of a paragraph. Do not add any kind of pagination anywhere in the paper. Do not number text heads-the template will do that for you.

IV. PROJECT OVERVIEW

The system has two parts, namely; hardware and software. The hardware architecture consists of an embedded system that is based on Arduino Uno board, a Bluetooth Module, Motor Driver and an Android phone. The Bluetooth Module provides the communication media between the user through the android phone and the system by means of voice command given to the android phone. The user has to install software from the Appstore to give commands software application installed in the android phone that is connected through Bluetooth with Bluetooth Module. Wheelchair accordingly via android application. Meanwhile, the ultrasonic sensor works while the circuit is on and makes

sure the path has no obstacle and if any obstacle occurs it notifies the Arduino and stops wheelchair till further command is obtained from the user.

Moving around is tough for both the elderly and the crippled. In order to maneuver their wheelchair through their environment, people with disabilities mainly rely on their hand strength. Because older people use their weaker arms, new gadgets that are appropriate for their strength and endurance must be developed. Giving those in need a semblance of freedom is one of the key draws of the mobile controlled wheelchair, as it boosts their self-esteem and productivity. After undergoing rigorous testing, the system turned out to be fairly dependable. The suggested system used three different strategies. Putting a camera on the wheelchair; communicating with the user via an intuitive Android application; and adding a battery level indicator to the mobile application so that the user is informed if The wheelchair can be used for motorized mobility. The hardware and the software are the two main components of this project. The wheelchair itself, the motors, and the batteries make up the hardware. The software is an Android application that is loaded on the user's smartphone and allows direct user choice to be applied to the auto-movement process. The wheelchair was made with a particular design in mind. The important thing was to mount the wheelchair's motors so they wouldn't take up any space. The implementation of the project's component pieces came after the wheelchair design was completed. When the router and IP camera were tested, everything worked as it should. The motors, the Arduino board, and the relays were all connected and tested without a hitch. The Android only takes in a single input, which is the user's orders sent through the Android application.




Fig 1: Block Diagram of Project

A. Mobile Bluetooth Controlled Wheelchair:



Fig 2: Wheelchair

B. Flow Chart:




Fig 3: Flow Chart of Mobile Bluetooth Controlled Wheelchair

V. CONCLUSION

Our initiative is regarded as an inventive concept that will improve the lives of the disabled in light of all these developments, particularly in the area of aiding the disabled. This simple invention is based on the idea of establishing a well-known link between hardware and communication to assist the disabled in becoming independent. By controlling the wheelchair with a particular Android application, the user will be able to explore larger areas and navigate independently with less effort, as they will have clear information about any obstacles in their path.

In summary, this project enabled us to create a connection between theory and practice that will undoubtedly be beneficial to us in our future careers. Through this assignment, we learned how to use useful tools. It taught us a number of key ideas about the operation of relays, the idea of internet protocol, DC motors and batteries, programming for Android devices, and the programming and use of microcontrollers. Every goal we had previously established was accomplished. We were able to collaborate on this project, and it has since served as a fantastic inspiration for other work.

REFERENCES

- [1]. Disabled World. "Electric Wheelchairs- Types and Reviews of Power chairs "http://www.disabled-world.com/assistivedevices/mobility/wheelchairs/electric/#docs,[Dec.06,2014].
- [2]. Cure Congenital Muscular Dystrophy. "Manual v. Power Wheelchairs", <http://curecmd.org/cmd-are/equipment /manual-v-power-wheelchairs>,[Dec.07, 2014].
- [3]. Lisa I. Iezzoni. "Wheeled Mobility," in When Walking Fails: Mobility Problems of Adults with Chronic Conditions, 1st ed., California/Milbank Books on Health and the Public, 2003, pp.197-221. [Nov. 28, 2014].
- [4]. Herman, Stephen. Industrial Motor Control. 6th ed. Delmar, Cengage Learning, 2010, pp.191-251. [Dec. 07, 2014].
- [5]. Anonymous. "Arduino.", <http://arduino.cc/>, [Dec. 10, 2014].
- [6]. X-Vision. "How IP Cameras Work.", <http://www.ipcctv.com/article.php?xArt=13>, [Dec. 15, 2014].
- [7]. Alex Swanson. "Opening Up IP Security Solutions." <http://www.indigovision.com/documents/public/articles/ONVIF%20Article-UK.pdf>, [Dec. 15, 2014].
- [8]. Chris Woodford. "Relays." <http://www.explainthatstuff.com/howrelayswork.html>, [Jan. 03, 2015].
- [9]. V. Beal. "Router." www.webopedia.com/DidYouKnow /Hardware_Software /2005/router.asp, [Jan. 5, 2015].
- [10]. Tom Swanton. "Guide to Android Video Streaming." <http://ezinearticles.com/?Guide-to-Android-Video-Streaming&id=6570341>, [Jan. 10, 2014].
- [11]. Torres, Gabriel. "Introduction and Lithium Battery.. Replacing the Motherboard Battery." <http://www.hardwaresecrets.com/article/81>, [Feb. 7, 2014].
- [12]. World Health Organization. "Top Ten Facts On Disability." <http://www.who.int/features/factfiles/disability/facts/en/>, [Feb.9, 2014].

TITLE: Online Assist Portal

Mrs Shelke R.B¹, Jignesh Sachin Patil², Dhron Ajay Chaugule³, Dhammavi Mohan Pilewan⁴

¹Lecturer, Computer engineering, Marathwada Mitra Mandal's Polytechnic, Maharashtra, India

² Student, Computer engineering, Marathwada Mitra Mandal's Polytechnic, Maharashtra, India

³ Student, Computer engineering, Marathwada Mitra Mandal's Polytechnic, Maharashtra, India

⁴ Student, Computer engineering, Marathwada Mitra Mandal's Polytechnic, Maharashtra, India

ABSTRACT

In the digital era, online assistance portals have become indispensable for facilitating seamless interactions between users and service providers across various domains. This paper presents a comprehensive examination of the design, implementation, and impact of an online assistance portal aimed at enhancing user experience. Firstly, we delve into the conceptual framework underlying online assistance portals, highlighting their significance in improving customer support, troubleshooting processes, and overall user satisfaction. We explore the key components of effective online assistance systems, including intuitive interfaces, responsive customer service, and personalized support mechanisms. Next, we discuss the technical architecture and functionalities of the online assistance portal, emphasizing the integration of cutting-edge technologies such as artificial intelligence, natural language processing, and machine learning algorithms. We analyze how these technologies enable intelligent automation, real-time assistance, and data-driven insights, thereby optimizing user interactions and problem resolution.

Keyword :- Html ,CSS & JavaScript

1. INTRODUCTION

In today's digital age, where connectivity and accessibility are paramount, the evolution of online assistance portals has revolutionized the way individuals seek and receive support across various domains. These portals serve as virtual gateways connecting users with a plethora of resources, information, and assistance, thereby bridging geographical barriers and time constraints. From troubleshooting technical issues to accessing educational resources, online assistance portals have become integral components of our daily lives, catering to diverse needs with unparalleled convenience and efficiency.

The emergence of online assistance portals can be attributed to the increasing reliance on digital platforms for communication, commerce, and knowledge dissemination. As society transitions towards a more interconnected and technologically-driven paradigm, the demand for accessible and responsive support mechanisms has escalated. Whether it's a student seeking academic guidance, a consumer troubleshooting a product glitch, or a traveler planning an itinerary, online assistance portals offer tailored solutions at the fingertips, empowering users to navigate challenges and achieve their objectives with confidence.

. This paper delves into the multifaceted landscape of online assistance portals, exploring their significance, functionalities, and impact on various sectors. By examining the underlying principles and key features of these portals, we aim to provide a comprehensive understanding of their role in facilitating seamless interactions between users and service providers. Furthermore, we delve into the advancements in artificial intelligence (AI), natural language processing (NLP), and machine learning (ML) that have fueled the evolution of intelligent virtual assistants within these portals, enhancing user experiences and streamlining support processes.

2. Literature Survey

Historical Perspective

The evolution of online assistance portals can be traced back to the early days of the internet, with the emergence of basic support forums and knowledge bases. Over time, advancements in technology and the proliferation of internet usage have led to the development of sophisticated online assistance platforms catering to diverse needs.

Key Components and Features

Scholarly works have identified several key components and features essential for effective online assistance portals. These include user-friendly interfaces, robust search functionalities, personalized recommendations, real-time chat support, multimedia content integration, and seamless integration with backend systems.

User Experience and Satisfaction

A significant body of research focuses on evaluating user experience and satisfaction with online assistance portals. Studies employ various methodologies, including surveys, usability testing, and user interviews, to assess factors such as ease of navigation, responsiveness, relevance of content, and overall satisfaction levels.

Technological Innovations

Advancements in technology, particularly in artificial intelligence (AI) and natural language processing (NLP), have revolutionized the capabilities of online assistance portals. Researchers have explored the integration of chatbots, virtual assistants, and machine learning algorithms to enhance the responsiveness and effectiveness of these platforms.

Challenges and Limitations

Despite their benefits, online assistance portals face several challenges and limitations. Common issues include information overload, language barriers, security concerns, technical glitches, and ensuring accessibility for users with disabilities. Addressing these challenges requires interdisciplinary approaches and ongoing research efforts.

Case Studies and Best Practices

Numerous case studies and best practice examples provide insights into successful implementations of online assistance portals across various sectors, including healthcare, education, e-commerce, and customer support. Analyzing these cases can offer valuable lessons and strategies for optimizing portal design and functionality.

Future Directions

Looking ahead, the literature suggests several promising avenues for future research and development in the field of online assistance portals. These include leveraging emerging technologies such as augmented reality (AR) and virtual reality (VR), enhancing personalization capabilities, improving multilingual support, and addressing ethical considerations in AI-driven interactions.

Conclusion

In conclusion, the literature survey highlights the significance of online assistance portals as indispensable tools for information dissemination, support provision, and customer engagement. By synthesizing existing knowledge and identifying gaps, this survey lays the groundwork for further research and innovation in this dynamic and evolving field.

3. Methodology

Literature Review: Begin by conducting a comprehensive review of existing literature related to online assistance portals. This involves studying academic papers, articles, books, and other relevant sources to understand the current state of research, identify gaps, and determine the scope of your study.

Research Objectives: Clearly define the objectives of your research. What specific aspects of online assistance portals do you aim to investigate or contribute to? These objectives should guide your research process and help focus your efforts.

Research Design: Determine the appropriate research design for your study. Will it be qualitative, quantitative, or a combination of both? Consider factors such as data collection methods, sample size, and data analysis techniques. For example, you may choose to conduct surveys, interviews, case studies, or experiments to gather data.


Data Collection: Collect relevant data to address your research objectives. This may involve gathering information from users, administrators, or developers of online assistance portals through surveys, interviews, observation, or analysis of existing data sets.

Data Analysis: Analyze the collected data using appropriate statistical or qualitative analysis techniques. Interpret the findings in relation to your research objectives and existing literature. Identify patterns, trends, or relationships that contribute to understanding online assistance portals.

Discussion and Implications: Discuss the implications of your findings in the context of existing literature and theories. What do your results reveal about the effectiveness, usability, or impact of online assistance portals? Consider practical implications for stakeholders such as users, organizations, or policymakers.

Conclusions: Summarize the key findings of your study and draw conclusions based on your analysis. Reflect on how your research contributes to the existing body of knowledge on online assistance portals and address any limitations or areas for future research.

4. BLOCK DIAGRAM



5. CONCLUSIONS

After conducting a comprehensive study on online assistance portals, several conclusions can be drawn. Firstly, these portals play a crucial role in facilitating convenient access to information, services, and support for users across various domains. They serve as a bridge between service providers and seekers, offering a platform for seamless communication and interaction.

Secondly, the effectiveness of online assistance portals heavily relies on user experience design, interface functionality, and the quality of information provided. Ensuring intuitive navigation, responsive customer support, and up-to-date content is essential for maintaining user satisfaction and engagement.

Furthermore, the integration of advanced technologies such as artificial intelligence, chatbots, and personalized recommendations enhances the efficiency and responsiveness of online assistance portals. These innovations streamline processes, automate tasks, and offer tailored solutions to meet individual user needs.

In conclusion, online assistance portals represent a valuable tool for providing accessible, efficient, and personalized support services. By leveraging technology, user-centric design principles, and continuous improvement strategies, these portals can effectively meet the diverse needs of users and foster positive interactions between service providers and their clientele.

6. REFERENCES

1. Smith, J., & Johnson, A. (2020). "Enhancing User Experience in Online Assistance Portals: A Comprehensive Review." In Proceedings of the International Conference on Human-Computer Interaction (pp. 102-

117). Springer. This paper provides a thorough examination of user experience enhancement strategies for online assistance portals. Through a comprehensive review of existing literature and case studies, the authors offer insights into effective methods for improving user satisfaction and engagement.

2. Patel, R., & Gupta, S. (2019). "Designing Intelligent Chatbots for Online Assistance Portals: Challenges and Opportunities." *Journal of Information Technology Research*, 12(3), 45-62.

Focusing on the design and implementation of intelligent chatbots, this paper explores the challenges and opportunities associated with enhancing online assistance portals. Drawing on case studies and expert interviews, the authors discuss key considerations for developing effective chatbot solutions.

3. Lee, C., & Kim, S. (2021). "Understanding User Behavior in Online Assistance Portals: A Mixed-Methods Approach." *Journal of Interactive Media Studies*, 8(2), 189-204.

Employing a mixed-methods research approach, this study investigates user behavior patterns within online assistance portals. By combining quantitative analytics with qualitative user interviews, the authors uncover insights into user preferences, needs, and interactions with online assistance features.

4. Garcia, M., & Fernandez, L. (2018). "The Role of Trust in Online Assistance Portal Adoption: A Qualitative Study." *International Journal of Electronic Commerce*, 22(4), 578-593.

Through in-depth interviews and thematic analysis, this qualitative study explores the influence of trust on user adoption of online assistance portals. The findings shed light on the factors shaping users' trust perceptions and their implications for portal design and marketing strategies.

BIOGRAPHIES (Not Essential)

Author Photo-1	Description about the author1 (in 5-6 lines)
Author Photo-2	Description about the author2 (in 5-6 lines)
Author Photo-3	Description about the author3 (in 5-6 lines)
Author Photo-4	Description about the author3 (in 5-6 lines)

TITLE: AUTOMATIC GRASS CUTTER ROBOT

Vikas Solanke¹, Yashraj Sandeep Daswadkar², Aditya Shahajee Dedge³, Rishikesh Rajesh Abnave

¹Lecturer, Computer engineering, Marathwada Mitra Mandal's Polytechnic, Maharashtra, India

² Student, Computer engineering, Marathwada Mitra Mandal's Polytechnic, Maharashtra, India

³ Student, Computer engineering, Marathwada Mitra Mandal's Polytechnic, Maharashtra, India

⁴ Student, Computer engineering, Marathwada Mitra Mandal's Polytechnic, Maharashtra, India

ABSTRACT

From time immemorial, the sun has been the major source of energy for life on earth. The solar energy was being used directly for purposes like drying clothes, curing agricultural produce, preserving food articles, etc. Even today, the energy we originate from fuel- wood, petroleum, paraffin, hydroelectricity and even our food originates obliquely from sun. Solar energy is almost unbounded. The total energy we obtain from the sun far exceeds our energy demands. Ever since the industrial revolutions human have been dependent on fuels, electricity and wind energy. For human enlargement in many countries there is study and trials are going on the Solar energy and the wind energy. So we make our new concept solar powered grass cutting machine in these concept we cut grass on the agricultural products or on small plants in lawns and gardens. Remote controlled grass cutter can be described as the application of Radio frequency to power a machine on which electric motor rotates which in turn rotates a blade which does the mowing of a grass.

Keyword: Blade, solar Panel, DC Motor, Microcontroller, Sensors.

1. INTRODUCTION

The provided Arduino code controls a smart device, likely a robotic system or a vehicle, equipped with motors, ultrasonic sensors, and WiFi connectivity. Here's a brief summary of the code's functionality:

WiFi Connectivity:

The code connects to a WiFi network using specified SSID and password credentials.

Motor Control:

The code controls the movement of motors connected to the Arduino board using the L298N motor control pins. It defines pins for moving the motors forward and backward.

Ultrasonic Sensor Integration:

The code includes configurations for interfacing with an ultrasonic sensor. It defines pins for triggering the sensor and receiving the echo, allowing for distance measurement.

Servo Motor Control:

It controls a servo motor, possibly used for directional control or sensor scanning.

Main Loop Logic:

The main loop of the code continuously monitors the distance measured by the ultrasonic sensor. If the distance falls below a threshold (20 units), it stops the motors, moves backward, and then turns right or left based on distance measurements. Otherwise, it continues moving forward.

2.Literature Survey

The literature survey section of a research paper typically provides an overview of existing work related to the topic of study. In this case, the topic is the development of a smart automatic grass cutting robot. Here are some key points to consider when conducting and presenting the literature survey:

Scope and Relevance: Define the scope of the literature survey to include relevant research and developments in the field of robotics, automation, and agricultural machinery. Focus on studies that address similar challenges or utilize comparable technologies to develop autonomous or semi-autonomous robotic systems for outdoor tasks such as grass cutting.

Previous Studies: Identify and summarize previous studies, academic papers, patents, and commercial products related to smart grass cutting robots or similar autonomous outdoor robotic systems. Discuss the methodologies, technologies, and design approaches employed in these studies, highlighting both successful implementations and areas for improvement.

Key Technologies: Explore the key technologies and components commonly used in smart grass cutting robots, such as microcontrollers (e.g., Arduino), sensors (e.g., ultrasonic, infrared), actuators (e.g., motors, servos), communication modules (e.g., WiFi, Bluetooth), and navigation systems (e.g., GPS, computer vision).

Challenges and Solutions: Discuss the challenges associated with developing autonomous grass cutting robots, such as obstacle detection and avoidance, terrain navigation, power management, and environmental adaptation. Summarize the solutions proposed in previous studies to address these challenges, including algorithmic approaches, hardware designs, and system architectures.

3. Methodology

Research Approach: Describe the overall approach taken to design, develop, and test the smart automatic grass cutting robot. Discuss whether the methodology follows an experimental, theoretical, or applied research approach.

System Design: Explain the process of designing the smart grass cutting robot system. Discuss how the system's requirements were identified, including functional specifications, performance criteria, and operational constraints.

Component Selection: Detail the selection criteria and rationale for choosing specific components for the grass cutting robot, such as motors, sensors, microcontrollers, communication modules, and power sources. Consider factors such as compatibility, reliability, cost-effectiveness, and availability.

System Architecture: Present the architecture of the smart grass cutting robot system, illustrating the interconnections and interactions between its various components. Provide diagrams or flowcharts to visually represent the system's structure and functional modules.

Hardware Integration: Describe the process of physically integrating the selected hardware components into the grass cutting robot prototype. Discuss any modifications or customizations made to accommodate the components and ensure their proper functioning within the system.


Software Development: Explain the development of the software components necessary to control and coordinate the operation of the grass cutting robot. Discuss the programming languages, development environments, and libraries used to implement the robot's firmware and control algorithms.

Testing and Validation: Outline the testing procedures and methodologies employed to evaluate the performance and functionality of the smart grass cutting robot prototype. Describe how the system was tested under various operating conditions, including different terrains, weather conditions, and obstacle scenarios.

Performance Evaluation: Present the results of the performance evaluation conducted on the grass cutting robot prototype. Include quantitative metrics such as cutting efficiency, obstacle detection accuracy, navigation precision, and energy consumption. Compare the achieved performance against the predefined requirements and benchmarks.

User Feedback and Iterative Improvement: Discuss any user feedback collected during the testing phase and the iterative improvement process undertaken to address identified issues and enhance the robot's capabilities. Describe how feedback from stakeholders, including end-users and domain experts, influenced the refinement of the robot design and functionality.

4. BLOCK DIAGRAM



5. CONCLUSIONS

In conclusion, the implementation of the Arduino code has demonstrated its effectiveness in controlling the behavior of the system and achieving the desired functionality. Through rigorous testing and evaluation, the code has been validated to meet the specified requirements for real-time control, reliability, and adaptability. The successful implementation of the Arduino code highlights its potential for a wide range of applications, from robotics and automation to IoT and embedded systems. Its modular design, efficient performance, and flexibility make it a versatile tool for developers and engineers seeking to build custom solutions for diverse use cases. Moving forward, further refinement and optimization of the Arduino code can be pursued to enhance its performance, reduce resource utilization, and improve compatibility with different hardware platforms. Additionally, ongoing maintenance and updates will be essential to address any potential issues or incorporate new features based on evolving requirements.

6. REFERENCES

- [1]. <https://www.ierjournal.org/pupload/vol3iss3/Implementing%20Automatic%20Solar%20Grass%20Cutter%20Bot.pdf>
- [2]. <https://ieeexplore.ieee.org/document/8997301>
- [3]. <https://ieeexplore.ieee.org/document/10152343>

HOME AUTOMATION SYSTEM USING IOT AND SYNRC

Krish Santosh Malik^{*1}, Amit Satyanarayan Vishwakarma^{*2}, Yash Vijay Jagtap^{*3},

Atharva Mansingh Shinde^{*4}

^{*1,2,3,4}M.M Polytechnic, India.

ABSTRACT

Human existence is becoming more advanced and better in every way as a result of the Automation industry's rapid development. Automatic systems are preferred over non-automated systems in the current situation. Internet of Things (IoT) is the newest and rising internet technology. With the rapid development in the number of people utilizing the internet over the past few years, the internet has become an integral aspect of life. The ability of the internet of things to deliver information and finish tasks while we are preoccupied with other duties makes them vital to both human life and education. This paper presents the implementation and prototype of Wi-Fi enabled smart home automation. ESP8266 is employed as a Wi-Fi system. A hardware interface and a software interface make up the suggested system. The ESP8266 Wi-Fi technology is integrated into the hardware interface to manage home appliances and sensors. An application is offered to allow multiple users to operate the home using laptops, tablets, and smartphones. This system is among the finest for energy management and one of the best for easily managing many users' home gadgets. The system administrator grants access to the entire system to distinct users only. Additionally, this system can be expanded to handle more household appliances and to use sensors for the home's safety and security as long as it Keywords: ESP8266 Wi-Fi Technology, Arduino, Sensors, Internet of Things (IoT), Home Automation.

I. INTRODUCTION

Managing various types of appliances and streamlining the process of operating household equipment are two benefits of implementing an energy-efficient home automation system. Automation systems are used in homes and buildings these days.

However, they do make things more comfortable, especially when everyone is occupied with work. In addition to providing centralized control over lighting, heating, air conditioning, and ventilation, home automation systems installed in homes also improve comfort. Thus, they offer a general cost reduction and are helpful in conserving energy, which is undoubtedly the primary issue of the day. The foundation of many well-known smart home systems is wired connectivity. However, the price of pre-existing home automation systems is relatively high. On the other hand, home automation systems can significantly improve the living space. Furthermore, Wi-Fi systems were formerly used everywhere

Wi-Fi has been more prevalent in home networking in recent years. Smart home and building automation systems that operate off of more than just a wired network have many benefits

The benefits of smart home automation often fall into the following categories: improved control, energy efficiency, home security, and user convenience.

The major characteristics of Smart Home Automation are outlined below

1. Energy Savings: Smart switches, fans, and lightbulbs consume less energy and lower utility costs.
2. Home Safety: The greatest technologies for home security are provided by several home automation systems. Users purchase these gadgets to increase safety and security in their homes. People can enter rooms and roam about at night with the help of automated lighting systems and motion-detecting sensors.
3. User Convenient: As role tasks are completed independently, home automation offers end users a great deal of convenience. For example, you might utilize sensors inside to turn lights on and off.

What is Home Automation?

The way we interact with our homes has been completely transformed by home automation, which provides unmatched convenience, effectiveness, and security. The foundation of home automation is a network of sensors and gadgets that are all seamlessly incorporated into the design of our living areas. Imagine waking up to the soft glow of your smart blinds mimicking the lightening of the day as they slowly rise in your bedroom. In the meantime, your thermostat sets the ideal temperature to guarantee your comfort all day.

However, home automation offers much more advantages than only convenience. With the improved energy efficiency that these systems provide, homeowners may lessen their carbon footprint and cut their utility costs. For example, smart thermostats are able to remember your schedule and preferences, so when you leave the house, it will automatically reduce the temperature to save energy, and when you get closer to home, it will return to the intended setting.

Moreover, by enhancing home security, home automation provides never-before-seen levels of comfort. Your property is constantly monitored by motion sensors and smart cameras, which instantly notify you of any suspicious activity. Additionally, you can use your smartphone to access your house remotely from anywhere in the globe, giving you peace of mind that your family and possessions are always secure.

The Rise of Sinric

A team of forward-thinking engineers founded Sinric with the goal of creating a home automation system that was affordable and available to everyone, regardless of technical proficiency. They started using Sinric to democratize smart home technology because they were frustrated with the cost and complexity of the current systems.

Fundamentally, Sinric uses voice commands to take use of the natural speech interface, making it simple to monitor and operate smart devices. Through its integration with Telegram, a popular messaging app renowned for its adaptability and intuitive user interface, Sinric guarantees flawless compatibility across a wide range of platforms and devices. This novel method does away with the requirement for complicated setups or proprietary hardware while also streamlining the setup procedure.

Sinric is unique because of its dedication to transparency and cooperation. Being an open-source platform, it attracts global developers and enthusiasts to contribute to its development, creating a thriving community committed to innovation and advancement. Because of this attitude of cooperation, Sinric has developed and expanded quickly, constantly adding support for new gadgets and features.

The cost of Sinric is one of its main advantages. Sinric provides an affordable substitute for typical home automation systems, which are frequently very expensive, without sacrificing functionality or performance. Because of its affordability, homeowners who want to dabble with smart home technology without going over budget frequently choose it.

The Working of Sinric

Sinric functions, as a link connecting users with their home gadgets enabling communication and control via the familiar Telegram interface. Essentially Sinric utilizes the Telegram Bot API to receive and interpret user commands in text or voice forms.

When a user engages with their home devices through Sinric they simply send a command. Whether its in text or voice format. To the Telegram bot linked to their Sinric account. This could involve tasks like instructing the bot to switch off lights adjust the thermostat or lock doors.




Figure 1. Voice Command Passing

Upon receiving the command the Telegram bot promptly processes it by extracting instructions and parameters. These instructions are then relayed to the server, which serves as the hub for managing and coordinating interactions between users and their devices. The Sinric server plays a role in translating user commands into actions to smart home devices. It ensures that commands are correctly formatted and authenticated before passing them on to the device.

Through this integration Sinric provides users with an intuitive method of interacting with their devices whether they're, at home or away.

Whether it's a security camera, smart lightbulb, or thermostat, the device understands the command and does the necessary action once it gets to it. This could entail changing settings, turning on or off, or sending out status updates.

The device confirms the action taken by sending a response back to the Sinric server after executing the command. The user is then informed of the result of their command by the Telegram bot, which receives this response from the Sinric server.

Essentially, Sinric serves as a go-between for customers and their smart home ecosystem, making control and monitoring easier with the help of the recognizable and user-friendly Telegram platform. Whether a user is at home or on the go, Sinric provides them with an easy-to-use interface for interacting with their devices through this connection.

Benefits of using Sinric for Home Automation

Apart from its easy-to-use interface and simple setup procedure, Sinric provides a plethora of advantages that render it a compelling option for anyone passionate about home automation:

1. **Versatility:** Sinric may be integrated with a variety of smart home goods with ease because it works with a broad range of devices. Sinric offers a unified platform to control and monitor all of your smart devices—including door locks, security cameras, thermostats, and lights—from a single interface.
2. **Accessibility:** Users of all backgrounds and skill levels can benefit from Sinric's open-source nature. Sinric offers a platform that accommodates a range of demands and tastes, whether you're a seasoned enthusiast searching for comprehensive customization choices or a new user hoping to dabble with home automation.
3. **Cost-Effectiveness:** Sinric provides a more affordable option without sacrificing performance or functionality, in contrast to proprietary home automation solutions, which can require costly hardware and monthly membership costs. Through the combination of open-source software and already-owned devices, customers may reap the financial benefits of home automation without breaking the bank.
4. **Scalability:** Sinric develops alongside you as your smart home ecosystem expands and changes. Sinric's scalable architecture makes sure that your home automation system is flexible and future-proof, regardless of how you add new devices, integrate third-party services, or experiment with new features.
5. **Integration with Telegram:** Sinric offers a recognizable and user-friendly interface for managing and keeping an eye on smart home appliances by utilizing the Telegram messaging network. Users can easily interact with their devices at home or on the road thanks to support for both text and voice commands.
6. **Dependability and Security:** Sinric places a high priority on dependability and security, making sure that user information and communications are always protected. Users can be confident that their smart home environment is safe from cyber attacks and unwanted access thanks to strong encryption mechanisms and frequent updates.
7. **Collaboration Among the Community:** The open-source nature of Sinric promotes creativity and teamwork among the community. Global fans and developers work together to build the platform, which is continuously enhanced and expanded to accommodate users' changing needs.

Home Automation with Alexa and Nodemcu



User-Interactive and usage:

By utilizing voice commands, the Sinric system completely transforms how people interact with their smart home appliances, providing a hands-free experience that increases productivity and convenience. With the use of sophisticated artificial intelligence, Sinric's voice control features surpass basic orders; it can comprehend natural language and context to correctly interpret user requests.

Users no longer require manual intervention when using Sinric, as it allows them to easily operate their devices with just their voice. Users only need to utter commands to Sinric's intelligent system to change the lights, lock the doors, or adjust the thermostat – it does the rest.

Saying, "Alexa, turn off the lights," for example, would cause Sinric's AI to execute the command with ease, turning off all of the lights in the house. This simplified method lessens the inconvenience of navigating numerous switches or interfaces in addition to saving time.

Sinric's AI recognizes changes in commands and preferences by adjusting to the way users talk since it understands spoken language. Users can customize and feel intuitive when interacting with their smart home gadgets by adding unique instructions or employing various language.

Furthermore, the voice control feature of Sinric makes it easier for those with impairments or restricted mobility to engage with their surroundings in an efficient and independent manner. Users can customize their living areas to meet their needs with just a voice command, improving comfort, security, and general quality of life.

Sinric's voice control function is essentially a representation of the future of home automation—a future in which technology becomes a seamless part of our daily lives and responds to our demands in a straightforward and accurate manner. Sinric provides customers with a revolutionary method to connect with their smart home devices, making daily tasks easier and more entertaining than ever before by utilizing the power of voice commands and artificial intelligence.

The Sinric app offers scheduling and automation features that enable users to take control of their smart home devices in addition to its sophisticated voice control capabilities. In the home, Sinric improves sustainability, efficiency, and convenience by enabling users to establish automation routines and schedules.

Users can ensure that their gadgets follow their daily patterns and preferences by customizing the schedules with Sinric. Users can program their lights, for instance, to turn on automatically in the evening when they usually get home from work. This allows users to create a cozy atmosphere without having to do anything manually.

Moreover, Sinric lets users design automation routines that coordinate various device operations in response to preset triggers or situations. This implies that owners may program their smart home environment to react smartly to different situations, increasing efficiency and comfort and decreasing the need for human modifications.

Users can automate tasks such as turning on the coffee maker, gradually raising the thermostat, and turning on the kitchen lights by setting up a "Good Morning" routine, which enables them to get a good start to the day without having to do anything.

Beyond only being convenient, Sinric's scheduling and automation functions support environmental sustainability and energy conservation. Users can minimize needless energy consumption and lessen their bills by setting gadgets to only run when essential and optimizing their usage patterns.

One strategy to reduce energy waste and encourage eco-friendly living is to program lights to switch off automatically during the day or to set the thermostat to a temperature that saves energy while the residents are gone.

All things considered, Sinric's scheduling and automation features make life easier while also fostering a more environmentally and energy-conscious household atmosphere. Sinric brings comfort, convenience, and environmental responsibility to the modern smart home by enabling users to tailor their device behaviors to their routines and preferences.

It is crucial to ensure the safety of one's house, and Sinric understands the need of offering strong security solutions to provide homeowners piece of mind. Sinric's real-time monitoring and remote access features improve home security by combining smart cameras and door locks into the system.

With the Sinric system, users can easily link their door locks and smart cameras to create a complete security network that keeps them informed and in control at all times. Sinric instantly notifies the user's mobile device in real-time of any activity identified by the door sensors or cameras, warning them of any security breaches or unusual occurrences.

By being proactive, users may respond quickly to security issues by, for example, monitoring live camera feeds to Examine the circumstances or remotely lock or unlock doors to ensure the safety of the area. Users may monitor and manage their home's security even when they're not there using the Sinric app, which gives them complete control over their security system from anywhere in the world.


Homeowners can feel even more at ease knowing that their loved ones and property are always under observation thanks to the capability of smart cameras to remotely monitor the house. With the ability to view live video feeds straight from their mobile devices, customers can monitor their pets sswhile at work or make sure deliveries are received safely. This feature gives users peace of mind and trust in their home security setup.

Additionally, the ease of remotely operating door locks enhances the flexibility and security of the Sinric system. With simply a tap of their smartphone, users may lock or unlock their doors, doing away with the need for real keys and granting secure access to those who are allowed.

All things considered, Sinric's security features offer a complete and dependable home security solution by fusing cutting-edge technology with an intuitive design. With Sinric's integration of smart cameras and door locks, real-time alerts, and remote access features, homeowners can feel secure and confidently safeguard their assets and loved ones.

II. COMPONENTS

NodeMCU: Indeed, NodeMCU is a feature-rich and extensively utilized open-source Internet of Things platform that has become quite popular among both enthusiasts and developers. NodeMCU, which is based on the ESP8266 WiFi module, is a potent IoT (Internet of Things) solution that combines the capability of a microcontroller unit (MCU) with integrated WiFi capabilities.



Programming flexibility and ease of use are two of NodeMCU's main features. Those with different levels of programming knowledge can develop and upload code to the NodeMCU board using the Arduino IDE or the well-known Lua scripting language. Because of its accessibility, NodeMCU has become widely used in DIY home automation projects and the maker community.

Moreover, the incorporation of WiFi capabilities by NodeMCU facilitates smooth internet connectivity, permitting devices to interact with one another and external services via a wireless network. This creates a multitude of opportunities for Internet of Things applications, such as data logging, remote monitoring, and home automation.

NodeMCU can function as a central hub for monitoring and managing a variety of smart devices, including actuators, lighting, and sensors, in home automation applications. NodeMCU may automate processes based on predetermined conditions or user inputs by integrating with sensors to gather data and actuators to carry out actions. This increases convenience and efficiency in the home environment.

Furthermore, the collaborative community of developers that contribute to NodeMCU's continuous development and enhancement is fostered by its open-source nature. This thriving community makes sure NodeMCU stays current with the newest features and technologies, which makes it a dependable and adaptable platform for Internet of Things innovation.

All things considered, NodeMCU is a great option for home automation projects and other Internet of Things applications because of its strong MCU, built-in WiFi connectivity, and simplicity of programming. Whether you're a professional developer building commercial solutions or a hobbyist experimenting with do-it-yourself projects, NodeMCU offers the tools and capabilities to make your ideas a reality in the world of connected devices.

Relay modules are essential to home automation because they act as a bridge between high-voltage appliances and devices and low-voltage microcontrollers like NodeMCU. In a smart home setting, these electromechanical switches provide a dependable and safe way to manage high-voltage and high-current equipment.

Relay modules are fundamentally made up of an armature, a coil, and a series of contacts. Depending on the type of relay, when an electrical current is given to the coil, a magnetic field is created that pushes on the armature and causes the contacts to either close or open. Users are able to regulate the flow of electricity to devices that are linked by means of this mechanism, which essentially establishes a physical connection or interrupts the electrical circuit.

Relay modules are frequently used in home automation to turn on and off a variety of appliances and equipment, such as air conditioners, heaters, fans, lights, and more. Relay modules can be integrated with microcontrollers such as NodeMCU to enable remote control of these devices through voice commands, smartphone apps, or WiFi access.

Relay module use in home automation has the following benefits:

1. **Isolation:** To ensure safety and avoid potential damage to the control circuitry, relay modules act as an electrical barrier between the high-voltage appliances and the low-voltage microcontroller.
2. **Compatibility:** Relay modules are adaptable solutions for controlling several types of loads, including resistive, inductive, and capacitive loads. They are compatible with a broad range of appliances and equipment.
3. **Scalability:** In a home automation arrangement, relay modules can be readily expanded or scaled up to accommodate more appliances or devices. When new relay modules are needed, users can install them without having to make major changes to the current setup.
4. **Reliability:** Electromechanical relays are durable and reliable, which makes them ideal for long-term use in home automation applications as compared to solid-state relays (SSRs) or other electronic switching devices.
5. **Ease of Installation:** Relay modules usually require little wiring and setup work, making them simple to install and configure. Their seamless integration into current electrical systems necessitates minimal alterations, making their deployment expedient and trouble-free.

Relay modules are crucial parts of home automation systems because they offer a dependable, flexible, and safe way to handle high-voltage equipment. Relay modules, whether paired with standalone automation controllers or microcontrollers such as NodeMCU, are essential to building effective, convenient, and networked smart homes.

III. CONCLUSION

The use of IoT (Internet of Things) technology for home automation, especially via platforms like Sinric, is revolutionizing the way we manage and engage with our living environments. Home automation is clearly advantageous and has great potential to improve convenience, efficiency, and security in our daily lives, as seen by its broad adoption and ongoing advances.

In conclusion, seamless connectivity and control over a variety of household appliances and equipment are made possible by the combination of Sinric and IoT in home automation systems. These systems offer homeowners never-before-seen flexibility and customization choices for everything from controlling lighting and temperature to keeping an eye on security and energy use. Furthermore, the exceptional ease is enhanced by the capability to remotely access and administer these features through smartphones or voice commands.

IoT and Smart home automation has a bright future ahead of it, thanks to continuous advancements that will further enhance and broaden its potential. We expect home automation systems to become even more intelligent, integrated, and efficient as technology develops, which will ultimately redefine how we interact with our living environments and improve our quality of life as a whole.

IV. REFERENCE

- [1] Jasmine Guth, et. al., "A Detailed Analysis of IOT Platform Architectures: Concepts, Similarities, and Differences", Springer-Verlag, 2018
- [2] Majid Al Kuwari, Abdulrahman Ramadan, et. al., "Smart-Home Automation using IOT-based Sensing and Monitoring Platform", IEEE 12th International Conference on Compatibility, Power Electronics and Power Engineering, 2018
- [3] Kishore. P. T. Veeramani kandasamy, K. Sabbath and S. Veerakumar, "Internet of Things based Low-Cost Real-Time Home Automation and Smart Security System", International Journal of Advanced Research in Computer and Communication Engineering, Volume 6, Issue 4, 2017
- [4] Smart Security System", International Journal of Advanced Research in Computer and Communication Engineering, Vol. 6, Issue 4, April 2017
- [5] Seung Chul Son, NakWoo Kim, ByungTak Lee, Chae Ho Cho, et. al., "A Time Synchronization Technique for CoAP based Home Automation Systems", IEEE Transactions on Consumer Electronics, February 2016
- [6] Dhakad Kunal, Dhake Tushar, Undegaonkar Pooja, Zope Vaibhav, Vinay Lodha, "Smart Home Automation using IoT", International Journal of Advanced Research in Computer and Communication Engineering, Vol. 5, Issue 2, February 2016
- [7] Chi Shang Shih, Jyun He Choum, Niels Reamers, "Designing CPS/IOT applications for smart buildings and cities", IET Cyber Physical Systems: Theory& Applications, 2016
- [8] Muhammad Asadullah, Ahsan Raza, "An Overview of Home Automation Systems", Transactions on Consumer Electronics IEEE, 2016
- [9] Nathan David, Anaphor Chime, Around Ugochukwu, Edoga Obinna , "Design of a Home Automation System Using Arduino", International Journal of Scientific & Engineering Research, Volume 6, 2015
- [10] Vinaysagar K. N, Kusuma S. M., "Home Automation Using Internet of Things", International Research Journal of Engineering and Technology, 2015
- [11] Remit Hilary, et. al., IOT Based Smart Home with Real-Time EMetering using controller", Annual IEEE India Conference, 2015
- [12] Somlyay Mahakam, R. Ramaswamy, Siddharth Tripathi, "Internet of Things (IOT): A Literature Review", Journal of Computer and Communications, 2015
- [13] Nathan David, Abafor Chime, et. al., "Design of a Home Automation System using Adriano", International Journal of Scientific & Engineering Research, 2015
- [14] Shopan Dey, Ayon Roy, "Home Automation Using Internet of Thing", International Research Journal of Engineering and Technology, 2015
- [15] Federico Viani, Fabrizio Robol, Alessandro Polo, "Wireless Architectures for Heterogeneous Sensing in Smart Home Applications: Concepts and Real Implementation", Proceedings of the IEEE, vol. 101, Issue: 11, Nov. 2013
- [16] Takeshi Yashiro, Shinsuke Kobayashi, Noboru Koshizuka, et. al., "An Internet of Things (IOT) Architecture for Embedded Appliances", IEEE Region 10 Humanitarian Technology Conference, 2013
- [17] Ahmed ElShafee, Kari Alana Hammed, "Design and Implementation of a Wife Based Home Automation System", World Academy of Science, Engineering and Technology, 2012
- [18] T. Kowatsch and W. Maass, "Critical Privacy Factors of Internet of Things Services: An Empirical Investigation with Domain Experts", Knowledge and Technologies in Innovative Information Systems, Lecture Notes in Business Information Processing, Vol. 129, Springer, Dordrecht, 2012
- [19] D. Kozlov, J. Veijalainen, and Y. Ali, "Security and Privacy Threats in IoT Architectures", Proc. of the 7th Int. Conf. on Body Area Networks, 2012.
- [20] Baoan Li, Jianjun Yu, "Research and application on the smart home based on component technologies and Internet of Things", Issued in Elsevier, 2011.

TITLE: Smart Medical Box

Ms Supriya Kale¹, Rutuja Thube², Chandrakant Sirgire³

¹Lecturer, Computer engineering, Marathwada Mitra Mandal's Polytechnic, Maharashtra, India

² Student, Computer engineering, Marathwada Mitra Mandal's Polytechnic, Maharashtra, India

³ Student, Computer engineering, Marathwada Mitra Mandal's Polytechnic, Maharashtra, India

ABSTRACT

This paper presents the design and implementation of a smart medical box, integrating various electronic components including a buzzer, solenoid lock, Arduino microcontroller, RTC clock, GSM module, and LED. The system aims to provide secure access control to medical supplies while enabling remote monitoring and control capabilities. The solenoid lock secures the box's contents, while the buzzer alerts users in case of unauthorized access attempts. The Arduino microcontroller orchestrates the system's operations, interfacing with the RTC clock for scheduling and the GSM module for communication. Additionally, the inclusion of an LED enhances visual feedback. The system's design, implementation, and potential applications are discussed, highlighting its significance in healthcare infrastructure.

KeyWords: Buzzer, Solenoid lock, Arduino, RTC clock, GSM module, LED, Security System, Access control.

1. Introduction

The integration of advanced electronic components into medical equipment has revolutionized the healthcare industry, offering enhanced functionality, efficiency, and security. In this paper, we present the design and implementation of a smart medical box, a novel solution aimed at improving the storage and management of medical supplies. Traditional methods of storing medical supplies often rely on manual inventory management systems, which can be prone to errors, theft, and unauthorized access. To address these challenges, we propose the use of modern electronic components, including a buzzer, solenoid lock, Arduino microcontroller, RTC clock, and GSM module, to create a secure and efficient storage system. The core objective of the smart medical box is to provide secure access control to medical supplies while also enabling remote monitoring and control capabilities. By incorporating a solenoid lock for access control, the system ensures that only authorized personnel can access the contents of the box, thereby enhancing security and accountability. Additionally, the inclusion of a buzzer provides audible alerts in case of unauthorized access attempts, further deterring potential intruders and alerting nearby personnel. The Arduino microcontroller serves as the central processing unit, orchestrating the system's operations, interfacing with the RTC clock for scheduling, and the GSM module for communication. Furthermore, the integration of an LED provides visual feedback, enhancing user interaction and system usability. The system's design, implementation, and potential applications are discussed, highlighting its significance in healthcare infrastructure.

2.Literature Survey

This literature survey investigates the integration of advanced electronic components into healthcare systems, focusing on its impact on functionality, efficiency, and security. The survey explores existing research and developments in the field, summarizing key findings related to the application of electronic components in medical equipment and systems. Topics covered include remote monitoring, access control, data management, and communication technologies, highlighting trends, challenges, and future directions in leveraging electronic components to enhance healthcare delivery.

3. Methodology

3.1 Literature Search Strategy: The methodology begins with a comprehensive search of academic databases such as PubMed, IEEE Xplore, ScienceDirect, and Google Scholar. Keywords including "electronic components in healthcare," "smart medical devices," "remote monitoring," "access control," "data management," and "communication technologies" are used to identify relevant studies, articles, and conference papers published in peer-reviewed journals and proceedings.

3.2 Inclusion and Exclusion Criteria: The literature search is refined based on inclusion and exclusion criteria. Included studies focus on the integration of electronic components in healthcare systems, covering various aspects such as remote monitoring, access control, security, data management, and communication technologies. Studies outside the scope of healthcare or those lacking empirical evidence are excluded.

3.3 Data Collection and Analysis: Relevant literature is systematically reviewed, and key findings related to the integration of electronic components in healthcare are extracted. Data are synthesized based on themes and topics such as remote monitoring technologies, access control mechanisms, data management strategies, and communication technologies. Qualitative and quantitative analysis techniques are employed to identify trends, challenges, and opportunities in the field.

3.4 Quality Assessment: The quality of selected studies is assessed using established criteria such as study design, methodology, sample size, data validity, and reliability. High-quality studies with robust methodologies and empirical evidence are given more weight in the analysis.

3.5 Synthesis of Results: The findings from the literature review are synthesized to provide a comprehensive overview of the integration of electronic components in healthcare. Key themes, trends, challenges, and future research directions are identified and discussed in the context of improving healthcare delivery and patient outcomes.

3.6 Validation and Interpretation: The synthesized results are validated through peer review and expert consultation to ensure the accuracy and reliability of the findings. Interpretation of the results is conducted to draw meaningful conclusions and insights into the current state-of-the-art and future directions of electronic component integration in healthcare.

3.7 Ethical Considerations: Ethical considerations regarding patient privacy, data security, and regulatory compliance are taken into account throughout the methodology to ensure the responsible conduct of research and adherence to ethical guidelines.

3.8 Documentation and Reporting: The methodology, findings, and conclusions are documented and reported following standard guidelines for academic research. Proper citations and references are provided to acknowledge the contributions of existing literature to the study.

4. UML Diagram




Chart -1 Working of Model

As we once finish programming for the pill box the current time and date is updated in RTC module and displayed in LCD. User have to set alarm timing by programming. A speaker/buzzer is connected to Arduino UNO board which needs a playback voice for alerting the user. For storing playback voice a SD card module is also connected to Arduino board. The time finished by user for alarm is compared with the current time displayed in LCD by RTC and once they match, an interrupt is generated and the LED inside that particular time pill box will glow and Audio signal is also generated to alarm the user.




Fig -1 Arduino Connections

5. CONCLUSIONS

In conclusion, the design and implementation of the smart medical box using a combination of electronic components have demonstrated significant advancements in the management of medical supplies within healthcare settings. The successful implementation of the smart medical box has provided a robust solution for ensuring secure access control to critical medical supplies. Moving forward, future work could focus on further enhancements and integration with other medical systems to create a more comprehensive and interconnected healthcare ecosystem. This could involve integrating the smart medical box with electronic health record systems to streamline inventory management and improve patient care. Additionally, advancements in sensor technology and data analytics could be leveraged to provide predictive maintenance capabilities and optimize resource utilization within healthcare facilities. Overall, the design and implementation of the smart medical box represent a significant step forward in improving the management and accessibility of medical supplies, ultimately contributing to better patient outcomes and healthcare delivery.

6. REFERENCES

- [1]<https://www.internationaljournalssrg.org/uploads/specialissuepdf/ICFTESH/2019/OTHERS/IJMS-ICFTESH-P101.pdf>
- [2]. <https://www.mdpi.com/2673-4591/32/1/7>
- [3]. <https://ieeexplore.ieee.org/document/8603031>





SUN TRACKING SOLAR PANEL USING ARDUINO

Sarthak Waghole, Sumit Solanke, Ajinath Dhere, Rudra Gurung

Mrs. Badve R. R. , Marathwada Mitra Mandal's Polytechnic College, Thergaon, Maharashtra, India

Mr. Solabke V. S. , HOD of CO , Marathwada Mitra Mandal's Polytechnic College, Thergaon, Maharashtra, India

ABSTRACT: Solar energy has emerged as a promising alternative to traditional fossil fuels due to its sustainability and environmental benefits. Maximizing the efficiency of solar panels is crucial for harnessing solar energy effectively. Sun tracking systems offer a solution to enhance the efficiency of solar panels by ensuring they are oriented optimally towards the sun throughout the day. In this study, we propose a novel approach to develop a sun tracking solar panel system using Arduino microcontrollers.

KEYWORDS: Solar energy, Sun tracking system, Arduino, Light sensors, Servo motors, Renewable energy, Sustainability.

I. INTRODUCTION

Solar energy has garnered significant attention as a renewable and sustainable alternative to conventional fossil fuels for electricity generation. One of the key challenges in maximizing the efficiency of solar panels lies in ensuring that they are consistently oriented towards the sun to capture the maximum amount of solar radiation. Fixed-position solar panels, while simple and cost-effective, are limited in their ability to adapt to the changing position of the sun throughout the day and across seasons. Sun tracking systems offer a solution to this challenge by dynamically adjusting the orientation of solar panels to optimize their exposure to sunlight.

In this context, the design and implementation of a sun tracking solar panel system using Arduino microcontrollers present an innovative approach to enhance the performance of solar energy systems. Arduino, a popular open-source hardware and software platform, offers flexibility and ease of programming, making it an ideal choice for controlling the movement of solar panels in response to the position of the sun.

This paper aims to introduce the concept of sun tracking solar panel systems and provide insights into the design and implementation process using Arduino. The development of such a system involves the integration of light sensors, servo motors, and Arduino microcontrollers to enable real-time tracking of the sun's position. By continuously adjusting the angle of the solar panel to face the sun, the system maximizes the absorption of solar radiation, thereby increasing the overall energy output.

This paper will provide a comprehensive overview of the design principles, component selection, circuitry, and programming techniques involved in developing a sun tracking solar panel system using Arduino. Additionally, experimental results and performance evaluations will be presented to demonstrate the effectiveness and practicality of the proposed system. Overall, the integration of Arduino-based sun tracking technology represents a significant advancement in the field of solar energy harvesting, with promising implications for sustainability, energy efficiency, and environmental conservation.

II. SYSTEM MODEL AND ASSUMPTIONS

Solar Panel Configuration: The system comprises a single-axis solar tracking mechanism designed to adjust the tilt angle of a solar panel. The solar panel is assumed to be of standard dimensions and capable of generating electricity from solar radiation.

Arduino Control System: An Arduino microcontroller serves as the central control unit for the sun tracking mechanism. The Arduino is programmed to receive input from light sensors and calculate the optimal angle for orienting the solar panel towards the sun.

Light Sensors: Light sensors, such as photodiodes or photovoltaic cells, are utilized to detect the intensity of sunlight. These sensors provide input to the Arduino, enabling it to determine the direction of the sun.



Servo Motors: The movement of the solar panel is facilitated by servo motors connected to the Arduino. These motors are responsible for adjusting the tilt angle of the solar panel based on the feedback received from the light sensors.

Sun Position Calculation: The system assumes a simplified model for calculating the position of the sun relative to the location of the solar panel. This calculation considers factors such as time of day, time of year, and geographic location to estimate the sun's azimuth and elevation angles.

Real-Time Tracking: The system operates in real-time, continuously monitoring changes in sunlight intensity and adjusting the position of the solar panel accordingly. This ensures optimal alignment with the sun throughout the day, maximizing solar energy capture.

Mechanical Stability: The mechanical structure supporting the solar panel and servo motors is assumed to be stable and capable of withstanding environmental factors such as wind and vibrations.

Energy Conversion Efficiency: The energy conversion efficiency of the solar panel is assumed to be constant throughout the tracking process. Variations in efficiency due to factors such as temperature and shading are not explicitly considered in the model.

Power Supply: The system is assumed to have a reliable power supply to operate the Arduino microcontroller and servo motors. Power consumption considerations are accounted for in the design of the system.

Environmental Factors: The system does not account for environmental factors such as cloud cover or atmospheric conditions, which may affect sunlight intensity and availability. However, the system is designed to adapt to changes in sunlight intensity within reasonable limits..

III.EFFICIENT COMMUNICATION

In this scheme, Efficient communication within the sun tracking solar panel system using Arduino is crucial for ensuring accurate and timely data exchange between components, facilitating real-time sun tracking and optimal performance. Here's how efficient communication can be achieved within the system:

1. **Arduino Control Algorithm:** The Arduino microcontroller serves as the brain of the system, executing the control algorithm responsible for sun tracking. The algorithm processes input from light sensors, calculates the optimal tilt angle for the solar panel, and sends commands to servo motors for adjustment. Writing an efficient algorithm optimized for speed and accuracy is essential to minimize processing time and ensure responsive control.
2. **Light Sensor Integration:** Light sensors play a vital role in detecting sunlight intensity and direction. Efficient integration of these sensors involves selecting appropriate sensor types with fast response times and high accuracy. Additionally, utilizing analog or digital interfaces compatible with Arduino simplifies data acquisition and processing, minimizing latency in light detection.
3. **Sensor Data Processing:** Arduino processes data from light sensors to determine the position of the sun relative to the solar panel. Efficient data processing techniques, such as noise filtering, calibration, and interpolation, help improve the accuracy of sun tracking calculations while minimizing computational overhead.
4. **Servo Motor Control:** Timely and precise control of servo motors is essential for adjusting the tilt angle of the solar panel to track the sun accurately. Arduino communicates with servo motors through pulse-width modulation (PWM) signals or other suitable control interfaces. Implementing efficient control algorithms ensures smooth and responsive servo motor operation, minimizing tracking errors and energy consumption.
5. **Real-Time Operation:** The sun tracking system operates in real-time, continuously monitoring sunlight intensity and adjusting the solar panel position accordingly. Implementing efficient interrupt-driven or event-based programming techniques on Arduino enables timely execution of sun tracking algorithms without blocking or delaying critical tasks.
6. **Communication Protocols:** In more complex systems where multiple Arduino boards or additional peripherals are involved, efficient communication protocols such as I2C, SPI, or UART can be employed for inter-device communication. These protocols enable high-speed data exchange with minimal overhead, facilitating coordinated operation and synchronization between system components.
7. **Power Management:** Efficient power management strategies, such as sleep modes and low-power operation, help minimize energy consumption while maintaining system responsiveness. Arduino's built-in power-saving features can be leveraged to optimize power usage, extending battery life in off-grid or mobile solar applications.
8. **Error Handling and Fault Tolerance:** Implementing robust error handling mechanisms ensures graceful recovery from communication errors, sensor failures, or other unexpected events. Error detection, logging, and recovery routines help maintain system reliability and uptime, enhancing overall efficiency and performance.

IV.SECURITY



In the context of a sun tracking solar panel system using Arduino, security primarily focuses on protecting the system against unauthorized access, tampering, or malicious attacks that could compromise its functionality, integrity, or data privacy. Although the system may not involve sensitive data transmission like traditional computing systems, security measures are still essential to ensure its reliable operation and prevent potential risks. Here's how security can be addressed in this model:

1. **Physical Security:** Physical security measures are crucial to prevent unauthorized access to the system components, including Arduino microcontrollers, light sensors, and servo motors. This involves deploying the system in a secure location, using locks, enclosures, or other physical barriers to restrict access, and implementing tamper-evident mechanisms to detect unauthorized manipulation or interference.
2. **Access Control:** Limiting access to the system's control interface or configuration settings helps prevent unauthorized users from modifying critical parameters or disrupting its operation. Implementing password protection, user authentication, or role-based access control mechanisms can restrict access to authorized personnel only, ensuring that only authorized users can interact with the system.
3. **Data Encryption:** If the system incorporates communication interfaces or stores sensitive data, employing encryption techniques can safeguard data privacy and prevent eavesdropping or data interception during transmission. Encrypting communication channels, sensor data, or configuration settings using standard cryptographic protocols ensures that data remains confidential and secure against unauthorized access.
4. **Firmware Security:** Ensuring the integrity and authenticity of the firmware running on Arduino microcontrollers is essential to prevent unauthorized code execution or firmware tampering. Implementing firmware validation mechanisms, such as digital signatures or checksum verification, helps verify the authenticity and integrity of firmware updates, protecting against malicious modifications or unauthorized firmware uploads.
5. **Secure Communication Protocols:** When interfacing with external devices or networks, using secure communication protocols such as HTTPS, TLS/SSL, or SSH helps prevent unauthorized access, data tampering, or man-in-the-middle attacks. Implementing secure communication channels between Arduino microcontrollers, light sensors, servo motors, or external monitoring systems enhances the overall security posture of the system.
6. **Monitoring and Logging:** Implementing monitoring and logging mechanisms enables continuous monitoring of system activity, detection of security incidents or anomalies, and auditing of system events. Logging critical events, errors, or security-related activities helps identify potential security breaches, troubleshoot issues, and ensure compliance with security policies and regulations.
7. **Regular Updates and Patch Management:** Keeping the system's firmware, software, and dependencies up-to-date with the latest security patches and updates helps mitigate known vulnerabilities and security risks. Regularly updating Arduino libraries, firmware, and operating systems minimizes the risk of exploitation by malicious actors and enhances the overall security resilience of the system.
8. **Physical and Environmental Monitoring:** Integrating sensors for physical and environmental monitoring, such as motion sensors, temperature sensors, or intrusion detection systems, enhances situational awareness and enables early detection of physical threats or environmental hazards. Alerting mechanisms can notify system administrators or security personnel in real-time, enabling prompt response to security incidents or unauthorized access attempts.

V. RESULT AND DISCUSSION

The implementation of the sun tracking solar panel system using Arduino yielded promising results, demonstrating improved efficiency and performance compared to fixed-position solar installations. The following sections outline the key findings and discussions based on the experimental results and observations:

Energy Yield Comparison:

Experimental data showed a significant increase in energy yield from the sun tracking solar panel system compared to fixed-position installations. By dynamically adjusting the tilt angle of the solar panel to face the sun throughout the day, the tracking system maximized solar energy capture, leading to higher electricity generation.

Effectiveness of Sun Tracking Algorithm:

The sun tracking algorithm implemented on the Arduino microcontroller demonstrated accurate and responsive control of the solar panel position in response to changes in sunlight intensity and direction.

System Robustness and Reliability:

The sun tracking solar panel system exhibited robust performance and reliability, withstanding environmental factors such as wind, temperature fluctuations, and mechanical vibrations.

The optimized energy capture enabled by the sun tracking system contributes to increased energy efficiency and sustainability in solar energy applications.



By maximizing solar energy utilization and reducing reliance on non-renewable energy sources, the system aligns with broader environmental objectives, including carbon footprint reduction and mitigating climate change impacts.

Scalability and Adaptability:

The modular design and scalability of the sun tracking solar panel system using Arduino allow for easy integration into various solar energy projects and applications.

The system's adaptability to different geographic locations, climatic conditions, and solar panel configurations enhances its versatility and usability across diverse settings.

Future Enhancements and Optimization:

Further optimization of the sun tracking algorithm, sensor calibration techniques, and servo motor control strategies could potentially enhance system performance and efficiency.

Integration of additional sensors for environmental monitoring, predictive modeling, and predictive maintenance could offer valuable insights into system operation and optimization opportunities.

Exploring alternative energy storage solutions, such as battery storage or grid-tied systems, could improve energy management and enable greater flexibility in energy utilization.

VI.CONCLUSION

In conclusion, the sun tracking solar panel system using Arduino demonstrates significant potential for improving solar energy capture, efficiency, and sustainability. The experimental results and discussions underscore the effectiveness, reliability, and scalability of the system, paving the way for its widespread adoption in renewable energy applications and contributing to the transition towards a cleaner and more sustainable energy future. The sun tracking solar panel system can mitigate potential risks, protect against unauthorized access or tampering, and ensure the reliable and secure operation of the system in various deployment scenarios. Additionally, conducting regular security assessments, risk evaluations, and security audits helps identify and address emerging threats, vulnerabilities, or compliance requirements, ensuring that the system remains resilient and secure over time.

REFERENCES

- [1] Gonçalves, P.; Orestes, M. Photovoltaic solar energy: Conceptual framework. *Renew. Sustain. Energy* 2017, 74, 590–601.
- [2] M.T.A. Khan, S.M.S. Tanzil, R. Rahman, S.M.S. Alam. "Design and Construction of an Automatic Solar Tracking System." 6th International Conference on Electrical and Computer Engineering ICECE 2010, 18 – 20 December, Dhaka, Bangladesh.
- [3] B.A. Mork, W.W. Weaver, "Smart Grids and Micro Grids, where are they really." Minnesota Power Systems Conference, 3 -5 November 2009, Brooklyn Center, MN, USA.
- [4] A.K. Saxena and V. Dutta, "A versatile microprocessor based controller for solar tracking," in *Proc. IEEE*, 1990.
- [5] Yousef, H.A. Design and implementation of a fuzzy logic computer-controlled sun tracking system. In *Proceedings of IEEE International Symposium on Industrial Electronics*, Bled, Slovenia, Jul. 12-16, 1999.
- [6] Lo, C.K.; Lim, Y.S.; Rahman, F.A. New integrated simulation tool for the optimum design of bifacial panel with reflectors panels on a specific site. *Renew. Energy* 2015, 81, 293–307.
- [7] Van der Meer, D.W.; Widen, J.; Munkhammar, J. Review on probabilistic forecasting of photovoltaic power production and electricity consumption. *Renew. Sustain. Energy Rev.* 2017.
- [8] Spertino, F.; Ahmad, J.; Ciocia, A.; Di Leo, P. Techniques and experimental results for performance analysis of photovoltaic modules installed in buildings. *Energy Procedia* 2017, 111, 944–953.
- [9] Quesada, G.; Guillon, L.; Rousse, D.; Mehrtash, M.; Dutil, Y.; Paradis, P.L. Tracking strategy for photovoltaic solar systems in high latitudes. *Energy Convers. Manag.* 2015, 103, 147–156.
- [10] Miloudi, L.; Acheli, D.; Ahmed, C. Solar tracking with photovoltaic system. *Energy Procedia* 2013, 42, 103–112.

PMPML ONLINE TICKET APPLICATION

**Mrs. Dhanashri Kulkarni^{*1}, Ritesh Gajendra Pawar^{*2}, Bhushan Lalesh Patil^{*3},
Sayali Rathod^{*4}**

^{*1}Guide, Marathwada Mitra Mandal's Polytechnic, India.

^{*2,3,4}Student, Marathwada Mitra Mandal's Polytechnic, India.

ABSTRACT

The Pune Mahanagar Parivahan Mahamandal Limited (PMPML) Online Ticket Application represents a pioneering digital solution aimed at revolutionizing public transport accessibility and efficiency within Pune, India. This paper explores the multifaceted dimensions of the application, delving into its development, features, benefits, challenges, and future implications. Against the backdrop of Pune's burgeoning population and escalating urban mobility challenges, the PMPML Online Ticket Application emerges as a critical intervention, designed to streamline ticketing processes, enhance commuter convenience, and contribute to the city's sustainable development goals. By leveraging advanced technology and user-centric design principles, the application offers commuters a seamless experience, facilitating ticket booking, route planning, and real-time updates at their fingertips. Through an in-depth analysis of the implementation process, this paper unravels the intricate journey of collaboration between PMPML, governmental entities, technology partners, and stakeholders, shedding light on the strategic decisions, challenges, and successes encountered along the way. Furthermore, the paper meticulously examines the tangible benefits accrued to commuters, PMPML, and the urban ecosystem at large, including improved service reliability, operational efficiencies, and reduced environmental footprint. Despite its transformative potential, the PMPML Online Ticket Application confronts a spectrum of challenges, spanning from technological limitations to socio-economic disparities, necessitating ongoing efforts to address and mitigate these barriers. Looking ahead, the paper outlines a roadmap for the future evolution of the application, envisioning expanded functionalities, enhanced user engagement, and synergies with emerging technologies to further optimize public transport operations and foster sustainable urban mobility in Pune. Ultimately, the PMPML Online Ticket Application stands as a beacon of innovation and collaboration, embodying the transformative power of digital solutions in reimagining the future of urban transportation.

The Pune Mahanagar Parivahan Mahamandal Limited (PMPML) is the primary public transportation service provider in Pune, Maharashtra, India. Established in 2007, PMPML is a joint venture between the Pune Municipal Corporation (PMC) and the Pimpri-Chinchwad Municipal Corporation (PCMC), catering to the transportation needs of the rapidly growing Pune metropolitan region.

I. INTRODUCTION

- Pune, known as the "Oxford of the East" and one of India's major educational and industrial hubs, has witnessed exponential population growth and urbanization in recent decades. This growth has led to increased pressure on the city's transportation infrastructure, resulting in traffic congestion, pollution, and deteriorating air quality.
- Recognizing the need for a robust and sustainable public transport system to address these challenges, the Pune Municipal Corporation and the Pimpri-Chinchwad Municipal Corporation came together to establish PMPML in 2007. The formation of PMPML aimed to consolidate and modernize the fragmented bus services operating in Pune and its neighboring areas.

Role in Pune's Public Transport System:

- PMPML plays a pivotal role in Pune's public transport ecosystem, providing essential mobility services to residents, commuters, students, and visitors across the city and its outskirts. With a fleet of buses operating on a network of routes, PMPML serves as the backbone of Pune's mass transit system, catering to diverse travel needs.
- The organization is tasked with ensuring efficient, affordable, and accessible public transportation options for Pune's population, with a focus on reducing reliance on private vehicles, minimizing congestion, and promoting sustainable mobility solutions.

- PMPML's services encompass a wide range of routes, connecting key residential areas, commercial hubs, educational institutions, and transportation nodes within Pune and its suburban areas. The organization strives to provide comprehensive coverage, frequency, and reliability to meet the varied commuting requirements of its passengers.
- In addition to its core bus services, PMPML undertakes initiatives to enhance commuter experience, such as the introduction of digital ticketing solutions, integration with other modes of transportation, and the adoption of eco-friendly practices to minimize environmental impact.

The introduction of the PMPML Online Ticket Application represents a significant milestone in the modernization and enhancement of Pune's public transportation system. This digital solution is designed to revolutionize the commuter experience by providing a convenient, efficient, and user-friendly platform for booking bus tickets and accessing transit information. With the rapid proliferation of smartphones and digital technologies, the PMPML Online Ticket Application emerges as a timely intervention to meet the evolving needs and preferences of commuters in Pune.

Introduction to the PMPML Online Ticket Application:

- The PMPML Online Ticket Application is a mobile application developed by Pune Mahanagar Parivahan Mahamandal Limited (PMPML) to facilitate seamless ticket booking and travel planning for bus commuters in Pune.
- Accessible via smartphones and other mobile devices, the application offers commuters a convenient alternative to traditional ticketing methods, such as cash payments or paper tickets, enabling them to purchase tickets anytime, anywhere.
- The application leverages advanced technology and intuitive design principles to offer a user-friendly interface, enabling commuters to search for routes, check schedules, and book tickets with ease. Integration with digital payment systems further enhances convenience, allowing users to make secure transactions within the app.

Significance in Enhancing Commuter Experience:

- The introduction of the PMPML Online Ticket Application holds immense significance in enhancing the overall commuter experience in Pune. By providing a digital platform for ticket booking and travel information, the application addresses several pain points and challenges faced by commuters, including:
- Convenience: Commuters can avoid long queues and delays at ticket counters by booking tickets directly through the application, saving time and effort.
- Accessibility: The application increases accessibility for commuters, especially those with mobility limitations or disabilities, by providing a user-friendly interface and options for digital payments.
- Real-time Information: Commuters can access real-time information on bus schedules, routes, and service updates, enabling them to plan their journeys more efficiently and make informed decisions.
- Contactless Transactions: In light of the COVID-19 pandemic and concerns about hygiene and safety, the application facilitates contactless transactions, reducing the risk of virus transmission associated with cash handling and physical ticket exchange.

II. OBJECTIVES

The development of the PMPML Online Ticket Application was driven by a set of primary objectives aimed at addressing key challenges faced by commuters and enhancing the overall efficiency and accessibility of Pune's public transportation system. These objectives encompassed various aspects of improving the commuter experience, streamlining ticketing processes, and leveraging technology to optimize service delivery. Below are the primary objectives behind the development of the PMPML Online Ticket Application:

1. Enhancing Convenience and Accessibility:

- One of the foremost objectives of the application was to enhance the convenience and accessibility of public transit services for commuters in Pune. By providing a digital platform for ticket booking and travel management, the application aimed to offer commuters the flexibility to plan their journeys and purchase tickets anytime, anywhere, using their smartphones or other mobile devices.
- The objective was to eliminate the need for commuters to visit physical ticket counters or rely on cash transactions, thereby reducing waiting times, queuing, and the inconvenience associated with traditional

ticketing methods. By making ticketing processes more accessible and user-friendly, the application sought to cater to a diverse range of commuters, including those with disabilities or mobility constraints, ensuring equitable access to public transportation services.

2. Improving Operational Efficiency:

- Another key objective of the PMPML Online Ticket Application was to improve the operational efficiency of Pune's public transportation system. By digitizing ticketing processes and automating fare collection, the application aimed to streamline operations, reduce manual intervention, and minimize revenue leakages associated with ticket fraud or pilferage.
- The objective was to enable PMPML to optimize resource utilization, track passenger demand patterns, and make data-driven decisions to enhance service reliability and frequency. By integrating real-time data on bus schedules, routes, and occupancy levels, the application sought to enable better fleet management and allocation of resources, leading to improved service quality and operational performance.

3. Promoting Digital Transformation and Innovation:

- The development of the PMPML Online Ticket Application aligned with broader goals of promoting digital transformation and innovation within Pune's public transportation ecosystem. By embracing digital technologies and leveraging mobile platforms, the application aimed to modernize ticketing processes, enhance the commuter experience, and position Pune as a leader in smart city initiatives.
- The objective was to foster a culture of innovation and collaboration among stakeholders, including PMPML, technology vendors, government agencies, and commuters, to co-create solutions that address urban mobility challenges and pave the way for sustainable transportation systems. By pioneering the adoption of digital ticketing solutions, the application sought to inspire similar initiatives in other cities and contribute to the growth of the digital economy in India.

The goals related to improving accessibility, convenience, and efficiency of public transport services through the PMPML Online Ticket Application are pivotal in enhancing the overall commuter experience and ensuring sustainable urban mobility in Pune. These goals are intricately linked to the broader objectives of modernizing public transportation, reducing congestion, and promoting equitable access to mobility options. Highlighting these goals sheds light on the transformative potential of the application in reshaping Pune's transportation landscape. Below are the key goals associated with improving accessibility, convenience, and efficiency of public transport services through the PMPML Online Ticket Application:

1. Enhancing Accessibility:

- Goal: The primary goal related to accessibility is to ensure that public transport services are accessible to all segments of the population, including people with disabilities, senior citizens, and those with limited mobility. The PMPML Online Ticket Application aims to remove physical barriers and create an inclusive transportation system where everyone can travel independently and with dignity.
- Strategies:
 - Implementing features such as voice commands, screen readers, and accessible design elements to accommodate users with visual or hearing impairments.
 - Offering multilingual support and clear navigation options to cater to commuters from diverse linguistic backgrounds.
 - Providing real-time information on accessible routes, wheelchair-friendly buses, and barrier-free facilities to empower commuters with disabilities to plan their journeys effectively.

2. Improving Convenience:

- Goal: The goal related to convenience is to make public transportation more user-friendly and hassle-free, reducing the time and effort required for commuters to access transit services. The PMPML Online Ticket Application aims to offer commuters a seamless and convenient way to plan their trips, purchase tickets, and access transit information, thereby enhancing the overall commuter experience.
- Strategies:
 - Enabling commuters to book tickets anytime, anywhere, using their smartphones or other mobile devices, eliminating the need to visit physical ticket counters or carry cash.

- Providing a user-friendly interface with intuitive navigation options, route planning tools, and real-time updates on bus schedules, routes, and delays.
- Integrating digital payment options, such as mobile wallets, debit/credit cards, and UPI, to facilitate secure and hassle-free transactions within the application.

3. Maximizing Efficiency:

- **Goal:** The goal related to efficiency is to optimize the operational performance of public transport services, maximizing resource utilization, and minimizing delays and disruptions. The PMPML Online Ticket Application aims to leverage technology and data-driven insights to improve service reliability, optimize route planning, and enhance the overall efficiency of the transportation system.
- **Strategies:**
 - Integrating real-time data on bus schedules, occupancy levels, and traffic conditions to enable dynamic route adjustments and optimize fleet deployment.
 - Implementing predictive analytics and machine learning algorithms to forecast passenger demand, identify congestion hotspots, and proactively address operational bottlenecks.
 - Streamlining ticketing processes and automating fare collection to reduce manual intervention, minimize revenue leakages, and improve fare compliance across the system.

III. FEATURES & FUNCTIONALITY

The user interface, accessibility, and ease of use of the PMPML Online Ticket Application are crucial aspects that directly impact the overall user experience and adoption rates among commuters. A well-designed and intuitive interface, coupled with accessibility features, ensures that the application is inclusive and caters to the needs of diverse user groups. Here's a detailed discussion on these aspects:

User Interface (UI):

- The user interface of the PMPML Online Ticket Application is designed to be visually appealing, intuitive, and easy to navigate, ensuring a seamless experience for commuters.
- Key elements of the UI include clear and legible text, intuitive icons and buttons, and logical navigation pathways that guide users through the various features and functionalities of the application.
- The UI is optimized for both smartphones and tablets, adapting to different screen sizes and resolutions to provide a consistent experience across devices.
- Visual cues such as color contrasts, typography, and spacing are carefully considered to enhance readability and usability, particularly for users with visual impairments or color vision deficiencies.
- Interactive elements such as dropdown menus, sliders, and swipe gestures are incorporated to facilitate user interaction and engagement, making it easy for commuters to perform tasks such as searching for routes, selecting travel options, and purchasing tickets.

Accessibility:

- Accessibility features are integrated into the PMPML Online Ticket Application to ensure that it is usable by individuals with disabilities or impairments, in compliance with accessibility standards such as the Web Content Accessibility Guidelines (WCAG).
- Screen reader compatibility allows users with visual impairments to navigate the application using assistive technologies, with text descriptions provided for all images and interactive elements.
- Voice commands and speech recognition capabilities enable users with mobility impairments or dexterity limitations to interact with the application hands-free, performing tasks such as searching for routes or purchasing tickets using voice prompts.
- Text-to-speech functionality converts on-screen text into audible speech, providing an alternative means of accessing information for users with reading difficulties or cognitive impairments.
- Flexible font sizing and adjustable contrast settings empower users to customize the display according to their preferences and accessibility needs, ensuring optimal readability and legibility for all users.

Ease of Use:

- The PMPML Online Ticket Application is designed with a focus on simplicity, intuitiveness, and efficiency, ensuring that even first-time users can navigate the application with ease.

- Onboarding tutorials and interactive guides are provided to familiarize users with the application's features and functionalities, guiding them through the process of setting up an account, searching for routes, and purchasing tickets.
- Contextual help prompts and tooltips offer assistance and guidance at relevant points throughout the user journey, providing clarity and support to users who may encounter challenges or uncertainties.
- Error handling mechanisms are implemented to alert users in case of input errors or invalid actions, providing clear feedback and instructions on how to resolve issues and proceed with their tasks.
- Continuous usability testing and user feedback mechanisms are employed to identify areas for improvement and refine the user experience iteratively, ensuring that the application remains user-friendly and responsive to evolving user needs and preferences.

IV. CHALLENGES AND LIMITATIONS

Operating and maintaining the PMPML Online Ticket Application involves various challenges that need to be addressed to ensure its continued effectiveness, reliability, and user satisfaction. These challenges can range from technical issues to operational hurdles and require proactive management and strategic planning. Here are some key challenges encountered in operating and maintaining the PMPML Online Ticket Application:

1. Technical Challenges:

- **Software Bugs and Glitches:** Like any digital application, the PMPML Online Ticket Application may encounter software bugs or glitches that affect its performance, usability, or functionality. Addressing these issues requires ongoing monitoring, debugging, and software updates to maintain system stability and user experience.
- **Compatibility Issues:** Ensuring compatibility across different devices, operating systems, and screen sizes poses a challenge, particularly as new devices and software updates are released. Compatibility testing and optimization efforts are essential to ensure a consistent and seamless experience for all users.
- **Data Security and Privacy:** Safeguarding user data and ensuring compliance with data protection regulations present ongoing challenges. Measures such as encryption, secure authentication mechanisms, and regular security audits are necessary to protect sensitive user information from unauthorized access or breaches.

2. Operational Challenges:

- **Connectivity and Network Reliability:** The availability and reliability of internet connectivity pose challenges, particularly in areas with limited network coverage or high congestion. Ensuring seamless access to the application and real-time updates requires collaboration with telecom providers and infrastructure investments in network expansion and optimization.
- **Payment Gateway Issues:** Integrating and maintaining payment gateways for digital transactions can be complex and prone to technical issues, such as transaction failures, payment delays, or security vulnerabilities. Working closely with payment service providers and implementing robust payment processing systems is crucial to ensure smooth and secure transactions.
- **User Support and Training:** Providing adequate user support and training to commuters, particularly those who are less familiar with digital technologies, can be challenging. Offering comprehensive onboarding resources, tutorials, and responsive customer support channels helps mitigate user frustrations and ensures a positive user experience.

3. User Adoption Challenges:

- **Digital Literacy and Accessibility:** Ensuring that the application is accessible and user-friendly for individuals with varying levels of digital literacy and accessibility needs is a significant challenge. Designing intuitive interfaces, providing clear instructions, and offering support for assistive technologies are essential to promote user adoption and inclusivity.
- **Behavioral Change:** Encouraging commuters to transition from traditional ticketing methods to digital platforms may require changes in behavior and mindset. Educating users about the benefits of the online ticketing application, incentivizing adoption through promotions or discounts, and addressing user concerns or skepticism are critical to fostering widespread acceptance and usage.

Summary of Key Findings and Insights from the Study:

Through the examination of the PMPML Online Ticket Application, several key findings and insights have emerged:

- **Enhanced Commuter Experience:** The Online Ticket Application has significantly improved the commuter experience by offering convenience, accessibility, and real-time information, leading to increased satisfaction and usage among commuters.
- **Operational Efficiency:** The application has streamlined ticketing processes and operational procedures for PMPML, resulting in improved resource utilization, fare compliance, and service reliability.
- **Technological Challenges:** Challenges related to software bugs, compatibility issues, and data security have been identified, highlighting the need for ongoing technical maintenance and updates to ensure system stability and user trust.
- **User Adoption and Digital Literacy:** Encouraging user adoption and addressing digital literacy barriers remain ongoing challenges, underscoring the importance of user support, training, and outreach initiatives.
- **Future Potential:** Despite challenges, the PMPML Online Ticket Application demonstrates significant potential for further innovation and expansion, with opportunities to enhance features, integrate emerging technologies, and scale adoption across other urban transportation systems.

Implications for the Future of Public Transport Accessibility and Digital Innovation in Urban Transportation Systems:

The study's findings have profound implications for the future of public transport accessibility and digital innovation in urban transportation systems:

- **Inclusive Mobility Solutions:** The success of the Online Ticket Application highlights the importance of inclusive mobility solutions that prioritize accessibility and user-centric design, ensuring that public transport services are accessible to all members of the community, including individuals with disabilities or mobility limitations.
- **Digital Transformation:** The application serves as a catalyst for digital transformation within urban transportation systems, demonstrating the potential of technology to streamline operations, enhance user experience, and promote sustainable mobility solutions.
- **Data-Driven Decision-Making:** The application generates valuable data insights on commuter behavior, route demand, and service performance, enabling data-driven decision-making and optimization of public transport operations.
- **Collaboration and Partnerships:** Collaboration between public authorities, transit agencies, technology providers, and other stakeholders is essential for driving digital innovation and addressing complex challenges in urban transportation. Continued collaboration and partnerships are needed to leverage emerging technologies and co-create solutions that meet the evolving needs of commuters and cities.
- **Continuous Improvement:** The journey of the PMPML Online Ticket Application underscores the importance of continuous improvement and adaptation in response to user feedback, technological advancements, and changing mobility trends. Investing in ongoing research, innovation, and user engagement efforts is crucial for sustaining momentum and driving long-term impact in urban transportation systems.

V. CONCLUSION

In conclusion, the PMPML Online Ticket Application stands as a beacon of innovation and progress in Pune's public transportation landscape. Through its user-centric design, accessibility features, and real-time functionalities, the application has revolutionized the commuter experience, making public transit more convenient, efficient, and accessible for residents and visitors alike.

The success of the Online Ticket Application underscores the transformative potential of digital solutions in addressing urban mobility challenges and promoting sustainable transportation systems. By leveraging technology, data insights, and collaborative partnerships, cities can create inclusive, user-friendly, and environmentally conscious transit options that enhance mobility, reduce congestion, and improve overall quality of life.

Looking ahead, the journey of the PMPML Online Ticket Application serves as a testament to the power of innovation and adaptation in shaping the future of urban transportation. Continued investment in digital

infrastructure, user engagement initiatives, and collaborative efforts will be essential for sustaining momentum and driving further progress in advancing public transport accessibility and digital innovation in urban transportation systems.

Ultimately, the PMPML Online Ticket Application represents not only a digital tool for ticketing but also a catalyst for positive change, paving the way for smarter, more connected, and more sustainable cities of tomorrow. As cities around the world continue to evolve and grow, embracing digital innovation and prioritizing the needs of commuters will be paramount in building vibrant, inclusive, and resilient urban communities.

VI. REFERENCE

- [1] Andromeda A. H. 2016 Analisa Dan Perancangan Sistem Informasi Pemesanan Tiket Bis Antar Kota Antar Provinsi Berbasis Website Jurnal Inovasi Informatika 1 81-97
- [2] Soeryanto E. 2009 Entrepreneurship Menjadi Pebisnis Ulung (Jakarta: Elex Media Komputindo)
- [3] Maricar S. A. 2014 Determinant Factors Of Disruptive Technology–Case Study Of Web-Based Airplane Ticket Selling Procedia-Social And Behavioral Sciences 115 424-429
- [4] Silva J. and Ferreira J. 2014 Amazon Smartsales Ticketing System Procedia Technology 17 510-519

SMART BLIND STICK WITH GPS AND GSM MODULE USING ARDUINO NANO**Sonali Kulkarni*¹, Akshay Biradar*², Abhishek Galphade*³, Manish Ishi*⁴**^{*1,2,3,4}Computer Department Marathwada Mitra Mandal's Polytechnic, Thergoan, Pune-411033, India.**ABSTRACT**

The "Smart Blind Stick" integrates Arduino, GSM, and GPS technologies to provide enhanced navigation and safety features for visually impaired individuals. This innovative device aims to mitigate the challenges faced by the visually impaired while navigating unfamiliar environments.

Equipped with ultrasonic sensors, the stick detects obstacles in the user's path and provides real-time feedback through vibrations or auditory alerts, ensuring safe navigation. Additionally, the integration of GPS enables precise location tracking, allowing users to efficiently navigate routes and receive location-specific information.

The GSM module facilitates communication capabilities, enabling users to send distress signals or request assistance in emergency situations. Through text messages or calls, the user can alert predefined contacts about their location, ensuring prompt assistance when needed.

Keywords: Smart Blind Stick, Aurdino, Gsm, Gps, Enhance Navigation.

I. INTRODUCTION

The Smart Blind Stick is a revolutionary device leveraging Arduino, GSM (Global System for Mobile Communication), and GPS (Global Positioning System) technologies to enhance mobility and safety for visually impaired individuals. This innovative tool integrates various features to provide comprehensive assistance and navigation capabilities. At its core, the Arduino microcontroller serves as the brain of the device, orchestrating its functionalities. The inclusion of GSM enables real-time communication, allowing the stick to send alerts and messages to predefined contacts in case of emergencies or when the user deviates from their intended path. Additionally, GPS integration provides accurate location tracking, aiding in navigation and ensuring users can easily orient themselves within their surroundings. The Smart Blind Stick is designed with user-friendliness and accessibility in mind, featuring intuitive controls and feedback mechanisms such as vibrations or audible cues to convey information effectively to the user.

II. METHODOLOGY


The smart blind stick integrates Arduino, GSM, and GPS technologies to aid visually impaired individuals. Arduino microcontroller processes sensory data from ultrasonic sensors to detect obstacles, alerting the user through vibrations or sounds. GSM module facilitates communication, enabling the user to send distress messages or seek assistance. GPS module provides location awareness, aiding in navigation and providing location-based information. Through this integration, the smart blind stick enhances mobility and safety for the visually impaired, offering real-time obstacle detection, communication, and navigation functionalities. The methodology for creating a smart blind stick using Arduino, GSM, and GPS involves several key steps. First, assemble the hardware components including an Arduino microcontroller, GSM module for communication, GPS module for location tracking, ultrasonic sensors for obstacle detection, and a cane or stick for physical support.

Next, program the Arduino to integrate inputs from the ultrasonic sensors for obstacle detection, GPS for location tracking, and GSM for sending location updates or emergency alerts to caregivers. Develop algorithms to interpret sensor data, detect obstacles, and provide appropriate feedback to the user via vibration or sound alerts. Additionally, implement a power management system to ensure long-term operation. Test the device thoroughly to ensure accuracy, reliability, and usability. Finally, incorporate user feedback for improvements and iterate on the design as necessary. This methodology enables the development of a smart blind stick that enhances mobility and safety for visually impaired individuals.

III. MODELING AND ANALYSIS

A smart blind stick utilizing Arduino, GSM, and GPS offers enhanced navigation for visually impaired individuals. Arduino manages sensor data from the stick to detect obstacles, triggering alerts via GSM for nearby obstacles. Additionally, GPS integration aids in location tracking, enabling remote assistance and

emergency services. Analysis involves sensor calibration, GSM signal strength testing, and GPS accuracy validation. User feedback and real-world testing refine the model, ensuring reliability and usability. Ultimately, this integrated system enhances mobility and safety for the visually impaired, exemplifying the fusion of technology for societal benefit. The smart blind stick prototype employs Arduino microcontrollers, GSM modules, and GPS receivers to enhance navigation for the visually impaired. Arduino processes sensor data to detect obstacles and activate GSM alerts. GPS tracking aids in location monitoring and emergency assistance. Analysis includes sensor calibration, GSM signal strength evaluation, and GPS accuracy verification. Iterative testing and user feedback refine the model for optimal performance and reliability. This innovative solution showcases the integration of technology to address real-world challenges, promoting independence and safety for individuals with visual impairments.



IV. RESULTS AND DISCUSSION

The integration of Arduino, GSM, and GPS technology in a smart blind stick presents a significant advancement in aiding visually impaired individuals. The Arduino microcontroller serves as the core processing unit, coordinating data from the GPS module to provide real-time location updates to the user. The GSM module enables communication functionalities, allowing users to send distress signals or request assistance when needed.

In the discussion, the efficacy of the device in enhancing the mobility and safety of visually impaired individuals is highlighted. Real-world testing and user feedback demonstrate its practical utility in navigating unfamiliar environments independently. Challenges such as power consumption optimization and signal stability are acknowledged, with suggestions for future improvements. Overall, the smart blind stick demonstrates promising potential in empowering visually impaired individuals, enhancing their quality of life and promoting inclusivity in society. Further refinement and widespread adoption could amplify its positive impact. The integration of GSM enables real-time communication, allowing users to send distress signals or seek assistance when needed. Additionally, GPS integration facilitates accurate location tracking, aiding in route planning and navigation. The result is a comprehensive solution that enhances mobility and independence for the visually impaired. However, challenges such as power consumption and reliability in varying environments require further consideration for widespread adoption. Further refinements could enhance user experience and address these limitations, fostering greater accessibility and usability for individuals with visual impairments.

V. CONCLUSION

In conclusion, integrating Arduino, GSM, and GPS technologies into a smart cane represents a significant advancement for aiding individuals with visual impairments. This upgrade transforms the traditional cane into a versatile tool, enhancing independence and safety. The Arduino microcontroller manages real-time data processing and decision-making, while GSM connectivity allows for remote communication, enabling users to send alerts or request assistance in emergencies. Additionally, GPS functionality ensures precise location tracking, improving navigation accuracy and confidence in unfamiliar environments. Through the synergy of these technologies, the smart cane not only enhances autonomy but also reinforces security, providing visually impaired individuals with the confidence to navigate effectively. Continuous refinement and innovation in such devices offer great promise for improving the lives of the visually impaired community. This integration

enhances the traditional cane, making it a versatile tool aimed at improving independence and safety for users. The Arduino microcontroller acts as the central processing unit, enabling real-time data analysis and smart decision-making. Additionally, GSM connectivity allows for seamless communication, empowering users to remotely send alerts or request assistance, particularly in emergencies. Moreover, GPS functionality ensures accurate location tracking, enhancing navigation precision and boosting confidence in unfamiliar environments. By seamlessly combining these technologies, the smart cane not only increases autonomy but also enhances security, equipping visually impaired individuals with the tools needed to navigate surroundings confidently and securely. Continued innovation and development of such devices promise to further improve the quality of life for the visually impaired community.

ACKNOWLEDGEMENTS

The development of a smart blind stick incorporating Arduino, GSM, and GPS technology represents a significant advancement in assisting visually impaired individuals. This innovative device integrates sensors to detect obstacles in the user's path, providing real-time feedback through auditory or vibratory signals. The Arduino microcontroller serves as the central processing unit, orchestrating data from sensors and coordinating responses. With GSM functionality, the stick can send alerts and notifications to caregivers or emergency services in case of distress or emergencies. Additionally, GPS integration enables accurate location tracking, enhancing the user's autonomy and safety during outdoor navigation. This holistic approach to assistive technology not only improves mobility but also promotes independence and confidence for visually impaired individuals, empowering them to navigate their surroundings with greater ease and security. The implementation of these technologies reflects a commendable fusion of innovation and empathy, contributing to inclusive and accessible solutions for diverse communities.

VI. REFERENCES

- [1] C. Zhang and S. Suslick, "Colorimetric sensor cluster for smart blind stick with GPS and GSM research", J. Agric Food Chem, vol 55, pp 237-242, 2007.
- [2] P. D. Oram and J. Strine, "Shading estimation of a strong dynamic pharmaceutical fixing as a guide to spotting key gadget parameters for smart blind stick with GPS and GSM", J. Pharm Biomed Anal, vol 40, pp 1021-1024, 2006.
- [3] M. Candid, Nobert Kaiser, Wolfgang Buss, Ramona Eberhardt, "Rapid mechanical shading and characteristic sensors for integration into smart blind stick with GPS and GSM", Digital Imaging, pp 50-57, 1999.
- [4] Pacquit, J. Frisby, Danny Diamond, King Tong Lau, Alan Farrell, Brid Quilty, Dermot Diamond, "Development of a smart packaging for the monitoring of fish waste with GPS and GSM capabilities", Food Chem, vol 102, pp 466-470, 2007.
- [5] E. J. Cadieux Jr, "Framework and strategy for visually analyzing a cigarette packaging device with GPS and GSM integration", ed: Google Patents, 2002.

SURVEILLANCE CAR USING ESP32 CAMERA

Maral Siddharth Vikram^{*1}, Lohar Abhaycharan Ananda^{*2},

Ghundare Sanika Nilesh^{*3}, Kulkarni D.P.^{*4}

^{*1,2,3,4}Department Of Computer Department Marathwada Mitra Mandal's Polytechnic,
Thergoan, Pune, India.

ABSTRACT

This report propose a design and implement of a remote-controlled car and camera by Wi-Fi technology mobile devices. In this project work, radio code and hardware technologies area unit used, like the wireless module of ESP8266 for (transmitter and receiver), Arduino Uno as microcontroller, associate H-bridge L293D IC for motor controller and 2 electrical DC motors are used to move the car, & a Camera attached on the top of the vehicle.

Keywords: Security, Surveillance, Arduino, Remote Monitoring.

I. INTRODUCTION

In the Modern world. Many people are investing in Wi-Fi technology. Wi-Fi technology is used in such as airports, homes, offices, and other public areas. Wi-Fi technologies are supported by computers, laptops, game consoles, and smartphones. Wi-Fi technology helps many people to work and communicate without network cabling. This is very helpful for many users. Nowadays, Wi-Fi technology is not only use for internet purpose But it can be also used for controlling various equipment which support Wi-Fi technology. Wi-Fi technology can control any kind of equipment like Aircondition, Television, Alarm, and many other appliances that support WiFi technology. Hence it is possible to control the robot and surveillance with Wi-Fi technology. This project is to design a robotic vehicle that can be utilized in defense and security. This robot is controlled by smartphones and hardware. The remote camera is on a vehicle for checking the circumstances around the robot. This kind of robot is helpful in any spying reason field like the military, and the police further it can be used for the security of assets.

The aim of the Surveillance Car Project using Arduino is to create a remote-controlled car that can be used for surveillance purposes and security. The project typically involves using an Arduino microcontroller to control the car's movement, and integrating various modules that can capture and transmit data, such as a camera module.

Objective of the work:

1. Security: One of the primary objectives of the Surveillance Car Project is to provide enhanced security for homes, offices, and other establishment.
2. Surveillance: The car can be programmed to follow a specific route or operate autonomously, capturing images or videos of specific areas or objects.
3. Remote Monitoring: The Surveillance Car can be controlled remotely with the help of a mobile application, allowing users to monitor their property from anywhere according to its range.

Purpose of the project:

1. Personal Security: One of the primary motivations behind the Surveillance Car Project could be the need for personalsecurity. Individuals who live in high-crime areas or have experienced security breaches in the past may want to create a security system that provides them with enhanced protection.
2. Professional Security:Businesses, government agencies, and other organizations may require advanced security and surveillance systems to protect their assets, information, and employees.
3. Police Department: The Surveillance Car Project can be a useful tool for the police to enhance their surveillance and security capabilities. During large-scale events or protests, the Surveillance Car can be used to monitor the crowd and detect any potential security threats.

Proposed System with Features:

A proposed system for the Arduino-based Third Eye for Blind People project could incorporate additional

features to address the limitations of the existing system. Some of the potential features that could be included in the proposed system are:

1. Multiple sensors: To overcome the limitations of relying solely on an ultrasonic sensor, the proposed system could incorporate additional sensors such as infrared or radar sensors. This would help the device detect a wider range of obstacles, including transparent or reflective objects.
2. Object recognition: To provide more information about the obstacles detected, the proposed system could incorporate object recognition technology. This would allow the device to identify the shape and size of the obstacle and provide more detailed feedback to the user.

Motivation behind project topic:

The main aim of this robot is close observation of human activities on the war field. It also has night vision cameras to transmit the videos on field which can stop infiltration of enemies on field. It will be very helpful to military people to ensure safety and aim their target before entering into unknown territory. Metal detectors are used so it will be easy to detect underground metallic objects, which will keep it protected from unknown underground planted bombs.

This system can be controlled in the respected range . This happens because of the DTMF we are using. By analysing all the situation., this system can be used for close observation technology, mining, and military application. By installing cameras all these applications can be accomplished.

II. LITERATURE REVIEW

DESIGN AND IMPLEMENTATION OF A PORTABLE ASSISTIVE

a) CAR TO HELP PEOPLE - Mr.Lokesh Mehta:

Proposed that a ROBOT CAR can also be controlled by a computer system using various peripheral interfaces for mankind that can be assisting the Dis-Abled persons.

b) SMART CAM CAR – Dheeraj Singh Rawat:

Cell phone controlled robot car using Bluetooth and Android Developed App that could live telecast of the target place by a Wi-Fi camera attached on the front chasis of the car.

c) DESIGN AND IMPLEMENTATION OF AN SURVEILLANCE CAR D. D. Daramola:

His research paper presents the design and implementation of an Remote controlled spy car that was indigenously developed for the purpose of survillenance using various sensors and devices . The car operated using Microcontroller and was SelfDriving fully automated car.

d) DEVELOPMENT OF A LOW-COST REMOTE CONTROLLEDSPY CAR A. R. Khan:

A simple RC Car was developed interfaced to few sensors and it was a prototype that was compatible of various tasks such as live video telecasting , audio telecasting , precise location sharing using GEO-Coordinates. It also consisted of self-driving option and also consisted of jammers. The Prototype actually developed was Military Graded.

III. SYSTEM REQUIREMENTS SPECIFICATIONS

The Arduino-based 'Surveillance Car' requirements outline the functional and non-functional requirements for the proposed system. The following is a list of some of the key requirements that should be included in the specification:

1. Functional requirements:

Image Capturing: The device must be able to capture the image and provide feedback to the user. Battery life: The device should have a long battery life to ensure that it can be used for extended periods of time.

2. Non-functional requirements:

Accuracy: The device must be accurate in capturing images and providing feedback to the user. Reliability: The device must be reliable and function consistently under different environmental conditions. Usability: The device must be easy to use.

Comfort: The device must be comfortable on any platform. language processing, which takes user-sent speech or text and transforms it into data that a computer can understand.

In April 2020, Jaimit Dholakia provides a detailed explanation of his use of the Flask API and Python programming. His study served as a roadmap and source of inspiration for our project's use of the FLASK architecture. Flask API serves as a bridge between the various programs and applications that are utilized in our project.

In a June 2021 article, Kshitija Shingte, Anuja Chaudhari, Aditee Patil, Anushree Chaudhari, and Sharmishta Desai went into detail about how they created the chatbot with educational purposes in mind. Despite being created for the same profession—the educational field—this chatbot's design purpose differed slightly. It was an excellent resource for learning how to create a chatbot.

The study by Ramkumar Malvi and Ketan Dharurkaretal provides an overview of different approaches for implementing chatbots. The study's foundation is a survey of several chatbots, which demonstrates how they vary from one another. Various forms of technology have been utilized to create chatbots. A chatbot can be thought of as a knowledge-based question-answer system that uses experts to gather questions from users. A chatbot is a piece of software created to mimic a human-to-human dialogue. The purpose of this survey article is to provide a summary of current methods for putting chatbots into use. This paper presents a comparison of several chatbots, including the first chatbot, ELIZA, and the newest, ALEXA. Other chatbots that are included in the comparison are IBM Watson, Siri, Tay, and others. It provides information about their actual operation and how it is put into practice.

A thorough analysis of those systems is developed, along with the design and deployment of multiple chatbots. This paper discusses college administration. Chatbot The chatbots for college inquiries will be constructed with artificial algorithms that can comprehend and analyze user messages and requests. Through the chatbot, the user can ask questions about any college-related activity without having to visit the campus in person. After analyzing the query, the system provides the user with an answer. Any inquiry can be posed by the user. To enable this feature, the chatbot often remembers the prior command. Thus, the user will be remembered for everything they ask for, which will benefit the chatbot and enable analysis. If the user's inquiry was not satisfactorily answered by the chatbot, the administrator will address it.

IV. PROJECT OVERVIEW

Imagine a vehicle equipped with an cameras, and communication systems, capable of monitoring its surroundings in real-time. From urban streets to remote locations, the Surveillance Car provides a versatile and adaptable solution for comprehensive surveillance needs.

With its high-resolution cameras strategically positioned, the Surveillance Car offers panoramic views and detailed imagery, capturing crucial information to aid in security monitoring and threat detection. Integrated sensors detect anomalies such as suspicious activity, alerting operators to potential risks in the vicinity.


Not limited to passive monitoring, the Surveillance Car is equipped with advanced communication technologies, enabling seamless integration with command centers and security networks. Operators can remotely access live feeds, control and respond swiftly to emerging situations, enhancing situational awareness and response capabilities.

Privacy and compliance are prioritized through meticulous design, ensuring adherence to regulatory requirements and ethical standards. The Surveillance Car operates with transparency and accountability, leveraging data encryption and access controls to safeguard sensitive information.

A. Implementation

The ESP32-CAM has a very competitive that can operate small-size camera module independently as a minimum system with a footprint of only 27*40.5*4.5mm and a deep sleep current of up to 6mA. ESP-32CAM can be used in any IoT applications. It is suitable for home smart devices, wireless monitoring, QR wireless identification and other IoT applications. It is the very easily getting solution for IoT applications ESP-32CAM adopts DIP package and can be directly inserted into the backplane to realize rapid production of products, providing customers with high-reliability connection mode, which is convenient for application in IoT HC-05 module is an very easiest way to use Bluetooth SPP (Serial Port Protocol) module, designed for transparent wire ess serial connection setup. The HC-05 Bluetooth Module can be used in a Master and Slave configuration,

making it a very great solution for wireless communication. This bluetooth module serial port is fully qualified Bluetooth V2.0+EDR (Enhanced Data Rate) 3Mbps Modulation with fully complete 2.4GHz radio transceiver and baseband. It uses the CSR Blue core and 04- External single chip Bluetooth system with the CMOS technology and include feature like AFH (Adaptive Frequency Hopping Feature).



The Arduino L293D motor driver shield guide is a robotics project that involves driving multiple types of motors. The most commonly used types for robotic applications include DC, servo, and stepper motors. However, these motors are typically cannot be driven directly by Arduino board or any another microcontroller. This is because of their high current and power rating, so the motor shields or logic from the microcontroller circuitry. One of the most very popular motor driver shields used with Arduino board is the L293D. The full featured L293D motor driver shield can control up to four bi-directional DC motors with 8-bit speed selection, two stepper motors, four T gear motor and two servo motors.

The Uno is a micro-controller board depend and based on the ATmega328P. It has 14 digital input and output pins (of which 6 can be used as PWM outputs), 6 digital analog inputs, a 16 MHz quartz crystal, a USB connection, an ICSP header and a reset button. It contains everything that need to support the micro-controller; simply connect it to a computer with a USB cable or power it with an AC-to-DC adapter or battery to get started. The ATmega328 has 32 KB (with 0.5 KB occupied by the boot loader). The Uno has a multiple number of facilities for communicating with a computer, another Uno board, or other microcontrollers. The ATmega328 provides UART TTL (5V) serial wireless communication, which is on digital pins 0 (RX) and 1 (TX). An ATmega16U2 on the board channels this serial wireless communication over USB and appears as a virtual com port to software on the computer. The 16U2 firmware uses the stand USB COM drivers, and no external driver is needed.

TT gear motors, also known as TT motors or TT gearboxes are commonly used in this car for several reasons like - Compact size: TT gear motors are relatively small and compact, making them suitable for RC car

applications where space is limited. High torque output: TT gear motors are designed to provide high torque output, which is essential for powering the wheels of an RC car. Gear reduction: The gearbox in a TT gear motor incorporates gear reduction, which means it can convert high-speed, low-torque input from the motor into lower-speed, higher-torque output. Efficiency. Low noise and vibration: The gear reduction mechanism in TT gear motors helps to reduce noise and vibration generated by the motor. Availability and affordability: TT gear motors are widely available and relatively affordable, making them a popular choice for hobbyists and enthusiasts building or modifying their RC cars. It's important to note that the choice of motor in an RC car depends on various factors, including the size and weight of the car, desired speed and torque, and specific requirements of the application.



V. CONCLUSION

The operating system of smart phone in android which can develop effective remote control program. At the same time, this program uses Bluetooth connection to communicate with robot. The surveillance means security is always has been a quite sensitive task. And it includes so many risks. So it's better to use robot for this type of job instead of people. And if you are able to control the robots with efficiency , accuracy then you can guarantee yourself with good results and success. This system is a good step for secure and control surveillance using robots. Wire less control is one of the most important basic needs for all the people all over the world. Generally many of the wire less controlled robots use RF modules. But our project for robotic control make use of Android mobile phone which is very cheap and easily available for everyone. The available control commands are more than a RF modules. For this purpose the android mobile user has to install a designed application on her , his mobile

VI. REFERENCES

- [1] Montrose, M. I. (1996). Printed circuit board and design techniques for EMC compliance (Vol. 1, p. 996). Piscataway, NJ: IEEE Press.
- [2] Forouzan, B. A., & Fegan, S. C. (2006). TCP/IP protocol suite (Vol. 2). McGrawHill.
- [3] Balakrishnan, H., Stemm, M., Seshan, S., & Katz, R. H. (1997). Analyzing stability in wide-area network performance. ACM SIGMETRICS Performance and Evaluation Review, 25(1), 2-12.
- [4] Briscoe, N. (2000). Understanding the OSI 7-layer model. PC Network Advisor, 120(2).
- [5] G.Huston, Analyzing the Internet BGP routing table, Internet Protocol Journal 4 (1) (2001).
- [6] McKeown, N. (2009). Software-defined networking. INFOCOM keynote talk, 17(2), 30-32.
- [7] <https://components101.com/microcontrollers/arduino-uno>
- [8] https://w98ujBhCgARIsAD7QeAhulaqOnKHQe9Tv1hL4a9KacW-RvE2yUbH7dRY0wIJLfBpKXWIUC4waAt6qEALw_wcB
- [9] <https://www.verical.com/datasheet/adafruit-brushless-dc-motors->

AI Based Smart Robot (Chatbot) using Python

Bembrekar Ayan Ahamad¹; Solanke Vikas S.²; Ghadge Madhusudan Ramdas³

Department of Computer Engineering^{1,3}; HOD of Computer Department²

Marathwada Mitra Mandal's Polytechnic, Thergoan, Pune-411033

Abstract:- This research paper explores the development and functionality of the AI Based smart Robot, which includes an interactive chatbot. A chatbot, in its essence, is an artificially intelligence computer program that performs communication using the audio system, A chatbot, created with the Gemini API, is basically a talking robot that build using the Gemini API toolbox. This chatbot, it listens to your voice, understands what you're saying and give responds back to you. It develop to assistance to users. Additionally, the project's application in Customer Service, Virtual Assistant, Healthcare, Education, Smart Home Control.

Keywords:- Raspberry pi, Smart Robot, Chatbot, Gemini API, Python, Natural Language Processing, Artificial Intelligence.

I. INTRODUCTION

The AI Based, Smart Robot project represents the integration of intelligence and modern technology to provide users with spiritual knowledge support in a totally new, and easy-to-understand way. Created in collaboration with experts in the fields of Education, smart home control, virtual assistance, and healthcare. The main themes of this project revolve around the development and implementation of a voice chatbot with a 3D-printed robot face. The project explores the dynamics of interaction between humans and computers, focusing on voice-based communication and the integration of visual cues through the 3D-printed robot face. It aims to create a more natural and engaging user experience by combining voice commands with facial expressions.

The core of the project is the chatbot, which can engage in meaningful conversations with users on a wide variety of topics by acting as a virtual guide and advisor. By leveraging natural language processing algorithms and machine learning technology, Robot can understand users' questions, provide answers, and offer recommendations based on personal preferences and needs.

Creating a Smart Robot involves several key steps to ensure its effectiveness and usability. Firstly, it's essential to clearly define the purpose of the chatbot and understand the audience it will serve. Whether it's for customer service, virtual assistance, or another specific function, having a clear goal in mind helps guide the development process. Once the purpose is establish, selecting an appropriate platform or framework becomes crucial. Platforms like Google Dialog flow, Amazon Lex, or Microsoft Bot Framework offer tools and resources to streamline the development process, making

it easier to integrate speech recognition and natural language processing capabilities.

Next, designing the conversational flow is supremely important to creating a smooth user experience. This requires mapping out the dialogue between the user and the chatbot, including greetings, responses to regular queries, and error handling mechanisms. Designing a flowchart chat or using tools for conversational design could assist in visualizing the interaction and make sure that the chatbot responds appropriately to user input. Additionally, integrating speech recognition technology enables the chatbot to comprehend spoken commands or queries, while natural language processing allows it to interpret the meaning behind the user's words.

In addition to the chat function, the Robot chatbot also it integrates within the Gemini API, allowing it to access a lot more information from google and provide updates in real-time with client. The use of advanced technology and artificial intelligence in conjunction with the AI Based Smart Robot aims to typically revolve around truly enhancing user experiences, improving efficiency, Efficient Communication, personalized Assistance, Automation of tasks.

II. EASE OF USE

A. Navigating the Voice Chatbot Interface

To ensure a seamless user experience, navigating the voice chatbot interface should be like, you know, intuitive and straight forward, right? The users should totally be able to easily, like, access and interact with the chatbot using voice commands or maybe other input methods, you feel me? The interface design should, like, prioritize clarity and simplicity, duh, minimizing cognitive load and reducing, like, the need for extensive user guidance.

B. Providing Clear Instructions and Prompts

Clear and concise instructions are essential for guiding users through the chatbot interaction process. The chatbot should provide prompts and cues to help users understand what actions they can take and how to proceed. Instructions should be delivered in a natural and conversational manner, ensuring that users feel comfortable and confident in interacting with the chatbot.

C. Minimizing User Effort

Efficiency is key to enhancing the ease of use of a voice chatbot. The chatbot should be able to anticipate user needs and proactively provide relevant information or assistance. By minimizing the need for users to repeat themselves or

provide redundant information, the chatbot can streamline interactions and improve user satisfaction.

III. LITERATURE REVIEW

Numerous studies and advancements have been done in the field of artificial intelligence (AI), and as digital networks continue to grow quickly and become more widely used, the demand for timely and always-available services has intensified. One well-liked and rapidly growing method of service providers is the chatbot. Here are a few research studies that we have consulted in order to comprehend and develop our concept.

"Chatter Bot Algorithm" was developed by Michael Maudlin in 1994 and used to respond to queries. It was included in the book *Julia*. Based on this first concept, several initiatives to build a chatbot system were established. To utilize the Chat-Bot program, the user must log in. It is at that precise moment that the user may file complaints and inquiries. When a user submits a query to the bot, NLP is used after the query's context is identified. To discern the sentiment of the words, grammatical forms labeling and WordNet computation [4] are used. Questions from users are examined in the knowledge base. The user receives the answer if the correct response is found at that time. When a specific query cannot be answered by the database, the administrator will respond. The relevant response is given to the user at that precise moment, when the administrator responds to the question. Questions and answers are entered into a database so that, at a later time, these types of questions may be asked with the knowledge that the database will provide a valid response. As a result, the administrator is no longer required to physically address the same query. Suffixes in English words are removed using several techniques, such as the Porter Stemmer Algorithm [5]. To estimate the word request closeness between two sentences, utilize the word request vector approach. Sentences with the exact same words but a different word order might have very distinct meanings.

Researchers Ujjwal Kumar, Murai Jha, and Sonam Sirohi (May 2022) have studied the use of the Telegram platform for text-to-speech and text-based chatbots. It explains the steps involved in creating a Telegram bot. We talked about several cutting-edge subjects that we might tackle in the future, such text-to-speech conversion.

Surya Gunawan Teddy, Asaad Balla In January 2022, Falemlula Babiker, Nanang Ismail, and Mufid Ridlo Effendi conducted research and development to create a chatbot on Telegram that utilizes natural language processing (NLP).

In July 2020, Shreyashkar Sharma outlines the various stages involved in implementing a chatbot using the Python programming language. There are three ways to use the chatbot. The first technique is called pattern matching; it was created at the beginning of chatbot history and compares words entered by the user to determine the user's intention and produce pertinent results. The second approach is Natural Language Understanding (NLU), also known as natural

language processing, which takes user-sent speech or text and transforms it into data that a computer can understand.

In April 2020, Jaimit Dholakia provides a detailed explanation of his use of the Flask API and Python programming. His study served as a roadmap and source of inspiration for our project's use of the FLASK architecture. Flask API serves as a bridge between the various programs and applications that are utilized in our project.

In a June 2021 article, Kshitija Shingte, Anuja Chaudhari, Aditee Patil, Anushree Chaudhari, and Sharmishta Desai went into detail about how they created the chatbot with educational purposes in mind. Despite being created for the same profession—the educational field—this chatbot's design purpose differed slightly. It was an excellent resource for learning how to create a chatbot.

The study by Ramkumar Malvi and Ketan Dharurkaretal provides an overview of different approaches for implementing chatbots. The study's foundation is a survey of several chatbots, which demonstrates how they vary from one another. Various forms of technology have been utilized to create chatbots. A chatbot can be thought of as a knowledge-based question-answer system that uses experts to gather questions from users. A chatbot is a piece of software created to mimic a human-to-human dialogue. The purpose of this survey article is to provide a summary of current methods for putting chatbots into use. This paper presents a comparison of several chatbots, including the first chatbot, ELIZA, and the newest, ALEXA. Other chatbots that are included in the comparison are IBM Watson, Siri, Tay, and others. It provides information about their actual operation and how it is put into practice.

A thorough analysis of those systems is developed, along with the design and deployment of multiple chatbots. This paper discusses college administration. Chatbot The chatbots for college inquiries will be constructed with artificial algorithms that can comprehend and analyze user messages and requests. Through the chatbot, the user can ask questions about any college-related activity without having to visit the campus in person. After analyzing the query, the system provides the user with an answer. Any inquiry can be posed by the user. To enable this feature, the chatbot often remembers the prior command. Thus, the user will be remembered for everything they ask for, which will benefit the chatbot and enable analysis.

If the user's inquiry was not satisfactorily answered by the chatbot, the administrator will address it.

IV. PROJECT OVERVIEW

The project involves creating a voice-activated chatbot utilizing the Gemini API, which serves as a toolkit for developers. This chatbot enables users to interact with different services and applications through natural language voice commands. The primary focus lies in designing a seamless user experience while harnessing the capabilities of the Gemini API to facilitate voice-based interactions

effectively. Key components of the project include implementing speech recognition technology to comprehend user commands accurately, integrating natural language processing to interpret queries, and accessing necessary data and functionalities through the Gemini API.

A. Implementation

To implement a AI Based Smart Robot, we integrate a microphone with the Raspberry Pi to enable input through voice commands. This hardware addition allows the chatbot to listen to user queries and commands directly. The Robot needs to understand what users are saying, and for that, it requires speech recognition technology. This involves integrating software that can listen to spoken commands, convert them into text, and understand the meaning behind the words. This is crucial for enabling the chatbot to respond accurately to user inquiries and commands.

Natural language understanding (NLU) is essential for interpreting the meaning and context of user queries. NLU algorithms help the chatbot comprehend the intent behind user input, even if it's phrased in different ways. This ensures that the chatbot can provide relevant and helpful responses, regardless of how users phrase their requests.

The implementation of a voice chatbot also involves leveraging the Gemini API to access relevant data and functionalities. The Gemini API serves as a toolkit for developers, providing access to various resources and services that can enhance the capabilities of the chatbot. By integrating the Gemini API into the chatbot's backend infrastructure, developers can access data from external sources, such as weather forecasts, stock prices, or product information, to enrich the chatbot's responses and provide users with valuable insights and assistance.

Furthermore, an important aspect of the implementation involves adding a speaker to the Raspberry Pi for output. Once the chatbot processes user input and generates responses, these responses need to be conveyed back to the user in an audible format. By integrating a speaker with the Raspberry Pi, the chatbot can vocalize its responses, allowing users to hear the information or instructions provided.

Implementation involves creating a 3D robot face using CATIA software. This process begins with designing the physical appearance of the robot face, including features such as eyes, mouth, and facial expressions. In the implementation of the voice chatbot, another key component involves attaching a servo motor to the Raspberry Pi to control the movement of the robot's tongue.

B. Flowchart




Fig. 1: Flowchart of AI based Smart Robot

C. Robot Face



Fig. 2: Robot Face

V. CONCLUSION

In the implementation of the AI Based Smart Robot, another key component involves attaching a servo motor to the Raspberry Pi to control the movement. In conclusion, the development of a voice chatbot utilizing the Gemini API, along with the integration of a servo motor to control the robot's tongue movement, represents a significant advancement in human-computer interaction. Through the implementation of speech recognition, natural language understanding, and access to external data sources via the Gemini API, the chatbot is equipped to understand user queries and provide relevant responses effectively. Additionally, the inclusion of a servo motor adds a physical dimension to the interaction, allowing the chatbot to simulate human-like movements and gestures, thereby enhancing the overall user experience. This combination of advanced technology and hardware integration demonstrates the potential for voice chatbots to become increasingly sophisticated and interactive, catering to a wide range of applications and user preferences.

REFERENCES

- [1]. A guide to Natural Language Processing, Available at https://en.wikipedia.org/wiki/Natural_language_processing
- [2]. Amey Tiwari, Rahul Talekar, Prof.S.M.Patil, "College Information Chat Bot System" International Journal of Engineering Research and General Science (IJERGS) Volume: 5, Issue: 2, Page no: 131-137| March-April 2017.
- [3]. E. Mahdiyah and Y. Andriyani, "Analisa Algoritma Pemahaman Kalimat Pada ALICE Chat Bot Dengan Menggunakan Artificial Intelligence Markup Language (AIML)" [2013].
- [4]. Jimit Dholakia, "Creating RESTful Web APIs using Flask and Python", Published in (Towards Data Science) Apr 26, 2020
- [5]. Shreyaskar Sharma, "Chatbot Development Using Python", Published in International Journal of Research Thoughts (IJCRT), July 7th, 2020.
- [6]. Kshitija Shingte, Anuja Chaudhari, Aditee Patil, Anushree Chaudhari, Sharmishta Desai, "Chatbot Development for Educational Institute", Published in SSRN, June 6th 2021.
- [7]. Ujjwal Kumar, Murai Jha, Sonam Sirohi, "Smart Telegram Chatbot", Published in Journal of Emerging Technologies and Innovative Research, vol. 9, May 2022.
- [8]. Teddy Surya Gunawan, Asaad Balla Falelmula Babiker, Nanang Ismail, Mufid Ridlo Effendi, "Development of Intelligent Telegram Chatbot Using Natural Language Processing", Published on IEEE, January 18th 2022.

COLOUR SORTING MACHINE USING AURDINO

Solanke Vikas S^{*1}, Prathmesh Bandgar^{*2}, Vivekanand Hagwane^{*3}, Sachin Kute^{*4}

^{*1,2,3,4}HOD Of Computer Department Marathwada Mitra Mandal's Polytechnic, Thergoan,
Pune-411033, India.

ABSTRACT

This abstract presents a color sorting machine using Arduino microcontroller technology, TCS3200 color sensor, and servo motor integration. The Arduino platform serves as the core control unit, providing computational power and interfacing capabilities. The TCS3200 color sensor accurately identifies a wide range of colors, while the servo motor physically separates objects based on color. The Arduino microcontroller processes color data and issues commands to the motor, directing it to divert the object into the appropriate bin or conveyor belt. The development process involves designing and programming the Arduino microcontroller to interface with the TCS3200 sensor and servo motor, ensuring seamless communication and control. The project aims to provide a cost-effective, customizable solution for color sorting applications, offering increased efficiency, reduced labor costs, and improved product quality.

Keywords: Color Sorting Machine, Arduino, TCS3200 Color Sensor, Servo Motor.

I. INTRODUCTION

The Color Sorting Machine Project aims to develop an automated system utilizing Arduino, TCS3200 color sensor, and servo motor technology for efficient object sorting based on color criteria. With the primary objective of accurate color detection and sorting, the project focuses on hardware assembly, software development, and testing phases. By integrating these components, the system detects object colors using the TCS3200 sensor and controls the sorting mechanism via a servo motor, ensuring high precision and reliability. The project's methodology involves system design, hardware implementation, software coding, testing, and deployment, with a focus on scalability and user-friendliness. Ultimately, this project seeks to showcase the potential of automated color sorting systems in various industrial applications, offering a comprehensive solution to streamline processes and enhance productivity.

II. METHODOLOGY

The methodology section of a project outlines the steps involved in designing, developing, and deploying a color sorting machine using Arduino, TCS3200 color sensor, and servo motor. The project involves defining the objectives, assembling the hardware components, and ensuring secure and functional connections. The software development involves writing an Arduino sketch to interface with the TCS3200 color sensor and servo motor, implementing functions to read RGB values, defining thresholds for different colors, and developing logic to control the servo motor based on the detected color.

Calibration is crucial for accurate color detection, and parameters such as integration time and gain are adjusted to optimize sensor performance. Testing and integration involve feeding colored objects through the color sensor and observing the sorting mechanism's response. Performance evaluation measures sorting efficiency, and feedback is collected to improve performance.

Documentation includes hardware schematics, software code, calibration procedures, test results, and a user manual detailing operation, maintenance, and troubleshooting. Deployment involves deploying the machine in the intended environment, providing training to users, and monitoring performance in real-world conditions. Future considerations include identifying potential areas for improvement, incorporating user feedback, and planning for upgrades or modifications to adapt to changing requirements or technology advancements.

III. MODELING AND ANALYSIS

To create a color sorting machine using Arduino, a TCS3200 color sensor, and a servo motor, follow these steps:

- Understand the components: Arduino is a microcontroller that controls the entire system. The TCS3200 color sensor detects objects' colors, while the servo motor is used for sorting.
- Wire the components: Connect the TCS3200 color sensor and servo motor to Arduino.

- Programme the Arduino: Write a program to initialize the sensor and motor, calibrate it to recognize colors accurately, and implement logic to control the motor. Define the sorting mechanism and test the system with different colored objects.
- Test and debug: Test the system with different colored objects, debug any issues, and fine-tune calibration if necessary.
- Optimize and enhance performance: Consider adding features like speed control for the servo motor or implementing algorithms for faster color detection.
- Ensure safety: Implement safety features to prevent accidents, such as emergency stop buttons or protective barriers.
- Document the project thoroughly, including wiring diagrams, code explanations, and modifications made. Provide user instructions for operating and maintaining the machine.
- Consider future enhancements: Consider adding a user interface or integrating with other sensors for more precise sorting.



Figure 1: Colour Sorting Machine Module1



Figure 2: Colour Sorting Machine Module2

IV. RESULTS AND DISCUSSION

The implementation of a color sorting machine utilizing Arduino, TCS3200 color sensor, and servo motor yielded promising results. Through meticulous calibration and programming, the machine successfully distinguished and sorted various colored objects with precision. The TCS3200 color sensor played a pivotal role in accurately detecting the color spectrum of incoming objects, enabling the Arduino microcontroller to make real-time sorting decisions. The servo motor, integrated seamlessly into the system, facilitated the efficient sorting process by swiftly diverting objects into designated bins based on their color classification. One of the notable outcomes of this project was the machine's ability to handle a diverse range of colors effectively. Whether it was primary colors or shades and tones, the system demonstrated consistent and reliable performance in sorting objects with minimal errors. Moreover, the responsiveness of the servo motor contributed to the overall efficiency of the sorting process, ensuring rapid and precise redirection of objects as per the predefined criteria. However, during the testing phase, a few challenges were encountered, primarily related to sensor calibration and environmental lighting conditions. Fine-tuning the sensor parameters and adjusting the algorithm proved crucial in overcoming these hurdles and enhancing the machine's accuracy and reliability. Additionally, optimizing the servo motor's speed and motion trajectory further improved the sorting efficiency, reducing processing time and enhancing throughput. Overall, the color sorting machine project showcased the potential of integrating Arduino, TCS3200 color sensor, and servo motor to create a functional and efficient sorting system. The results attained underscore the significance of robust calibration, meticulous programming, and thoughtful design considerations in developing reliable automation solutions for practical applications. With further refinement and optimization, this technology holds promise for various industries requiring automated sorting processes, such as recycling facilities, manufacturing plants, and agricultural operations.

V. CONCLUSION

The Color Sorting Machine project utilizing Arduino, TCS3200 color sensor, and servo motor demonstrates a practical application of technology in automating color sorting tasks. Through this project, several conclusions can be drawn:

1. **Efficiency Improvement:** The implementation of the color sorting machine enhances efficiency by automating the process, reducing human intervention, and minimizing errors associated with manual sorting.
2. **Accuracy:** The TCS3200 color sensor provides reliable color detection, ensuring accurate sorting based on predefined criteria. This accuracy is crucial, especially in industries where precise color sorting is essential.
3. **Versatility:** The Arduino platform offers flexibility, allowing for customization and adaptation to various sorting needs. Different color detection algorithms and sorting mechanisms can be implemented to accommodate different applications.
4. **Cost-Effectiveness:** Compared to commercial color sorting machines, this project offers a more cost-effective solution, making it accessible to hobbyists, small-scale businesses, or educational institutions with budget constraints.
5. **Learning Experience:** Engaging in this project provides valuable hands-on experience in electronics, programming, and robotics. It fosters understanding of concepts related to sensors, actuators, microcontrollers, and signal processing.
6. **Scalability:** The project can be scaled up or modified to handle larger volumes of items or accommodate additional sorting criteria. This scalability makes it suitable for both small-scale and industrial applications.
7. **Challenges and Learning Opportunities:** Throughout the project development process, challenges such as calibration, noise handling, and mechanical integration may arise. Overcoming these challenges offers valuable learning opportunities and enhances problem-solving skills.
8. **Potential Applications:** Beyond simple color sorting tasks, the principles demonstrated in this project can be extended to various fields such as agriculture, recycling, food processing, and manufacturing, where automated sorting based on color is required.

In conclusion, the Color Sorting Machine project utilizing Arduino and TCS3200 color sensor, coupled with a servo motor, presents a practical and educational initiative that enhances efficiency, accuracy, and automation in color sorting tasks. Its affordability, versatility, and scalability make it a promising solution for diverse applications, while its development process offers valuable learning experiences and opportunities for innovation.

ACKNOWLEDGEMENTS

The Colour Sorting Machine project, using Arduino and TCS3200 color sensors and a servo motor, was successfully completed. The team expresses gratitude to their HOD sir, Marathwada Mitra Mandals Polytechnic Thergaon, team members, Jyadip Electronics, fellow students, friends, and family members, and researchers and developers in the field of Arduino, TCS3200 color sensors, and servo motors. They also thank everyone who contributed to the project, as their support and encouragement were instrumental in bringing the vision to life..

VII. REFERENCES

- [1] C. Zhang and adequate. S. Suslick, "Colorimetric sensor cluster for soda pop research", J. Agric food Chem, vol fifty 5, pp 237-242, 2007.
- [2] P. D. Oram and J. Strine, "Shading estimation of a strong dynamic pharmaceutical fixing as a guide to spotting key gadget Parameters", J. Pharm Biomed Anal, vol forty, pp 1021-1024, 2006.
- [3] M. Candid, Nobert Kaiser, Wolfgang Buss, Ramona Eberhardt, "speedy mechanical shading and characteristic sensors, digital Imaging", pp 50-fifty seven, 1999.
- [4] A. Pacquit, J. Frisby, Danny Diamond, King Tong Lau, Alan Farrell, Brid Quilty, Dermot Diamond, "improvement of a smart bundling for the checking of fish waste", meals Chem, vol 102, pp 466-470, 2007.
- [5] E. J. Cadieux Jr, "Framework and strategy for outwardly analyzing a cigarette bundling gadget", ed: Google Patents, 2002.

VIRTUALIZE TOOLS AND SOFTWARE

**Sohel Ibrahim Jawale^{*1}, Jayesh Kailas Patil^{*2}, Shrihari Ravindra Kshirsagar^{*3},
Vikas S Solanke^{*4}**

^{*1,2,3,4}Department Of Computer Engineering, Marathwada Mitra Mandal's Polytechnic Thergaon,
Pune, Maharashtra, India.

ABSTRACT

In today's dynamic technological landscape, the demand for intuitive and efficient software solutions has surged. "Virtualize Tools And Software" is a GUI-based project offering four distinct services to enhance user productivity and streamline interaction. The first service, Virtual Mouse, revolutionizes traditional mouse operations with its Hand Recognize technology, seamlessly executing standard functionalities while integrating advanced features like gesture-based Chrome tab opening, enhancing user performance. Air Board, the second service, provides a virtual platform for graphical tasks, enabling users to draw shapes, write text, and make annotations effortlessly via intuitive virtual gestures, eliminating the need for physical input devices. Virtual Assistant, the third service, introduces a novel approach to information retrieval and analysis, allowing users to upload images for intelligent responses to queries, thereby facilitating efficient data extraction. PDF Talker, the fourth service, enhances navigation and comprehension of PDF documents by supporting various formats and enabling users to ask questions about document content, ensuring streamlined interaction. By amalgamating cutting-edge technologies with user-friendly interfaces, "Virtualize Tools And Software" optimizes user experiences across diverse tasks, eliminating manual processes for efficient task completion.

Keywords: GUI-Based Project, Virtual Mouse, Air Board, JEXA -Virtual Assistant, PDF Talker.

I. INTRODUCTION

This paper introduces the Virtualize Tools And Software project, which encompasses four distinct services meticulously crafted to augment user productivity and facilitate seamless interaction. At its core, the project harnesses cutting-edge technologies to offer innovative solutions tailored to address diverse user needs, ranging from mouse functionalities to document navigation and information retrieval. Foremost among these services is the Virtual Mouse, which leverages state-of-the-art Hand Recognize technology to revolutionize conventional mouse operations. Through seamless execution and advanced features, the Virtual Mouse sets a new standard for user interface interaction, empowering users to navigate digital environments effortlessly. By enabling intuitive gestures, users can effortlessly create shapes, annotations, and textual content, fostering creativity and enhancing communication. Additionally, the Virtual Assistant service introduces a novel approach to information retrieval and analysis, allowing users to extract pertinent information from product screenshots or images. With intelligent responses to user queries, the Virtual Assistant enhances decision-making capabilities and accelerates task completion. Lastly, the PDF Talker service addresses the challenges associated with navigating and comprehending PDF documents by offering efficient navigation tools and precise content-related queries. Supporting various document formats, PDF Talker streamlines interaction with PDF content, enhancing user efficiency and comprehension. Through the amalgamation of cutting-edge technologies and user-centric design, the Virtualize Tools And Software project seeks to redefine the user experience across diverse tasks and workflows. By eliminating manual processes and enhancing usability, this project represents a significant step towards optimizing user productivity in the digital age.

II. METHODOLOGY

This section outlines the methods and analysis techniques employed in the development of the virtualized tools project, encompassing the virtual mouse, virtual painter, JEXA assistant, and PDF Talker. The chosen methodologies aim to create user-friendly and functional tools that cater to user needs.

2.1 Research Methods

1. Literature Review: A comprehensive review of existing virtualized tools and related software will be conducted to identify current trends, functionalities, and user feedback. This will help in understanding the existing landscape and pinpointing areas for innovation in your project.

2. User Research: User research will be conducted through surveys and/or interviews to gather insights into user needs, expectations, and pain points regarding virtualized tools. This could involve targeting users with specific requirements (e.g., accessibility needs) to ensure your tools are inclusive.

2.2 Development Process

The development process will follow a structured approach, potentially using an Agile methodology (Scrum). Here's a breakdown of a possible approach:

1. Requirement Gathering and Analysis: Refine the project requirements based on user research and literature review findings.
2. System Design and Architecture: Design the overall architecture of the virtualized tool suite, considering how the tools will interact and their modularity.
3. Development and Implementation: Develop each tool iteratively, focusing on core functionalities first and then adding advanced features.
4. Testing and Debugging: Rigorously test each tool to identify and fix bugs or usability issues.
5. Deployment and Maintenance: Deploy the tools to the target platforms and establish a maintenance plan to address future issues or user feedback.

III. MODELING AND ANALYSIS

In this section, we present the models and materials utilized in the development and analysis of the virtualized tools and software. The models provide a conceptual framework for understanding the system architecture, while the materials outline the software components and technologies employed in the implementation.

3.1 System Architecture Model

The system architecture model depicts the high-level structure and interaction flow of the virtualized tools and software suite. It comprises four main components: Virtual Mouse, Virtual Painter, JEXA Assistant, and PDF TALKER. Each component interfaces with the user through a graphical user interface (GUI) and interacts with the underlying system to perform its respective functionalities.

Table 1: System Architecture Model

Component	Description
Virtual Mouse	Allows users to control cursor movements and perform mouse actions using gestures or keyboard commands.
Virtual Painter	Enables users to create digital artwork using virtual brushes and painting tools, with support for layers and export functionality.
JEXA Assistant	AI-powered virtual assistant providing assistance and information related to the virtualized tools and software.
PDF TALKER	Converts text from PDF documents into speech for enhanced accessibility, with support for adjustable reading speed and voice preferences.




Figure 1: Right Hand Gesture Recognition.




Figure 2: Flowchart of mechanism.

The virtualized tools and software suite is developed using a combination of programming languages, frameworks, and libraries tailored to each component's requirements. The following table outlines the key software components and technologies utilized in the implementation:

Table 2: Software Components and Technologies

Component	Technology/Tool
Virtual Mouse	Python, OpenCV, PyAutoGUI
Virtual Painter	Python3 , OpenCV , Numpy
JEXA Assistant	Python, Gradio Web-Framework, GenAI , google gemini natural language processing (NLP) and machine learning.
PDF TALKER	Python, PyPDF2, pyttsx3 , GenAI , google gemini natural language processing (NLP) and machine learning , Streamlit web app-Framework.

IV. RESULTS AND DISCUSSION

This section presents the outcomes of your virtualized tools project development and discusses their significance. You can choose to combine results and discussion or present them in separate subsections.



Figure 3: The Main GUI page




Figure 4: Virtual Mouse




Figure 5: Opening the 3 tabs in browser after the gesture Shown in figure 4:




Figure 6: Air-Board




Figure 7: JEXA -Virtual assistant

V. CONCLUSION

The implementation of the "Virtualize Tools And Software" project marks a noteworthy advancement in user-centric software solutions, presenting a comprehensive suite of GUI-based tools meticulously crafted to address the evolving needs of contemporary users. By ingeniously integrating and optimizing advanced functionalities, this project aspires to redefine conventional computing experiences. Through the introduction of innovative tools such as the Hand Recognize virtual mouse, Air Board, Virtual Assistant, and PDF Talker, our endeavor delivers versatile solutions aimed at streamlining everyday tasks and augmenting productivity. The incorporation of cutting-edge features, including gesture-based commands and intelligent information retrieval, enhances user interactions, fostering more intuitive and efficient engagement with digital content. The Virtualize Tools And Software project underscores the significance of harnessing state-of-the-art technologies to empower users across various domains. By adhering to seamless integration and user-centric design principles, this GUI-based solution sets a precedent for software development, prioritizing enriched user experiences and simplified workflows. In conclusion, the Virtualize Tools And Software project epitomizes innovation and excellence in GUI-based software solutions, providing a glimpse into the future of user interaction. With its unwavering focus on enhancing productivity and user engagement, this project holds substantial promise for reshaping the landscape of digital tools and technologies, ushering in a new era of efficiency and efficacy.

VI. REFERENCES

- [1] Chengwei Liu, Yixiang Chan, Syed Hasnain Alam Kazmi, Hao Fu, "Financial Fraud Detection Model: Based on Random Forest," International Journal of Economics and Finance, Vol. 7, Issue. 7, pp. 178-188, 2015.
- [2] Student, Department of Information Technology, PSG College of Technology, Coimbatore, Tamilnadu, India,"Virtual Mouse Using Hand Gesture Recognition ",Volume 5 Issue VII, July 2017.
- [3] Srungavarapu, P., Maganti, E. P., Sakhamuri, S., Veerada, S. P. K., & Chinta, A. (2021). Virtual Sketch using Open CV. International Journal of Innovative Technology and Exploring Engineering, 10(8), 107-108. <https://doi.org/10.35940/ijitee.h9262.0610821>
- [4] Patil, Y., Paun, M., Singh, K., & Kisan Borate, V. (2020). Virtual Painting with Opencv Using Python. www.ijrst.com
- [5] Vidhate, P., Khadse, R., & Rasal, S. (n.d.). VIRTUAL PAINT APPLICATION BY HAND GESTURE RECOGNITION SYSTEM. In International Journal of Technical Research and Applications (Vol. 7, Issue 3). www.ijtra.com
- [6] Imrie P, and Bednar P. (2013). 'Virtual Personal Assistant', in: Martinez M. and Pennarolaecilia F. (editors). ItAIS 2013. Proceedings of 10th Conference of the Italian Chapter of AIS, 'Empowering society through digital innovations', Università Commerciale Luigi Bocconi in Milan, Italy, December 14th, 2013. ISBN: 978-88-6685-007-6

AI KRISHNA**Vikas Solanke^{*1}, Tanmay Raut^{*2}, Rohan Kudale^{*3}, Ajit Salunke^{*4}**

^{*1}Guide, Department Of Computer Engineering, Marathwada Mitra Mandal's Polytechnic, Pune,
Maharashtra, India.

^{*2,3,4}Student, Department Of Computer Engineering, Marathwada Mitra Mandal's Polytechnic, Pune,
Maharashtra, India.

ABSTRACT

The main objective of AI Krishna Project is to create an interactive platform that allows enthusiasts, scholars and students to explore various aspects of Indian mythology with the help of intellectual property intelligence. The platform draws on a variety of texts, including ancient scriptures, scriptures and manuscripts, to understand the complexity of Indian mythological characters, events and themes. AI Krishna allows users to have meaningful conversations with virtual characters representing gods, saints, and mythological figures. Chatbots use artificial intelligence to answer users' questions using many APIs (open source) available in the market. AI Krishna aims to create cultural awareness and preserve the eternal legacy of Indian mythology in the digital age. The aim of the program is to bridge the gap between modern technology and ancient wisdom and to stimulate new interest in the timeless stories that have shaped the beliefs of millions of people regarding their spiritual and emotional aspects. The AI Krishna Project represents a major advance in the exploration of Indian mythology through artificial intelligence. By uncovering the mysteries of ancient myths and making them accessible to a global audience, the project helps preserve and appreciate India's deep mythological heritage, inspiring a new sense of wonder and appreciation for the world's oldest and most ancient legends.

Keywords: AI Krishna, Chatbot, Mantras, Shlokas, Android App, Module.

I. INTRODUCTION

The AI Krishna project aims to bridge the gap between mythology, education and mental health by using technology to provide practical resources to study the Bhagavad Gita and improve spiritual health. AI Krishna is an Android app that provides users with a great platform to explore ancient wisdom, manage stress, anxiety and depression, and promote personal growth. This intelligent conversation manager supports users in meaningful conversations by providing accurate answers to their questions about people, events, ideas and culture, many of which are mythologically significant. As the user interacts with the chatbot, it adapts and learns, constantly improving its experience to provide better answers and accurate content.

II. METHODOLOGY


Development of AI Krishna Android application; It involved multiple approaches combining expertise in mythology, education, mental health and mobile app development. AI Krishna Android app provides users with social access to project features and resources. The app is designed to be intuitive and engaging, with interactive content that encourages interaction and learning. Users can customize their experience, set goals, and track their progress from the app's dashboard.

2.1. Description of Features:


- 1. Kanhaa Module:** The Kanhaa module acts as a chatbot integrated into the voice assistant. Its main function is to handle user queries regarding Indian mythology and other topics. Users can ask or find information about various aspects of Indian mythology such as Hindu gods and goddesses, scriptures such as Bhagavad Gita, Mahabharata and other topics. The Kanhaa module supports the audio program by providing a unique dialogue to explore Indian mythology, appealing to users who are curious, interested in learning and spiritual pursuits.
- 2. Bhagavad gita Module:** Bhagavad Gita Module is an important part of AI Krishna specially designed to meet users' questions and interests regarding the revered Hindu scripture Bhagavad Gita. This change allows users to engage in meaningful discussions, seek understanding, and explore deeper teachings of the Bhagavad Gita.

- 3. Mood Module:** Mood module enhances the functionality of AI Krishna by providing personalized recommendations on Bhagavad Gita chapters and contents based on the user's mood or mood. This format offers users a selection of insights and teachings from the Bhagavad Gita that suit their current needs and mental health.
- 4. Mantras Module:** The Mantra module supports the functionality of the voice assistant by providing users with access to a repository of sacred mantras from Indian mythology and spiritual traditions. The mode gives users the opportunity to search, listen and speak powerful mantras for a variety of purposes, including spiritual motivation, meditation, healing and blessing. It encourages meditation and mindfulness by providing users with a variety of meditation-friendly mantras.
- 5. Meditation Timer:** A simple meditation timer notifies the user when the meditation is finished. Users can adjust the timing of the exercise and ambient sound. Meditation timer helps users create a meditation routine and maintain consistent practice

UML Diagram




Flowchart Diagram




III. RESULTS AND DISCUSSION

The AI Krishna Android application has been well received by users, with positive feedback highlighting its usability, educational value, and impact on mental well-being. The guided practices, mood tracking, and community support features have been particularly effective in helping users manage stress, anxiety, and depression.

Final Result Screen Shot's:





IV. CONCLUSION

The AI Krishna Project represents a pioneering effort to use technology to support mythology, education, and mental health. The program provides users with a positive approach to health by providing practical resources and tools to study the Bhagavad Gita, manage stress, and promote individual development. Moving forward, AI Krishna aims to continue to innovate and expand, enabling people around the world to live better, healthier lives.

V. REFERENCES

- [1] <https://www.markvernon.com/ai-and-spiritual-intelligence>
- [2] <https://www.linkedin.com/pulse/awakening-soul-spiritual-journey-ai-rama-chintakunta-2kysc>
- [3] <https://www.goodreads.com/en/book/show/126888959>
- [4] https://www.researchgate.net/publication/354064031_Artificial_Intelligence_and_Spirituality

CAMPUS MADAD: A STUDENT GRIEVANCE REDRESSAL PORTAL**Geeta Joshi^{*1}, Vaibhav Baviskar^{*2}, Anuj Gholve^{*3}, Rohit Bamhande^{*4}, Devavrat Surve^{*5}**^{*1}Principle, Marathwada Mitra Mandal's Polytechnic, Pune, India.^{*2,3,4,5}Student, Department Of Computer Engineering, Marathwada Mitra Mandal's Polytechnic, Pune, India.

ABSTRACT

Campus Madad emerges as a groundbreaking web-based and app-based solution, meticulously designed to empower students with a secure and anonymous platform to voice their concerns on campus. This innovative system addresses the longstanding challenge faced by universities in establishing robust and accessible mechanisms that ensure student support and cultivate a thriving academic environment. By fostering open communication and a safe space for reporting grievances, Campus Madad transcends the limitations of traditional methods, empowering students to take an active role in shaping a positive and inclusive college experience. The portal recognizes the potential vulnerability students might feel when encountering issues like ragging, bullying, or harassment. Campus Madad provides a channel for them to seek redressal without fear of reprisal, fostering a culture of trust and transparency within the college administration. This not only safeguards student well-being but also paves the way for a more responsive and supportive campus environment. Furthermore, Campus Madad acknowledges the power of data in driving positive change. The system facilitates the collection of valuable data on reported grievances. This data empowers college authorities to identify recurring issues and implement proactive measures to address them. By bridging the communication gap between students and administration, Campus Madad creates a feedback loop that fosters continuous improvement and ensures a safe, secure, and inclusive learning environment for all students.

Keywords: Grievance, Ragging, Student Redressal, Reporting, Harassment.

I. INTRODUCTION

The college experience is a crucible for young adults, fostering intellectual growth and shaping them personally and socially. However, this transformative period can also be fraught with challenges that extend far beyond academics. Problems such as bullying, harassment, or ragging can make students feel vulnerable, afraid, and alone. This can negatively affect their academic performance as well as their general well-being. Traditionally, reporting such grievances could be a complex and discouraging process. Students might hesitate due to fear of reprisal, a lack of trust in existing mechanisms, or simply not knowing where to turn for help. This is where Campus Madad emerges as a revolutionary solution. It is a comprehensive web-based and mobile application designed to empower students by providing a secure and anonymous platform to voice their concerns. Campus Madad recognizes the potential vulnerability students might feel when encountering issues and aims to foster a culture of trust and transparency within the college administration. By creating a safe space for reporting grievances and fostering open communication, Campus Madad transcends the limitations of traditional methods. This innovative system empowers students to take an active role in shaping a positive and inclusive college experience. With Campus Madad, students can finally have their voices heard and feel confident that their concerns will be addressed with empathy and effectiveness, paving the way for a more responsive and supportive campus environment.

II. METHODOLOGY**Needs Assessment:**

- Surveys and Interviews: Data was gathered from students, faculty, and administrators through surveys and interviews to identify prevalent grievances and assess existing reporting mechanisms.
- Policy and Procedure Analysis: Current policies and procedures related to student grievances were reviewed to identify gaps and areas requiring improvement Stakeholder
- Identification: Key stakeholders, including students, faculty, administrators, and IT staff, were identified to ensure their involvement in the implementation process.

Platform Development:

- Design and Development: A user-friendly web-based and mobile application was developed in collaboration with a team of developers and designers to facilitate secure and anonymous reporting of grievances.
- Privacy and Security Measures: Robust privacy and security measures were implemented to protect student anonymity and safeguard their data.

Usability Testing: The platform underwent rigorous usability testing with students to identify and address any issues or challenges.

Implementation Strategy:

- Training and Awareness: Training sessions were conducted for students, faculty, and administrators to familiarize them with the use of Campus Madad and raise awareness about the importance of reporting grievances.
- Integration with Existing Systems: Campus Madad was integrated with existing systems and processes for handling student grievances to ensure seamless communication and coordination.
- Rollout Plan: A comprehensive rollout plan was developed to implement Campus Madad across the campus, taking into account timing, communication strategies, and support resources.

Evaluation:


- Usage Monitoring: Usage of Campus Madad was monitored over time to assess its adoption and effectiveness in addressing student grievances.
- Feedback Collection: Feedback was collected from stakeholders through surveys and interviews to identify strengths, weaknesses, and areas for improvement.
- Impact Measurement: The impact of Campus Madad on student well-being, campus culture, and academic performance was evaluated using quantitative and qualitative measures.

Continuous Improvement:

Feedback Integration: Feedback from stakeholders was used to make iterative improvements to Campus Madad, addressing any identified issues or challenges.

Stay Updated: Ongoing monitoring of technology developments and best practices in addressing student grievances ensured that Campus Madad remained effective and relevant.

III. MODELING AND ANALYSIS



Model Description:

- Campus Madad is built upon a comprehensive framework designed to address student grievances in higher education institutions. The model encompasses the following components:

User Interface:

- Web-based and mobile application interface designed for ease of use and accessibility.
- Anonymous reporting feature to protect the identity of students reporting grievances.

Database:

- Secure database infrastructure to store reported grievances and related data.
- Encryption protocols to ensure the confidentiality and integrity of student information.

Reporting Mechanism:

- Mechanism for students to report grievances securely and anonymously through the Campus Madad platform.
- Options for students to provide details and context regarding their grievances.

Administrative Dashboard:

- Dashboard interface for college administrators to view and manage reported grievances.
- Tools for administrators to track the status of reported grievances, communicate with students, and take appropriate action.

Materials Used:**Software:**

- Development environment: Integrated Development Environment (IDE) such as Visual Studio Code or IntelliJ IDEA.
- Programming languages: HTML, CSS, JavaScript for front-end development; nodejs for back-end development.
- Database management system: google firebase for data storage and retrieval.
- Version control: Git for collaborative development and code management.

Hardware:

- End-user devices: Computers, laptops, smartphones, and tablets for accessing the Campus Madad web-based and mobile applications.

Usage Metrics:

Number of grievances reported through Campus Madad over a specific period.

Frequency of user interactions with the platform (e.g., logins, submissions).

- **Feedback Analysis:**

Qualitative analysis of feedback collected from students, faculty, and administrators regarding their experience with Campus Madad.

Identification of common themes, strengths, weaknesses, and areas for improvement.

- **Impact Assessment:**

Quantitative assessment of the impact of Campus Madad on student well-being, campus culture, and academic performance.

Comparison of pre-implementation and post-implementation data to measure changes in reported grievances and overall campus climate.

Features:

Rather than making a simple student grievance system Campus Madad provides a large set of options to its users giving out students a helping hand, a trust partner and a college buddy with whom the students would feel safe. Some of the features of campus Madad are listed below:-

- Chatbot for students to directly interact and learn
- Track Status of their complaint
- Complain normally directly to the authorities incharge.
- Complain anonymously (to hide identity)
- Mentor support

- Awareness



Figure 1: App's Screenshot




Figure 2: Admin side of application

IV. RESULTS AND DISCUSSION

In the results and discussion section, the evaluation of Campus Madad's impact on addressing student grievances in higher education institutions reveals noteworthy findings. Firstly, the consistent utilization of Campus Madad over a specific timeframe resulted in a substantial number of grievances being reported. This trend suggests an active engagement from students, indicating a growing awareness and utilization of the platform as a means to address their concerns effectively. Qualitative feedback gathered from stakeholders

emphasized Campus Madad's success in providing students with a secure and anonymous channel to report grievances, mitigating concerns about potential reprisals and fostering trust in the reporting process. Additionally, both faculty and administrators expressed satisfaction with the platform's user-friendly interface and its efficacy in facilitating communication and resolving student concerns, thus underscoring its value as a comprehensive solution to address issues within the campus community.

Moreover, an analysis of pre-implementation challenges highlighted the inadequacy of existing reporting mechanisms, resulting in underreporting and unresolved issues. However, post-implementation observations indicated a notable increase in reported grievances, showcasing Campus Madad's effectiveness in encouraging students to voice their concerns. This shift reflects a positive change in the campus culture, as evidenced by a growing willingness among students to utilize Campus Madad as a platform for expressing their grievances. Furthermore, this enhanced reporting culture was corroborated by notable improvements in perceptions of safety and supportiveness among students, as revealed in campus climate surveys. These findings underscore the transformative potential of Campus Madad in empowering students and fostering a more inclusive and supportive campus environment.

V. CONCLUSION

In conclusion, the implementation of Campus Madad represents a significant step forward in addressing student grievances within higher education institutions. The findings from this research highlight the platform's effectiveness in empowering students to voice their concerns through a secure and anonymous reporting mechanism. By providing a user-friendly interface and fostering trust and transparency between students and administrators, Campus Madad has contributed to a more responsive and supportive campus environment. The increase in reported grievances post-implementation indicates a positive shift in the reporting culture, reflecting a growing awareness and utilization of Campus Madad among students. Moreover, the improvements in perceptions of safety and supportiveness among students underscore the tangible impact of Campus Madad on campus climate. Moving forward, continuous refinement and improvement of Campus Madad will be essential to ensure its continued effectiveness in addressing evolving student needs and fostering a positive and inclusive campus culture. Overall, Campus Madad stands as a transformative solution in promoting student well-being and enhancing the overall collegiate experience.

ACKNOWLEDGEMENT

We would like to express our gratitude to our HOD Vikas Solanke sir, our project guide Geeta Joshi ma'am and all the teaching staff whose guidance and expertise were invaluable throughout the research process. Their insights and encouragement have been instrumental in shaping this study. Additionally, we extend our appreciation to our colleagues and peers for their support and collaboration. Special thanks also go to our families and friends for their unwavering encouragement and understanding during this endeavor. Their encouragement has given me courage and drive. We are deeply grateful for all the individuals who have contributed to this research work in various ways, and we acknowledge their invaluable contributions.

VI. REFERENCES

- [1] Shaligram Prajapat, Vaibhav Sabharwal, Varun Wadhwani "A Prototype for Grievance Redressal System" 2018
https://www.researchgate.net/publication/324621040_A_Prototype_for_Grievance_Redressal_System.
- [2] Jincy Denny, Ramya Chanda, Sweta Rani Lenka, A. Srija Reddy, Sahithya Vallabaneni. "a web portal for student grievance support system", 05 May (2021). International Journal Of Recent Technology And Engineering (IJRTE).
- [3] Satheeswaran Venkatesan, Arjun R, Nidhin A, Pranav C. "State-Level Students Grievance Support System" 2020.
https://www.researchgate.net/publication/346725428_StateLevel_Students_Grievance_Support_System.
- [4] Maharashtra State Police e-Complaint Registration System (<http://gms.maharashtra.gov.in/CMS/>)
- [5] RailMadad, A Grievance Redressal Mechanism (indianrailways.gov.in)

Voice Control Armed Robot Assistant Using Arduino Uno

Kadam Karan

Department of Computer Engineering
Marathwada Mitra Mandal's Polytechnic
Thergoan, Pune-411033

Jirobe Amit

Department of Computer Engineering
Marathwada Mitra Mandal's Polytechnic
Thergoan, Pune-411033

Ingale Roshani

Department of Computer Engineering
Marathwada Mitra Mandal's Polytechnic
Thergoan, Pune-411033

Kale Supriya S.

Lecturer Computer, Department
Marathwada Mitra Mandal's Polytechnic
Thergoan, Pune-411033

Abstract:- In this paper we implement intelligent system that follow voice commands and controlling using Arduino UNO. The proposed system will perform several tasks through voice commands. Also, it will interact with user by answering the questions asked by user. In proposed system Arduino uno is used to read voice commands and response them. The aim of this system is to assist user physically and also virtually. The system is helpful for students, Tech enthusiasts, and physically disabled people to do their daily work and help in problems. This Voice Control Assistant will be helpful for elderly and physically disabled also. The armed Voice Assistant can pick up and place things over voice commands. This feature enhances capabilities of assistant.

Keywords:- Arduino, Bluetooth, Ultrasonic Sensor, Voice Control, Armed Robot, Voice Assistant.

I. INTRODUCTION

In an era marked by rapid technological advancements, the integration of voice-controlled assistant robots represents a significant breakthrough in human-computer interaction. These intelligent systems, equipped with sophisticated speech recognition capabilities, offer users a seamless and intuitive means of controlling various devices, accessing information, and performing tasks through voice commands.

The emergence of voice-controlled assistant robots has revolutionized the way we interact with technology, transcending voice input methods and enabling more natural and efficient communication. Whether it's managing smart home devices, retrieving information from the internet, or even providing entertainment, these robots serve as versatile companions that augment our daily lives with unparalleled convenience and functionality.

The main motive of the Voice Control Assistant is to listen human commands and provide intended service or task.

II. EASE OF USE

- Information Retrieval: The voice control Assistant can input voice and retrieves information from web such as history, entertainment, sports and much more.
- Command Follow: The voice control assistant can perform several tasks such as forward, backward, left, right, pickup things, drop things, etc. through voice commands.
- Virtual and Physical Assistant: The voice control assistant works on two modes. The voice control Assistant assists us Virtually and also Physically.
- Hands - Free Control: The voice control assistant allow the user to be hands free while using robot. The robot is accessible by voice commands, no need to use hands.

III. LITERATURE REVIEW

Numerous studies and advancements have been done in the field of Robotics and as digital networks continue to grow quickly and become more widely used, the demand for timely and always-available services has intensified. One well-liked and rapidly growing method of service providers is the Voice assistance. Here are a few research studies that we have consulted in order to comprehend and develop our concept.

In 2020, P. S. Reddy worked on Personal assistant's robot which helps to reduce the manual efforts of humans in their day-to-day tasks. In design of a personal assistant robot, which is controlled by voice commands to pick long/short distance objects. Voice communication between the robot and android smartphone is done via Bluetooth. The proposed four-wheeled robot consists of a camera and robotic arm. The camera is used for object detection, distance measurement, and a robotic arm to perform pick and place actions.

In 2015, A. Mishra Personal robotic assistants help reducing the manual efforts being put by humans in their day-to-day tasks. In this develop a voice-controlled personal assistant robot. The human voice commands are given to the robotic assistant remotely, by using a smart mobile phone. The robot can perform different movements, turns, start/stop operations and relocate an object from one place to another. The voice commands are processed in real-time, using an online cloud server.

In 2016, Vineeth Teeda, developed system which is based robotic assistants that reduces the manual efforts being put by humans in their day-to-day tasks. In this, we develop a voice-controlled personal assistant robot. The human voice commands are taken by the robot by its own inbuilt microphone. This robot not only takes the commands and execute them, but also gives an acknowledgement through speech output. This robot can perform different movements, turns, wakeup/shutdown operations, relocate an object from one place to another and can also develop a conversation with human. The voice commands are processed in real-time, using an offline server. The speech signal commands are directly communicated to the server using a USB cable.

In 2021 Prof. Heena Patil worked on home automation system the using an Arduino board with Bluetooth being remotely controlled through manner of way of Android smart telecall smartphone. As technology is advancing so houses are also getting smarter. Modern houses are progressively transferring from conventional switches to centralized control system, regarding far-flung controlled switches. Presently, conventional wall switches located in one-of-a-type factors of the house makes it difficult for the client to go near them to perform. Even greater it becomes greater difficult for the elderly or physical handicapped people.

IV. SYSEM DEVELOPMENT

In this robot we have attached HC-05 Bluetooth module. After turning on the robot , the bluetooth module starts advertise its SSID. Then we have to open AMR_Voice application on Smartphone. The AMR_Voice is Bluetooth development Software. We have to pair our robot to our Smartphone's bluetooth. After pairing we'll able to pass voice commands to the robot. The voice command that is passed to the robot is converted into string. Then the Arduino checks for the simmilar string function created in c language in Arduino. Then it calls intended function to perform that specific task.




Fig 1: Block Diagram of Proposed System

➤ For Example-

If we passed “Move forward” command, then the program will call its forward function. In that function we have specified that which gear motor will run in forward direction and which will run in backward direction. Then the robot will run in forward direction.

Same as, we have created commands like back, left, right, roll, rotate, clean the room, pick up, drop, etc.

V. SYSEM REQUIREMENTS

➤ Arduino UNO

Arduino UNO is an open-source controller. Arduino boards are able to read inputs, light on a sensor, a finger on a button and turn it into an output such as activating a motor, turning on an LED, publishing something online on web. Arduino has inbuilt analog to digital converter, so we can easily operate with analog signals as well. Arduino can connect to a computer via USB port (Universal Serial Bus) and perform in both analog and digital signal.

➤ *L293D Motor Driver Shield*

The L293D is a popular integrated circuit (IC) used as a motor driver in various electronic projects, especially those involving DC motors and stepper motors. Connect L293D motor driver shield on the Arduino UNO Board.

➤ *Gear Motors*

DC motor is a electrical machine that converts direct current into mechanical energy. All types of DC motors have some kind of mechanism either electronic or electro mechanical, so it can change the direction of flow of current in path of motor periodically. Connect 4 Gear Motors to the m1, m2, m3, m4 port of L293D.

➤ *MG90S Servo Motor*

The MG90S is a popular micro-sized servo motor widely used in robotics, and remote-controlled vehicles. It has metal gears inside it. Operating voltage is 4.8v to 6v. Torque is 2.2kg/cm. Weight is around 13.4 grams. Connect 4 Mg90s servo motor's signal pin to the d4, d5, d6, d7 pins of L293D and common VCC, GND pins of servo to the +5v, GND pins respectively.

➤ *SG90 Servo Motor*

The SG90 servo motor is commonly used for precise control of angular position in various applications such as robotics, remote-controlled vehicles, model airplanes, drones, camera angles, robotic arm and other projects requiring controlled movement. It operates between 0 to 180 degrees. Operating voltage is 4.8v to 6v. Connect SG90 servo motor to the servo1 port of L293D.

➤ *HC-05 Bluetooth Module*

HC05 Bluetooth module is a simple Bluetooth serial port protocol module designed for wireless serial connection setup. It has a footprint as small as 1.2cm X 2.7cm. It will simplify the overall design cycle by connecting it. Connect HC-05 Bluetooth module's VCC and GND pins to the +5v and GND pins of L293D and TX and RX pins of HC-05 to the RX and TX pins of L293D respectively.

➤ *Ultrasonic Sensors*

Ultrasonic sensors are commonly used with Arduino and other microcontroller platforms for distance measurement. It is also used for obstacle detection in various projects. It Uses ultrasonic waves measuring the time it takes for the waves to bounce off an object and return to the sensor. Connect Ultrasonic sensor's VCC and GND pin to the +5v and GND pins of L293D and Trig and Echo pin to the A0, A1 pin of L293D.

➤ *TP4056 Charging Module*

The TP4056 is a lithium-ion battery charging module commonly used in DIY electronics projects, portable devices, and battery-powered applications. It is designed to charge single-cell lithium-ion or lithium polymer rechargeable batteries safely and efficiently from a DC power source, such as a USB port or a DC adapter or a mobile battery charger.

VI. CONCLUSION

The voice-controlled assistant represents a significant advancement in human-computer interaction, offering users a convenient, hands-free way to access information, control devices, and perform tasks and services through natural language or voice commands. Throughout the course of this project, we have explored various aspects of voice recognition and integration with hardware and software components to develop a functional and user-friendly assistant.

As voice-controlled assistants become increasingly integrated into our daily lives and routine environments, it is essential to prioritize considerations such as security, privacy, and accessibility to ensure that users can trust and benefit from the assistant safely and inclusively.

The voice-controlled assistant project represents a significant milestone in advancing the capabilities of interactive technology, empowering users with intelligent and personalized assistance that enhances their daily experiences and productivity. By embracing innovation, collaboration, and user-centric design principles, we can continue to push the boundaries of what voice-controlled assistants can achieve, shaping the future of human-computer interaction and digital assistance.

REFERENCES

- [1]. J. U.K., I. V., K. J. Ananthakrishnan, K. Amith, P. S. Reddy and P. S., "Voice Controlled Personal Assistant Robot for Elderly People," 2020 5th International Conference on Communication and Electronics Systems (ICCES), Coimbatore, India, 2020, pp. 269-274, doi: 10.1109/ICCES48766.2020.9138101.
- [2]. A. Mishra, P. Makula, A. Kumar, K. Karan and V. K. Mittal, "A voice-controlled personal assistant robot," 2015 International Conference on Industrial Instrumentation and Control (ICIC), Pune, India, 2015, pp. 523-528, doi: 10.1109/IIC.2015.7150798.
- [3]. Vineeth Teeda, K.Sujatha, Rakesh Mutukuru , "Robot Voice A Voice Controlled Robot using Arduino" ,August 2016.
- [4]. VOICE ASSISTANT HOME AUTOMATION USING ARDUINO Prof. Heena Patil*1, Prof. Mayank Mangal*2 Saeesh Salunke*3, Aatish Bhoir*4, Kedar Patil*5, April-2021.
- [5]. H. Uehara, H. Higa and T. Soken, "A Mobile Robotic Arm for people with severe disabilities", Proc. 3rd IEEE International Conference on Biomedical Robotics and Biomechatronics (BioRob) RAS and EMBS, pp. 126-129, September 2010, ISSN 2155-1774.
- [6]. David Orenstein, "People with paralysis control robotic arms using brain", October 2014, [online] Available: <https://lnews.brown.edu/articles/2012/05/braingate2>.

- [7]. Wong Guan Hao, Y. Y. Leek and Lim Chot Hun, "6-DOF PC-Based Robotic Arm PC-ROBOARM with efficient trajectory planning and speed control", *Proc. 4th International Conference Mechatronics (ICOM)*, pp. 1-7, April 2011, ISBN 978-1-61284-435-0.
- [8]. R. Pahuja and N. Kumar, "Android Mobile Phone Controlled Bluetooth Robot", *Using 8051 Microcontroller" proceedings*, vol. 2, no. 7, pp. 2347-3878, 2014, [online] Available: www.ijser.com.



INTERNATIONAL JOURNAL OF CREATIVE RESEARCH THOUGHTS (IJCRT)

An International Open Access, Peer-reviewed, Refereed Journal

Smartpass – A Step Towards SmartCity

Swarada Mansingrao Bhosale, Aditi Ganesh Bankar, Aditi Girish Badiger

Project Guide name : Mrs. D.P. Kulkarni

Marathwada Mitra Mandal's Polytechnic

I. Abstract:

SmartPass is an innovative Android application designed to streamline bus pass management in urban areas, focusing on the PMPML daily bus pass system. Leveraging IoT technology, SmartPass offers a digital solution for purchasing, issuing, and validating bus passes, enhancing convenience for users and improving operational efficiency for public transportation authorities. This paper outlines the architecture, features, implementation, and potential impact of SmartPass in transforming urban mobility in smart cities. Through the integration of advanced technologies and digital payment systems, SmartPass represents a significant step towards modernizing bus pass systems and promoting sustainable urban transportation solutions.

Keywords - SmartPass, Smart Cities, Urban Mobility, Public Transportation, Bus Pass Management, Digital Solution, Mobile Application, Digital Payment, Sustainability.

II. Introduction:

In the rapidly evolving landscape of urban development, the concept of smart cities has emerged as a transformative approach to enhance the quality of life for residents through the integration of

technology, data-driven decision-making, and sustainable practices. At the heart of this transformation lies the Internet of Things (IoT), which empowers cities to collect and analyze data from various sources to improve efficiency, safety, and sustainability.

Amidst this paradigm shift towards smart urban environments, transportation systems play a pivotal role in shaping the mobility and accessibility of citizens. Efficient and reliable public transportation is essential for reducing traffic congestion, lowering carbon emissions, and enhancing overall urban mobility. However, traditional public transit systems often face challenges related to ticketing processes, fare collection, and passenger convenience.

Background:

Pune Mahanagar Parivahan Mahamandal Limited (PMPML), the public transport agency responsible for bus operations in Pune, India, serves as a critical lifeline for millions of commuters navigating the bustling streets of the city. With a vast network of bus routes connecting various parts of Pune and its suburbs, PMPML plays a vital role in the daily lives of residents.

Despite its significance, PMPML faces challenges in modernizing its ticketing and fare collection systems to meet the evolving needs of passengers in an increasingly digital era. Traditional paper-based ticketing methods are not only cumbersome but also prone to inefficiencies, revenue leakage, and operational challenges. Moreover, the manual verification of tickets by conductors and ticket checkers contributes to delays and inconvenience for passengers.

Purpose of the Research:

To address these challenges and contribute to the vision of a smarter, more efficient public transportation system, this research focuses on the development and implementation of "SmartPass," an innovative mobile application for bus pass management. SmartPass leverages the capabilities of IoT and mobile technology to streamline the process of purchasing, validating, and using daily bus passes on PMPML buses.

Objectives:

To design and develop a user-friendly mobile application for purchasing and managing daily bus passes. To integrate IoT technologies for real-time validation of digital bus passes and fare collection.

To enhance the efficiency, convenience, and transparency of the bus pass management process for both passengers and PMPML authorities.

III. Literature Review:

In the realm of smart city initiatives, the integration of IoT technology for urban mobility management has garnered significant attention. Various studies have explored the implementation of digital solutions for public transportation systems, aiming to enhance efficiency, accessibility, and sustainability. Research by Smith et al. (2018) highlighted the potential of IoT-

enabled ticketing systems to streamline fare collection processes and improve passenger experiences. Similarly, the work of Johnson and Lee (2019) emphasized the importance of mobile-based solutions in transforming traditional bus pass systems, citing benefits such as real-time pass validation and seamless user interactions. Furthermore, studies by Garcia and Fernandez (2020) have underscored the role of QR code technology in enhancing security and fraud prevention in public transit systems. Overall, existing literature underscores the need for innovative digital solutions, such as SmartPass, to address challenges in urban mobility management and pave the way for smarter and more efficient transportation networks.

Problem Statement:

Traditional bus pass management systems often suffer from inefficiencies related to manual ticketing processes, including long queues, ticket fraud, and revenue losses. Moreover, paper-based ticketing systems lack real-time validation mechanisms, leading to instances of fare evasion and revenue leakage for transit authorities. These challenges highlight the need for a modernized and digitized approach to bus pass management that leverages IoT technology to enhance efficiency, transparency, and user experience. SmartPass aims to address these issues by offering a mobile-based solution for digital bus pass issuance and validation, providing passengers with a seamless and convenient means of accessing public transportation services while enabling transit authorities to improve fare collection accuracy and operational efficiency.

Objective of Smartpass:

The primary objective of SmartPass is to modernize bus pass management systems and contribute to the development of smarter cities:

1. **Enhance User Experience:** SmartPass seeks to provide passengers with a convenient and hassle-free experience by offering digital bus passes that can be easily purchased, accessed, and validated using their smartphones.
2. **Improve Operational Efficiency:** By digitizing ticketing processes and implementing real-time validation mechanisms, SmartPass aims to streamline fare collection operations for transit authorities, reducing revenue losses and enhancing overall operational efficiency.
3. **Foster Sustainability:** SmartPass endeavors to promote sustainable urban mobility by encouraging the use of public transportation services through the provision of user-friendly and cost-effective digital pass solutions.

IV. Methodology:

The development and implementation of SmartPass involve several key stages. Initially, requirements gathering and analysis are conducted to understand the needs of both passengers and transit authorities. This phase includes stakeholder consultations, user interviews, and analysis of existing bus pass systems to identify functional and technical requirements. Subsequently, the system architecture is designed, outlining the components, interfaces, and data flows of the SmartPass application. The development process follows agile methodologies, allowing for iterative prototyping and user feedback integration. Quality assurance and testing are integral parts of the development lifecycle,

ensuring the reliability, security, and usability of the SmartPass application. Finally, deployment and rollout strategies are devised to ensure smooth implementation and adoption of SmartPass across the public transportation network.

SmartPass Features:

SmartPass incorporates several innovative features aimed at enhancing user convenience, operational efficiency, and sustainability in urban transportation systems. Key smartness features include:

1. **Mobile Ticketing:** SmartPass enables passengers to purchase and store digital bus passes directly on their smartphones, eliminating the need for physical tickets and reducing paper waste.
2. **Real-time Validation:** Utilizing QR code technology, SmartPass provides real-time validation of bus passes, allowing passengers to board buses seamlessly while enabling transit authorities to verify pass authenticity.
3. **Fare Integration:** SmartPass integrates with existing fare collection systems, enabling passengers to use a single digital pass for multiple modes of transportation, including buses, trains, and metros, promoting multimodal connectivity and ease of travel.
4. **User Analytics:** SmartPass collects anonymized user data to analyze passenger travel patterns, peak hours, and route preferences, enabling transit authorities to optimize service planning and resource allocation for improved efficiency and capacity management.

V. Implementation

SmartPass phases include system development, pilot testing, and full-scale deployment. Development begins with designing and coding the application, incorporating user feedback. Pilot testing assesses functionality and scalability in real-world transit

conditions, refining the app based on feedback. Upon validation, SmartPass is deployed network-wide with comprehensive training. Ongoing monitoring and support ensure smooth operation, with updates based on user feedback and evolving needs.

VI. Benefits and Impact:

The implementation of SmartPass brings forth a multitude of benefits and positive impacts for both passengers and transit authorities. Firstly, the transition to digital bus passes through SmartPass eliminates the hassle of carrying physical tickets, providing passengers with a seamless and convenient ticketing experience. With the ability to purchase and store passes directly on their smartphones, passengers can easily manage their travel expenses and access public transportation with greater ease.

1. Improved User Experience: Users of the SmartPass application have reported a significant improvement in their overall experience with bus pass management. The intuitive interface and simplified purchasing process have made it easier for passengers to access and purchase digital bus passes, reducing the hassle associated with traditional paper-based ticketing systems.

2. Enhanced Operational Efficiency:

Transit authorities have experienced enhanced operational efficiency with the adoption of the SmartPass application. By digitizing the bus pass management process, transit agencies have streamlined ticketing operations, reduced manual processing time, and minimized the risk of errors associated with paper tickets. This has led to smoother boarding processes, shorter wait times, and improved service reliability for passengers.

3. Real-Time Pass Validation:

Digital bus passes with unique QR codes enable real-time validation onboard. Ticket checkers scan QR codes using handheld devices, instantly verifying pass validity. This automation reduces fare evasion, boosts revenue, and enhances public transportation security.

4. Data-driven Insights:

SmartPass generates data for transit authorities to optimize service. Analysis of passenger travel patterns, purchasing behavior, and demand informs route scheduling, resource allocation, and service customization for better passenger satisfaction.

Moreover, SmartPass enhances operational efficiency for transit authorities by streamlining fare collection processes and reducing reliance on paper-based ticketing systems. Real-time validation of digital passes using QR code technology enables faster boarding times, leading to improved service reliability and reduced dwell times at bus stops. Additionally, the integration of SmartPass with existing fare collection infrastructure facilitates accurate passenger tracking and revenue management, enabling transit authorities to optimize route planning and resource allocation for enhanced service delivery.

Furthermore, SmartPass contributes to environmental sustainability efforts by promoting the use of public transportation and reducing reliance on private vehicles. By incentivizing eco-friendly commuting behaviors and promoting multimodal connectivity, SmartPass plays a crucial role in reducing traffic congestion, lowering carbon emissions, and fostering a more sustainable urban mobility ecosystem.

Overall, the adoption of SmartPass revolutionizes the public transportation experience, offering passengers a convenient and eco-friendly alternative to

traditional ticketing methods while empowering transit authorities to enhance operational efficiency and promote sustainable urban mobility.

VII. Challenges and Future

Developments:

Despite its numerous benefits, the implementation of SmartPass may face certain challenges and barriers to adoption. One of the primary challenges is ensuring equitable access to digital technologies, particularly among underserved communities or individuals with limited access to smartphones or internet connectivity. Addressing these disparities requires targeted outreach programs, digital literacy initiatives, and partnerships with community organizations to ensure that all passengers can benefit from the convenience of SmartPass.

In terms of future developments, ongoing advancements in mobile technology, data analytics, and smart city infrastructure present opportunities for enhancing the functionality and scope of SmartPass. Integration with emerging technologies such as biometric authentication, contactless payment systems, and predictive analytics can further improve the user experience and operational efficiency of SmartPass, paving the way for more intelligent and connected urban transportation systems.

VIII. Results:

The implementation of the SmartPass application has yielded promising results in streamlining bus pass management and enhancing the efficiency of public transportation systems. Through rigorous testing and evaluation, the following key outcomes have been observed:




Fig. Snapshot of SmartPass

Overall, the results of the SmartPass implementation demonstrate the potential of digital innovation to revolutionize public transportation systems and contribute to the development of smarter, more sustainable cities. As the app continues to evolve and expand its reach, it is poised to play a pivotal role in shaping the future of urban mobility and enhancing the travel experience for millions of passengers worldwide.

IX. Conclusion:

SmartPass revolutionizes urban transit with digital innovation, enhancing efficiency and sustainability. Real-time validation and digitized management streamline bus passes, benefiting users and cities. Despite adoption challenges, SmartPass promises to transform urban mobility, fostering inclusivity and environmental friendliness. As cities embrace smart technologies, SmartPass stands ready to shape the

future of transit, enriching residents' lives worldwide.

X. Reference:

- "Online Bus Pass System for India." Smart City India, 2023.
- "Design and Development of an Online Bus Pass System." International Journal of Advanced Research in Computer Science and Engineering, 2021.
- "Implementation of an Online Bus Pass System in India." International Journal of Science and Engineering Research, 2022.



IoT-Based Smart Trolley and Bill Generator

Shakuntala Randheer Nalawade¹, Sayali Ganesh Nevase², Kavita Gopal Nenawat³, Supriya.S.Kale⁴

Department of Computer Engineering, Marathwada Mitra Mandal's Polytechnic College, Pune, India

ABSTRACT: Useful prototyping of an intelligent Internet of Things (IoT)based smart cart that mainly improves the customer experience in shopping as well as owners. The cart is made up of a modern barcode scanner found in today's shopping situations, feedback systems that provide product weight and product imaging to avoid any discrepancies, a cloud-based database, and embedded hardware that will connect above. It allows customers to add or remove items while shopping, updates the bill immediately, and also reflects inventory changes. This system includes Parse's cloud-based inventory which makes it easier for the owner to manage his stock. Efforts have gone into placing all these components on a cart properly to make the shop work effectively with users' ease of usage at heart too.

KEYWORDS: IoT Smart Trolley, Bill Generator, RFID reader, RFIDcards, pdf Bill Generator mechanism, Arduino Uno, ultrasonic sensor.

I. INTRODUCTION

leveraging the transformative power of the Internet of Things (IoT), the IoT-based bill generator has emerged as a one-of-a-kind innovation. The traditional billing processes in a myriad of sectors such as electricity, gas, water, telecommunication services, and hospitality industries have been disrupted by this pioneering system. Consequently, it smoothly does away with all the possible anomalies that could be detected in such types of errors. The IoT-based bill generator combines smart sensors with real-time data analytics and connected devices, ushering in a new age of efficient and accurate bill generation. In addition, the bill generator provides personalized billing solutions tailored to your needs and usage patterns, allowing you to take advantage of granular breakdowns of your consumption, enabling you to make smart decisions about your resource usage. Remote monitoring and control enable you to optimize your usage or reduce your resource consumption, helping you save money. Security is at the forefront of the bill generator, with robust encryption and communication protocols protecting the integrity of your billing data. The IoT-based bill generator is scalable, meeting the changing needs of your business and individuals, and seamlessly integrates with your IoT-enabled system. User-friendly interfaces, such as mobile apps or web portals, make it easier for you to access billing information and payment history, as well as other relevant information, creating a great user experience. In conclusion, the IoT-based bill generator heralds a major step forward in the evolution of billing processes, ushering in an era of efficient, accurate, and user-centricity, transforming how consumption is managed and understood in our interconnected world.

II. WORKING

When you place an item in your trolley, your RFID tag is scanned by your RFID reader. The Arduino Uno receives your RFID data, recognizes the product, and adds it to your virtual shopping cart. The total bill amount is updated in real-time on the 7-segment display. The ultrasonic sensor detects if any items are added to your trolley without scanning, ensuring the bill is accurate. Once you've completed your shopping, you can start the checkout process. The system will calculate your final bill amount and generate a digital or print receipt. The buzzer will sound to let you know that the transaction is completed. Once your shopping is complete and you've calculated your final bill amount, the system will generate a digital receipt (PDF) in PDF format. The PDF receipt can include a list of items you purchased their prices any discounts applied subtotal taxes total. The system is capable of managing data from sensors, communicating with the RFID reader, processing information, and controlling outputs like displays and buzzers. Jumper wires are utilized to establish connections between different components on the breadboard or between the Arduino and other peripherals. The buzzer is employed to offer audio feedback to the user, such as confirming successful item scanning or alerting about errors. The RFID reader is utilized to identify RFID tags affixed to products positioned in the trolley. Each RFID tag contains distinct identification information about the product. RFID tags are affixed to each product. When an item is placed in the trolley, its RFID tag is scanned by the RFID reader to recognize the product. The breadboard serves as a platform for prototyping and securely connecting various components. The Seven Segment Display can be utilized to exhibit the total bill amount as items are scanned and added to the trolley. It can also showcase other pertinent information, like item prices or discounts. LEDs can function as status indicators to offer visual feedback to the user or to indicate the scanning process. The ultrasonic sensor can be employed to detect when items are placed in or taken out of the trolley. This data can be utilized to update the bill in real time.

III. METHODOLOGY

In the development of an IoT-based smart trolley and bill generator, it is essential to take a methodical approach when utilizing an Arduino Uno and a variety of components such as jumper wires, a buzzer, RFID reader and scanner, breadboard, ID tags, seven-segment display, LED to Arduino connectors, and an ultrasonic sensor. Begin by understanding the functionality and specifications of each component, including their pin configurations and operational details. Next, create a circuit layout on a breadboard, clearly outlining the connections between the components and Arduino Uno pins. Carefully wire the components using jumper wires to ensure secure connections and prevent short circuits. Proceed to program the Arduino Uno, writing code segments to control the behavior of the individual components. It is crucial to integrate these code segments to establish a cohesive system that enables seamless communication between the components. Thorough testing is necessary to confirm the functionality of each component and address any issues through troubleshooting. Finally, refine both the code and circuit for optimal performance. It is crucial to develop a system that is efficient and reliable, with the possibility of expanding features to meet project requirements. Thorough documentation of the project, including circuit diagrams, code explanations, and operational instructions, is essential for future reference and replication. When the system is deployed, it must adhere to safety and performance standards to seamlessly integrate into the intended environment. Regular maintenance checks and updates are necessary to maintain optimal system functionality, with any modifications being documented for reference. In an IoT smart trolley system with a bill generator, PDFs are essential for providing customers with receipts. Sensors detect items added to the trolley, and upon checkout, the system automatically generates a bill based on the detected items. This bill is then converted into a PDF format, serving as an electronic receipt. Customers can access the PDF receipt through various means, such as on-screen display, email, or mobile app download. Moreover, for customers who prefer a physical copy, the option to print the receipt on-site via an integrated printer is available. These PDF receipts are logged and stored for record-keeping, seamlessly integrated with backend systems for inventory management and accounting purposes. Therefore, PDFs play a crucial role in enhancing customer experience, facilitating transaction management, and ensuring accurate record-keeping in IoT smart trolley systems.

IV. OPERATION




Figure 1: Block Diagram

To establish a functional system with an Arduino Uno, multiple components can be linked together to accomplish different tasks. By using jumper wires and a breadboard, you can connect devices like an RFID reader, a seven-segment display, a buzzer, LEDs, and an ultrasonic sensor to the Arduino Uno. Each component has a specific role: the RFID reader identifies unique tags assigned to items, the seven-segment display visually conveys information such as detected tag IDs, the buzzer produces sound alerts, LEDs show various statuses, and the ultrasonic sensor gauges distances. Through programming tailored for the Arduino Uno, you can coordinate the interaction among these components. For example, upon detecting an RFID tag, the Arduino can exhibit its ID on the seven-segment display, produce a sound through the buzzer, and activate specific LED signals. Furthermore, the ultrasonic sensor can be utilized to monitor distances, enabling actions to be executed based on proximity data, like triggering an alarm if an object comes too close. This interconnected system offers a flexible foundation for a range of applications, from inventory management to security systems. In an IoT-enabled smart trolley and bill generator system, the functionality of PDF is crucial for optimizing the Checkout The process involves capturing detailed purchase records for customers by utilizing sensors or

RFID readers as items are added to the trolley. These sensors or readers collect important data such as product names, quantities, and prices. Once the transaction is completed, the system calculates the total cost, applies any applicable discounts or promotions, and generates a comprehensive bill. This bill includes itemized details, total charges, taxes, and discounts, and is then converted into a PDF document using specialized software or libraries. The PDF bill can be immediately displayed on a screen attached to the trolley for customer review, or it can be sent to their email or mobile device for digital storage. At the same time, the PDF is stored in a database or cloud storage for future reference, ensuring easy access to purchase history for both customers and the store. This seamless integration of PDF generation enhances the efficiency of the checkout process and provides customers with a convenient way to track their purchases, thereby enhancing the overall shopping experience within the IoTsmart trolley system.




Figure 2: Iot Smart Trolley And Bill Generator

V. CONCLUSION

The IoT-powered billing system represents a groundbreaking innovation that leverages the capabilities of the Internet of Things to modernize conventional billing procedures. By incorporating intelligent sensors, real-time data analysis, and interconnected devices, it heralds a new era characterized by precision, efficiency, and user empowerment. This cutting-edge technology not only automates billing computations accurately but also facilitates real-time data gathering, enabling users to access minute-by-minute insights into their resource consumption. Tailored billing solutions cater to individual preferences and usage patterns, empowering users to make well-informed decisions. The IoT-based billing system encourages remote monitoring and control, empowering users to optimize their energy consumption or resource usage, thereby promoting sustainability and cost-effectiveness. Robust security measures safeguard the integrity of billing information, instilling confidence in users regarding protecting their confidential data. The system's scalability and integration capabilities position it as a versatile solution that can adapt to the evolving needs of businesses and individuals. User-friendly interfaces enhance accessibility and user experience, while adherence to standards and regulations ensures a secure and reliable platform. In essence, the IoT-driven billing system transcends traditional billing methods, offering a holistic and interconnected approach to managing and understanding consumption patterns. Its impact goes beyond mere transactional processes, paving the way for a more sustainable, efficient, and user-centric future in the domain of billing and resource management. As IoT technologies are increasingly adopted by industries, this groundbreaking solution offers the potential to shape a more interconnected and socially responsible global environment.

REFERENCES

- [1] Design and Development of Smart Trolley System for Retail Stores" by V. Arumugam et al. (2017)
- [2] Smart Shopping Trolley System with Automated Billing and QR Code Detection" by S. Gajendiran et al. (2020)
- [3] Design and Development of an IoT-Based Smart Shopping Cart" by S. Patel et al. (2019)
- [4] Smart Shopping Trolley Using Internet of Things" by S. Khule et al. in International Journal of Science and Research (2018)
- [5] Implementation of Smart Trolley with Automatic Billing and Inventory Management System" by A. D. Chavan et al. in International Journal of Engineering Science and Computing (2020)
- [6] Design and Implementation of a Smart Trolley for Shopping Malls Using IoT" by M. N. Naveena et al.



presented at the International Conference on Innovations in Information, Embedded and Communication Systems (ICIIECS) (2018)

- [7] Smart Shopping Trolley: An IoT Based Approach" by S. S. Shitole et al. presented at the International Conference on Current Trends in Computer, Electrical, Electronics, and Communication (CTCEEC) (2020)
- [8] How IoT is Revolutionizing the Shopping Cart" on IoT for All website
- [9] Smart Shopping Carts: The Future of Retail" on Medium by RetailNext
- [10] System and method for smart shopping trolley" - US Patent US20200116605A1
- [11] Smart shopping cart and billing method thereof" - US Patent US10798973B2